

I. C. S. REFERENCE LIBRARY

A SERIES OF TEXTBOOKS PREPARED FOR THE STUDENTS OF THE
INTERNATIONAL CORRESPONDENCE SCHOOLS AND CONTAINING
IN PERMANENT FORM THE INSTRUCTION PAPERS,
EXAMINATION QUESTIONS, AND KEYS USED
IN THEIR VARIOUS COURSES

ARITHMETIC
SPELLING
GEOGRAPHY
GAUGING AND ELEMENTARY PHYSICS
POSTAL INFORMATION
COPYING

3945E

SCRANTON
INTERNATIONAL TEXTBOOK COMPANY

Copyright, 1899, by THE COLLIERY ENGINEER COMPANY.

Copyright, 1905, 1906, by INTERNATIONAL TEXTBOOK COMPANY.

Arithmetic, Part 1: Copyright, 1898, 1900, by THE COLLIERY ENGINEER COMPANY.

Arithmetic, Parts 2-9: Copyright, 1898, 1900, by THE COLLIERY ENGINEER COMPANY. Copyright, 1906, by INTERNATIONAL TEXTBOOK COMPANY.

Spelling: Copyright, 1906, by INTERNATIONAL TEXTBOOK COMPANY.

Geography: Copyright, 1904, by INTERNATIONAL TEXTBOOK COMPANY.

Gauging and Elementary Physics: Copyright, 1905, 1907, by INTERNATIONAL TEXTBOOK COMPANY. Entered at Stationers' Hall, London.

Postal Information: Copyright, 1906, by INTERNATIONAL TEXTBOOK COMPANY.

Copying: Copyright, 1904, by INTERNATIONAL TEXTBOOK COMPANY.

All rights reserved.



PREFACE

Formerly it was our practice to send to each student entitled to receive them a set of volumes printed and bound especially for the Course for which the student enrolled. In consequence of the vast increase in the enrolment, this plan became no longer practicable and we therefore concluded to issue a single set of volumes, comprising all our textbooks, under the general title of I. C. S. Reference Library. The students receive such volumes of this Library as contain the instruction to which they are entitled. Under this plan some volumes contain one or more Papers not included in the particular Course for which the student enrolled, but in no case are any subjects omitted that form a part of such Course. This plan is particularly advantageous to those students who enroll for more than one Course, since they no longer receive volumes that are, in some cases, practically duplicates of those they already have. This arrangement also renders it much easier to revise a volume and keep each subject up to date.

Each volume in the Library contains, in addition to the text proper, the Examination Questions and (for those subjects in which they are issued) the Answers to the Examination Questions.

In preparing these textbooks, it has been our constant endeavor to view the matter from the student's standpoint, and try to anticipate everything that would cause him trouble. The utmost pains have been taken to avoid and correct any and all ambiguous expressions—both those due to faulty rhetoric and those due to insufficiency of statement or explanation. As the best way to make a statement, explanation, or description clear is to give a picture or a

diagram in connection with it, illustrations have been used almost without limit. The illustrations have in all cases been adapted to the requirements of the text, and projections and sections or outline, partially shaded, or full-shaded perspectives have been used, according to which will best produce the desired results.

The method of numbering pages and articles is such that each part is complete in itself; hence, in order to make the indexes intelligible, it was necessary to give each part a number. This number is placed at the top of each page, on the headline, opposite the page number; and to distinguish it from the page number, it is preceded by a section mark (§). Consequently, a reference, such as §3, page 10, can be readily found by looking along the inside edges of the headlines until §3 is found, and then through §3 until page 10 is found.

INTERNATIONAL CORRESPONDENCE SCHOOLS

CONTENTS

ARITHMETIC	<i>Section</i>	<i>Page</i>
Definitions	1	1
Notation and Numeration	1	2
Addition	1	5
Subtraction	1	14
Multiplication	1	22
Division	1	30
Cancellation	1	36
Fractions	2	1
Decimals	3	1
United States Money	3	14
Aliquot Parts	3	15
Compound Numbers	4	1
Measures of Extension	4	2
Measures of Weight	4	6
Measures of Capacity	4	8
Measures of Time	4	11
Measures of Angles or Arcs	4	13
Measures of Money	4	16
Miscellaneous Tables	4	18
Reduction of Compound Numbers	4	19
Addition of Compound Numbers	4	26
Subtraction of Compound Numbers	4	29
Multiplication of Compound Numbers	4	33
Division of Compound Numbers	4	35
The Metric System	5	1
Formulas	5	9
Involution	5	12
Mensuration	6	1

Arithmetic	Section	Page
Quadrilaterals	6	2
The Triangle	6	13
The Circle	6	14
The Prism and Cylinder	6	16
Percentage	7	1
Profit and Loss	7	8
Trade Discounts	7	11
Commission and Brokerage	7	15
Insurance	7	19
Taxes	7	21
Simple Interest	8	1
Annual Interest	8	10
True Discount	8	16
Compound Interest	8	18
Partial Payments	8	22
Promissory Notes	8	25
Bank Discount	8	29
Duties	8	32
Conversion of Currency	8	35
Stocks and Bonds	9	1
Exchange	9	5
Average or Equation of Payments	9	16
Statement of Simple Accounts	9	24
SPELLING		
Rules for Spelling	10	1
Familiar Words	10	2
UNITED STATES GEOGRAPHY		
Introduction	12	1
Definitions	12	2
Description of the United States	12	4
Divisions of the United States	12	8
New England States	12	8
Middle Atlantic States	12	12
South Atlantic and Gulf States and Terri- tories	12	17
Central States	12	24

CONTENTS

vii

UNITED STATES GEOGRAPHY— <i>Continued</i>	Section	Page
Rocky Mountain and Pacific States and Territories	12	31
Important Rivers in the United States	12	38
Principal Canals in the United States	12	46
Insular Possessions of the United States	12	47
Important Cities of the United States According to Population	12	48
One Hundred Largest Cities in the United States	12	61

GAUGING AND ELEMENTARY PHYSICS

Gauging	13	1
Gauging Instruments	13	3
Elementary Physics	13	15
Gravitation	13	28
Pneumatics	13	32
Heat	13	44
Spirituuous Liquors	13	53
Rectified and Proof Spirits	13	57

POSTAL INFORMATION

Introduction	16	1
Domestic Mail	16	2
First-Class Matter	16	2
Second-Class Matter	16	3
Third-Class Matter	16	4
Fourth-Class Matter	16	6
Special Delivery	16	8
Postal Money Orders	16	9
Registered Mail	16	13
Foreign Mail	16	19
Parcels Post	16	23
Miscellaneous Information	16	24

COPYING

Plain Copying	51	1
Clean Copying from Rough Draft	51	8

ARITHMETIC.

(PART 1.)

DEFINITIONS.

1. Arithmetic is the science of numbers and the art of computation.

2. A unit is *one*, or a single thing, as *one* boy, *one* horse, *one*, *one* dozen.

3. A number is a unit or a collection of units, as *three* apples, *five* boys, *seven*.

4. The unit of a number is one of the units included in the collection of units forming the number. Thus, the unit of *twelve* is *one*, of *twenty* dollars is *one* dollar.

5. A concrete number is a number applied to some particular kind of object or quantity, as three *horses*, five *dollars*, ten *pounds*.

6. An abstract number is a number not applied to any object or quantity, as *three*, *five*, *ten*.

7. Like numbers are numbers that express units of the *same kind*, as 6 *days* and 10 *days*, 2 *feet* and 5 *feet*.

8. Unlike numbers are numbers that express units of *different kinds*, as ten *months* and eight *miles*, seven *dollars* and five *feet*.

For notice of copyright, see page immediately following the title page.

NOTATION AND NUMERATION.

9. Numbers are expressed in three ways: (1) by words; (2) by figures; (3) by letters.

10. **Notation** is the art of expressing numbers by figures or letters.

11. **Numeration** is the art of reading numbers expressed by figures or letters.

ARABIC NOTATION.

12. The **Arabic notation** is the method of expressing numbers by figures. This method employs ten characters, called **figures**, to represent numbers, viz.:

Figures	0	1	2	3	4	5	6	7	8	9
Names	<i>naught, one two three four five six seven eight nine</i> <i>cipher,</i> <i>or zero</i>									

The first figure (0) is called **naught**, **cipher**, or **zero**, and, when standing alone, has no value.

The other nine figures are called **digits**, and each one has a value of its own.

An **integer** is any whole number.

13. Since there are only ten *figures* used in expressing numbers, each *figure* must have different *values*, determined by the way in which it is used.

14. The value of a figure depends upon its *position* in relation to others.

15. Figures have **simple values**, and **local**, or **place**, values.

16. The **simple** value of a figure is the value it expresses when standing alone.

17. The **local**, or **place**, value of a figure is its value as determined by its position in a number.

Thus, 6 standing alone means <i>six ones</i>	6
In the second place it denotes <i>six tens</i>	60
In the third place it denotes <i>six hundreds</i>	600
In the fourth place it denotes <i>six thousands</i>	6,000
In the fifth place it denotes <i>six ten-thousands</i>	60,000
In the sixth place it denotes <i>six hundred-thousands</i>	600,000
In the seventh place it denotes <i>six millions</i>	6,000,000

18. The **value** of a figure increases tenfold with each remove to the left.

19. The **cipher** has no value in itself, but it is useful in fixing the place of other figures. To represent the number *four hundred five*, only two significant figures are necessary, one to denote *four hundred*, and the other to denote *five*; but if these two figures are placed together, as 45, the 4, being in the second place, will mean 4 *tens*. To denote 4 *hundreds* it should be in the third place. A cipher, therefore, must be inserted in the *tens* place to show that the number is composed of *hundreds* and *units* only, and that there are no *tens*. *Four hundred five* is therefore written 405. If the number were *four thousand five*, two ciphers would be inserted; thus, 4,005. If it were *four hundred fifty*, the cipher would be in the units place to show that there are no *units*, but only *hundreds* and *tens*; thus, 450. *Four thousand fifty* is written 4,050, the ciphers indicating that there are no hundreds and no units.

20. In reading numbers, it is usual to divide them by commas into groups of three figures each, called **periods**, beginning at the right. The first figure is said to belong to the *first order*, the second to the *second order*, etc. Each **period** contains three orders, named as shown in the following table:

TABLE.

<i>Name of period.</i>	<i>Trillions.</i>	<i>Billions.</i>	<i>Millions.</i>	<i>Thousands.</i>	<i>Units.</i>
<i>Name of order.</i>	hundred-trillions. ten-trillions. trillions.	hundred-billions. ten-billions. billions.	hundred-millions. ten-millions. millions.	hundred-thousands. ten-thousands. thousands.	hundreds. tens. units.
<i>Number.</i>	9 8 7,	4 3 2,	1 9 8,	7 6 5,	4 3 2

The first period, beginning at the right, contains *units, tens, hundreds*; the second, *thousands, ten-thousands, hundred-thousands*; the third, *millions, ten-millions, hundred-millions*; etc.

The number in the table is read, *nine hundred eighty-seven trillion, four hundred thirty-two billion, one hundred ninety-eight million, seven hundred sixty-five thousand, four hundred thirty-two.*

21. The writing of numbers is called **notation**, and the reading of numbers is called **numeration**. It will be noticed that in reading and writing numbers the *s* at the end of thousands, millions, etc. is omitted.

ROMAN NOTATION.

22. Roman notation is a method of expressing numbers by means of seven capital letters: These letters are I, V, X, L, C, D, and M. Their values, when standing alone, are as follows: I = 1, V = 5, X = 10, L = 50, C = 100, D = 500, M = 1,000. By combinations of these letters all other numbers are expressed. Their combinations are in accordance with the following.

PRINCIPLES.

1. *Repeating a letter repeats its value.*

Thus, II = 2, XX = 20, XXX = 30, CC = 200, CCC = 300.

V, D, and L are never repeated, and only I, X, C, and M are ever used more than once in any combination.

2. *If a letter precedes one of greater value, their difference is denoted; if it follows, their sum is denoted.*

Thus, IV = 4, VI = 6, IX = 9, XI = 11, XL = 40, LX = 60.

3. *A bar placed over a letter multiplies its value by one thousand.*

Thus, \overline{X} = 10,000, \overline{L} = 50,000, XCDXVII = 90,517.

23. The following table illustrates more fully the foregoing principles:

VII	= 7	LX	= 60	CLXIX	= 169	\overline{IXLX}	= 9060
XIII	= 13	LXIX	= 69	CLXXX	= 180	\overline{LCXC}	= 50190
XIV	= 14	LXX	= 70	CCXL	= 240	\overline{XIX}	= 19000
XV	= 15	LXXX	= 80	CCCLIX	= 359	\overline{XLDX}	= 40510
XX	= 20	XC	= 90	CCCCL	= 450	\overline{XCVII}	= 97000
XXV	= 25	XCIX	= 99	CCCCXC	= 490	\overline{DCC}	= 700000
XXVIII	= 28	CIX	= 109	DCCXL	= 740	\overline{XCIX}	= 99000
XXIX	= 29	CXI	= 111	DCCCXI	= 811	\overline{M}	= 1000000
XXX	= 30	CXIX	= 119	DCCCC	= 900	\overline{MM}	= 2000000
XL	= 40	CLVI	= 156	DCCCCXL	= 940	\overline{MDCC}	= 1700000

24. The four fundamental processes of arithmetic are **addition, subtraction, multiplication, and division**. They are called fundamental processes because all operations in arithmetic are based upon them.

ADDITION.

25. **Addition** is the *process* of *finding* a number that is equal to two or more numbers taken together. The sign of addition is +. It is read *plus*, and means *more*. Thus, 5 + 6 is read 5 *plus* 6, and means that 5 and 6 are to be added.

26. The sign of equality is =. It is read *equals*, or *is equal to*. Thus, $5 + 6 = 11$ may be read *5 plus 6 equals 11*.

27. Only like numbers can be added. Thus, 6 dollars can be added to 7 dollars, and the sum will be 13 dollars, but 6 *dollars* cannot be added to 7 *feet*.

28. The following table gives the sum of any two numbers from 1 to 12:

1 and 1 is 2	2 and 1 is 3	3 and 1 is 4	4 and 1 is 5
1 and 2 is 3	2 and 2 is 4	3 and 2 is 5	4 and 2 is 6
1 and 3 is 4	2 and 3 is 5	3 and 3 is 6	4 and 3 is 7
1 and 4 is 5	2 and 4 is 6	3 and 4 is 7	4 and 4 is 8
1 and 5 is 6	2 and 5 is 7	3 and 5 is 8	4 and 5 is 9
1 and 6 is 7	2 and 6 is 8	3 and 6 is 9	4 and 6 is 10
1 and 7 is 8	2 and 7 is 9	3 and 7 is 10	4 and 7 is 11
1 and 8 is 9	2 and 8 is 10	3 and 8 is 11	4 and 8 is 12
1 and 9 is 10	2 and 9 is 11	3 and 9 is 12	4 and 9 is 13
1 and 10 is 11	2 and 10 is 12	3 and 10 is 13	4 and 10 is 14
1 and 11 is 12	2 and 11 is 13	3 and 11 is 14	4 and 11 is 15
1 and 12 is 13	2 and 12 is 14	3 and 12 is 15	4 and 12 is 16
5 and 1 is 6	6 and 1 is 7	7 and 1 is 8	8 and 1 is 9
5 and 2 is 7	6 and 2 is 8	7 and 2 is 9	8 and 2 is 10
5 and 3 is 8	6 and 3 is 9	7 and 3 is 10	8 and 3 is 11
5 and 4 is 9	6 and 4 is 10	7 and 4 is 11	8 and 4 is 12
5 and 5 is 10	6 and 5 is 11	7 and 5 is 12	8 and 5 is 13
5 and 6 is 11	6 and 6 is 12	7 and 6 is 13	8 and 6 is 14
5 and 7 is 12	6 and 7 is 13	7 and 7 is 14	8 and 7 is 15
5 and 8 is 13	6 and 8 is 14	7 and 8 is 15	8 and 8 is 16
5 and 9 is 14	6 and 9 is 15	7 and 9 is 16	8 and 9 is 17
5 and 10 is 15	6 and 10 is 16	7 and 10 is 17	8 and 10 is 18
5 and 11 is 16	6 and 11 is 17	7 and 11 is 18	8 and 11 is 19
5 and 12 is 17	6 and 12 is 18	7 and 12 is 19	8 and 12 is 20
9 and 1 is 10	10 and 1 is 11	11 and 1 is 12	12 and 1 is 13
9 and 2 is 11	10 and 2 is 12	11 and 2 is 13	12 and 2 is 14
9 and 3 is 12	10 and 3 is 13	11 and 3 is 14	12 and 3 is 15
9 and 4 is 13	10 and 4 is 14	11 and 4 is 15	12 and 4 is 16
9 and 5 is 14	10 and 5 is 15	11 and 5 is 16	12 and 5 is 17
9 and 6 is 15	10 and 6 is 16	11 and 6 is 17	12 and 6 is 18
9 and 7 is 16	10 and 7 is 17	11 and 7 is 18	12 and 7 is 19
9 and 8 is 17	10 and 8 is 18	11 and 8 is 19	12 and 8 is 20
9 and 9 is 18	10 and 9 is 19	11 and 9 is 20	12 and 9 is 21
9 and 10 is 19	10 and 10 is 20	11 and 10 is 21	12 and 10 is 22
9 and 11 is 20	10 and 11 is 21	11 and 11 is 22	12 and 11 is 23
9 and 12 is 21	10 and 12 is 22	11 and 12 is 23	12 and 12 is 24

This table should be carefully committed to memory. Since 0 has no value, the sum of any number and 0 is the number itself; thus, 17 and 0 is 17.

29. For *addition*, place the numbers to be added directly under one another, taking care to place *units* under *units*, *tens* under *tens*, *hundreds* under *hundreds*, and so on.

EXAMPLE 1.—What is the sum of 131, 222, 21, 2, and 413?

SOLUTION.—

$$\begin{array}{r}
 131 \\
 222 \\
 21 \\
 2 \\
 413 \\
 \hline
 \text{sum } 789 \text{ Ans.}
 \end{array}$$

EXPLANATION.—After placing the numbers in proper order, begin at the bottom of the units column and add, mentally repeating the different sums. Thus, three, five, six, eight, nine, the sum of the numbers in the units column. Place the 9 directly beneath, as the units figure in the sum.

The sum of the numbers in the tens column is 8, which is the tens figure in the sum.

The sum of the numbers in the hundreds column is 7, which is the hundreds figure in the sum.

EXAMPLE 2.—What is the sum of 61,803 + 43,429 + 47,712 + 62,138?

SOLUTION.—

$$\begin{array}{r}
 61803 \\
 43429 \\
 47712 \\
 62138 \\
 \hline
 22 \\
 60 \\
 2000 \\
 13000 \\
 200000 \\
 \hline
 \text{sum } 215082 \text{ Ans.}
 \end{array}$$

EXPLANATION.—The sum of the units column is 22; of the tens column it is 6 tens, or 60; of the hundreds column it is 20 hundreds, or 2,000; of the thousands column it is 13 thousands, or 13,000; and of the ten-thousands column the sum is 20 ten-thousands, or 200,000. The sum of these numbers

is 215,082. Ordinarily, the work would be performed as follows, the unnecessary ciphers being omitted:

$$\begin{array}{r}
 61803 \\
 43429 \\
 47712 \\
 62138 \\
 \hline
 22 \\
 6 \\
 20 \\
 13 \\
 20 \\
 \hline
 \text{sum } 215082
 \end{array}$$

This method is very convenient to use when adding a long column of figures.

30. In practice, addition is performed as follows:

$$\begin{array}{r}
 425 \\
 36 \\
 9215 \\
 4 \\
 907 \\
 \hline
 \text{sum } 10587
 \end{array}$$

EXPLANATION.—The sum of the numbers in the units column = 27 units, or 2 tens and 7 units. Write the 7 units as the first, or right-hand, figure in the sum. Reserve the 2 tens and add them to the tens column. The sum of the figures in the tens column plus the 2 tens reserved from the units column = 8, which is written as the second figure in the sum. There is nothing to carry to the next column. The sum of the numbers in the next column is 15, or 1 thousand and 5 hundreds. Write the 5 as the third, or hundreds, figure in the sum and carry the 1 to the next column: $1 + 9 = 10$, which is written at the left of the other figures.

The second method saves space and figures, but the first is to be preferred when adding a long column.

EXAMPLE.—Add the following numbers:

SOLUTION.—

$$\begin{array}{r}
 890 \\
 82 \\
 90 \\
 393 \\
 281 \\
 80 \\
 770 \\
 83 \\
 492 \\
 80 \\
 383 \\
 84 \\
 191 \\
 \hline
 \text{sum } 3899 \quad \text{Ans.}
 \end{array}$$

EXPLANATION.—The sum of the first column is 19, or 1 ten and 9 units. Write 9 and carry 1 to the next column. The sum of the second column + 1 = 109 tens, or 10 hundreds and 9 tens. Write 9 and carry 10 to the next column. The sum of this column plus the 10 reserved is 38. Write 38. The total sum is 3,899.

31. Rule.—*I. Begin at the right, add each column separately, and write the sum, if it be only one figure, under the column added.*

II. If the sum of any column consists of two or more figures, put the right-hand figure of the sum under that column, and add the remaining figure or figures to the next column.

32. Proof.—*To prove addition, add each column from top to bottom. If the same result is obtained as by adding from bottom to top, the work is probably correct.*

EXAMPLES FOR PRACTICE.

Find the sum of:

- (a) $104 + 203 + 613 + 214.$
 (b) $1,875 + 3,143 + 5,826 + 10,832.$
 (c) $4,865 + 2,145 + 8,173 + 40,084.$
 (d) $14,204 + 8,173 + 1,065 + 10,042.$
 (e) $10,832 + 4,145 + 3,133 + 5,872.$
 (f) $214 + 1,231 + 141 + 5,000.$
 (g) $123 + 104 + 425 + 126 + 327.$
 (h) $6,354 + 2,145 + 2,042 + 1,111 + 3,333.$

$$\text{Ans. } \left\{ \begin{array}{l}
 (a) \quad 1,134. \\
 (b) \quad 21,676. \\
 (c) \quad 55,267. \\
 (d) \quad 33,484. \\
 (e) \quad 23,982. \\
 (f) \quad 6,586. \\
 (g) \quad 1,105. \\
 (h) \quad 14,985.
 \end{array} \right.$$

RAPID ADDITION.

33. There is nothing more useful to the bookkeeper and business man than the ability to add rapidly and correctly; but this can be acquired only by persevering practice. Any time employed in practicing addition will be well spent. If the student will practice addition ten or fifteen minutes daily for a month or so, he will be greatly benefited.

In order to become expert in adding, it is absolutely essential that, when two figures are seen or heard pronounced, the student can instantly give their sum. Thus, 15 should suggest itself as soon as 6 and 9, or 8 and 7, are seen, or heard pronounced. It should not be necessary to say, mentally, 6 and 9 are 15, but 6, 15, the 9 not being pronounced either mentally or orally. (In no case should the student contract the habit of adding aloud; it is not necessary, and it is a very difficult habit to break.)

In adding 5, 6, 1, 9, 7, 5, 2, 4, 8, 9, do not say 5 and 6 is 11 and 1 is 12, and 9 is 21, etc., but *think* 5, 11, 12, 21, 28, 33, 35, 39, 47, 56, repeating the sums about as fast as they can be pronounced.

While rapidity is of great importance, accuracy is more important, and accuracy is attained only by practice. Below will be found some examples on which the student can practice. He should construct similar ones for himself.

(1)	(2)	(3)	(4)	(5)
4 1 7 5	9 2 8 6	3 5 8 2	4 8 2 7 5	2 6 8 1 7 5 3
5 6 9 8	5 7 3 5	6 8 9 6	2 7 3 6 8	5 1 7 6 3 8 2
8 5 2 7	8 2 6 7	5 2 7 5	5 9 4 8 7	9 6 2 8 6 2 5
3 4 8 9	3 4 8 9	9 1 8 2	6 1 7 3 5	8 7 6 3 8 9 7
7 6 7 8	9 2 6 1	7 3 6 4	9 8 2 7 5	6 3 7 4 8 5 9
<u>2 5 3 7</u>	<u>7 0 8 2</u>	<u>5 3 8 5</u>	<u>6 3 8 4 2</u>	<u>6 2 8 3 9 2 6</u>

The answers to the above are: (1) 32,104; (2) 43,120; (3) 37,684; (4) 358,982; (5) 38,909,442.

34. To add rapidly, it is necessary for the student to become accustomed to group the figures of a column and add

the sums of the groups. It is most convenient to choose the groups, as far as possible, so that the sum of each group shall be either 10 or 20. An example will show how this is accomplished:

3	{	Commencing at the bottom of the column, we see at
9		once that 1 and 9 form a group whose sum is 10; hence
2		we mentally say 2, 12 instead of 2, 3, 12. Now the
5		next two figures, 5 and 3, we group together, and,
8	{	instead of adding 5 and 3 separately, we add the sum 8.
2		The next two figures, 6 and 4, form a group whose sum
6	{	is 10, and so do the next two figures, 8 and 2. Looking
4		now at the four figures at the top of the column, we
3	{	readily see that 5, 2, and 3 form a last group whose
5		sum is 10, leaving only the 9 outside of a group. In
0		adding the column, we would repeat mentally 2, 12, 20,
9		30, 40, 50, 59. Another grouping would readily appear
1	{	to the skilful accountant; the 2 at the bottom and the
2		5 and 3 above the 0 form a group whose sum is 10.
<hr/>		
59		Recognizing this group, the mental addition would be:
		10, 20, 30, 40, 50, 59.

This process of forming groups may be extended to include those whose sums are 15 or 20. By a judicious selection of the figures composing a group, its sum may usually be made either 10, 15, or 20, and these sums should always be sought in preference to others, since two 15's make 30, and the numbers 10, 20, and 30 are added with little mental labor. Thus, in the following example, the grouping is shown by the braces. The mental addition is 15, 30, 37, 47, 67, 72. After some practice, the student will be able to recognize a group whose sum is 10 or 20 almost instantly; he should persevere in the solution of examples until he is able to form the groups rapidly and with ease. It is not always possible to get consecutive numbers which will form groups whose sums are 10, 15, or 20. Such groups, however, can often be found by skipping one or more figures in the column. For instance, in the following example, the first two figures, 7 and 3, make a ten, and skipping the fourth

5	{	figures composing a group, its sum may usually be
9		made either 10, 15, or 20, and these sums should always
3		be sought in preference to others, since two 15's make
20		30, and the numbers 10, 20, and 30 are added with
8	{	little mental labor. Thus, in the following example,
6		the grouping is shown by the braces. The mental
4	{	addition is 15, 30, 37, 47, 67, 72. After some practice,
10		the student will be able to recognize a group whose sum
7	{	is 10 or 20 almost instantly; he should persevere in the
2		solution of examples until he is able to form the groups
9		rapidly and with ease. It is not always possible to get
15		consecutive numbers which will form groups whose
4	{	sums are 10, 15, or 20. Such groups, however, can
8		often be found by skipping one or more figures in
7	{	the column. For instance, in the following example, the first
15		two figures, 7 and 3, make a ten, and skipping the fourth
72		

figure, 9, the third and fifth figures, 4 and 6, make another 10. Skipping the 8, the 3, 4, and 3 at the top of the column make another 10, thus making three groups of 10 and the figures 9 and 8. In adding, however, we should not leave the figures skipped to be added at the end of the operation, but should add them as they occur. In this example we would say 10, 20, 29, 39, 47. The order of adding may be shown by the following arrangement:

$$\begin{array}{r} 7 \\ \hline 47 \end{array} \quad \begin{array}{c} 10 \quad 10 \quad 10 \\ \hline 7 + 3 + 6 + 4 + 9 + 3 + 4 + 3 + 8. \end{array}$$

The following examples may be used for practice:

(1)	(2)	(3)	(4)	(5)
3	13	317	1127	13103
5	27	226	2632	61706
2	92	232	1946	43285
6	35	518	3217	39134
3	64	396	1184	96286
4	22	435	1936	45173
0	30	707	2003	78135
9	97	992	5114	26232
3	18	311	976	19375
1	33	417	5634	8428

The answers are: (1) 36; (2) 431; (3) 4,551; (4) 25,769; (5) 430,857.

35. It is frequently advantageous to be able to add *horizontally*, as it is termed; by this is meant the adding of several numbers as they stand in a horizontal row, without arranging the numbers in vertical columns. Thus,

$$123 + 567 + 792 + 221 + 546 = 2,249.$$

When adding in this manner straight addition must be employed; i. e., the method of Art. 34 cannot be used. The process would be 6, 7, 9, 16, 19; 5, 7, 16, 22, 24; 7, 9, 16, 21, 22. As an example of this method, consider the following table, which is supposed to give, by days, the grain export, in bushels, of a certain city for one week. It is required to find the

amount of grain exported each day, the total amount of each kind of grain exported during the week, and, finally, the total amount of grain exported during the week.

GRAIN EXPORT OF A CITY FOR ONE WEEK (in bushels).

	Mon.	Tues.	Wed.	Thur.	Fri.	Sat.	Total
Corn	28325	15236	35715	29128	75183	46217	*****
Wheat	35719	41719	50108	32546	59275	81126	*****
Oats	12136	9237	18265	7268	6950	17230	*****
Barley	18230	15738	21375	15928	19263	13637	*****
Rye	5275	6829	7201	11325	7825	13261	*****
Totals	*****	*****	*****	*****	*****	*****	*****

The student should find the totals, and prove that the results are correct by adding the totals in the right-hand column, and then adding the totals in the bottom row; the two results should be the same, viz., 757,270 bushels. The other results are: corn, 229,804; wheat, 300,493; oats, 71,086; barley, 104,171; rye, 51,716; Mon., 99,685; Tues., 88,759; Wed., 132,664; Thurs., 96,195; Fri., 168,496; Sat., 171,471.

EXAMPLES FOR PRACTICE.

36. Find the sums of the following:

(1)	(2)	(3)	(4)	(5)	(6)
4568	15431	7386	49850	6542	62165
7391	29685	45371	17370	63834	16732
7854	73648	13764	68429	76343	85696
53469	34519	9887	23156	80931	71883
13470	78234	64348	21017	79883	50149
58143	7843	14627	67154	83578	31572
			64353	35647	76844

EXPLANATION.—Having found the sums of the above, add the sums horizontally, and thus obtain the total of all the numbers. Ans.: (1) 144,895; (2) 239,360; (3) 155,383; (4) 311,329; (5) 426,758; (6) 395,041; total, 1,672,766.

Add all of the above groups horizontally, beginning with the numbers in the top row. Ans.: Top row, 145,942; second row, 180,383; third row, 325,734; fourth row, 273,845; fifth row, 307,101; sixth row, 262,917; seventh row, 176,844.

SUBTRACTION.

37. In Arithmetic, **subtraction** is the process of finding how much greater one number is than another.

The greater of the two numbers is the **minuend**.

The lesser of the two numbers is the **subtrahend**.

The number left after subtracting the subtrahend from the minuend is the **difference**, or **remainder**.

38. The sign of subtraction is $-$. It is read **minus**, and means *less*. Thus, $12 - 7$ is read *12 minus 7*, and means that 7 is to be taken from 12.

EXAMPLE.—From 7,568 take 3,425.

SOLUTION.—	<i>minuend</i>	7 5 6 8	
	<i>subtrahend</i>	3 4 2 5	
	<i>remainder</i>	4 1 4 3	Ans.

EXPLANATION.—Begin at the units column and subtract in succession each figure in the subtrahend from the one directly above it in the minuend, and write the remainders below the line. The result is the remainder.

39. When there are more figures in the minuend than in the subtrahend, and when some figures in the minuend are less than the figures directly under them in the subtrahend, proceed as in the following example:

First Method.—EXAMPLE 1.—From 8,453 take 844.

SOLUTION.—	<i>minuend</i>	8 4 5 3	
	<i>subtrahend</i>	8 4 4	
	<i>remainder</i>	7 6 0 9	Ans.

EXPLANATION.—Begin at the units column to subtract. We cannot take 4 from 3, and must, therefore, borrow 1 *ten* from 5 in *tens* column, and add, or prefix, it to the 3 units, making 13 units. Then, 4 from 13 equals 9, which is written as the units figure of the remainder.

Since 1 *ten* was borrowed from 5 *tens*, only 4 *tens* remain; 4 from 4 equals 0, the *tens* figure of the remainder.

We cannot take 8 *hundreds* from 4 *hundreds*, and must borrow 1 *thousand* from 8 in the *thousands* column. This equals 10 *hundreds*; and 10 *hundreds* plus 4 *hundreds* equals 14 *hundreds*; 8 from 14 is 6, the *hundreds* figure of the remainder.

Since 1 *thousand* was borrowed from 8 *thousands*, only 7 *thousands* remain. There being nothing to subtract from this, the *thousands* figure of the remainder is 7.

Second Method.—EXAMPLE 2.—From 84,532 take 8,447.

SOLUTION. —	<i>minuend</i>	8 4 5 3 2	
	<i>subtrahend</i>	8 4 4 7	
	<i>remainder</i>	7 6 0 8 5	Ans.

EXPLANATION.—As in the preceding example, 7 is taken from 12, leaving 5. Now, instead of subtracting 4 from 12, as explained above, 1 is added to 4, and the sum is subtracted from 13, leaving 8. That is, when 1 is borrowed from the minuend it is added to that figure of the subtrahend under the figure of the minuend from which it was borrowed. Continuing, 5 from 5 is 0, 8 from 14 is 6, and 1 from 8 is 7.

The method here described should be thoroughly learned, since it is easier than the first to apply in practice, and has other advantages that the student will doubtless notice.

40. It often happens that there are ciphers in the minuend, from which, of course, nothing can be borrowed. The following example will explain the difficulty:

EXAMPLE.—From 20,000 take 8,763.

SOLUTION. —	<i>minuend</i>	2 0 0 0 0	
	<i>subtrahend</i>	8 7 6 3	
	<i>remainder</i>	1 1 2 3 7	Ans.

EXPLANATION.—Although 1 cannot be borrowed from tens column, it is customary to regard the ciphers as tens, and increase each figure in the subtrahend by 1, explained in Art. 39. Then, in performing the above subtraction, the process would be as follows: 3 from 10 is 7; 7 from 10 is 3; 8 from 10 is 2; 9 from 10 is 1; and 1 from 2 is 1.

41. Rule.—*Write the subtrahend under the minuend in the same manner as for addition, with the units of the same order standing in the same column.*

Commencing at the right, subtract each figure in the lower number from the one above it, and write the difference in the line below.

If any figure in the lower number is greater than the one above it, add 10 to the upper figure, perform the subtraction, and then add 1 to the next figure on the left, in the lower number. So proceed with the remaining figures.

42. Proof.—*Add the remainder to the subtrahend. The sum should equal the minuend. If not, the work is wrong.*

Proof of the last example:

$$\begin{array}{r} \text{subtrahend} \quad 8763 \\ \text{remainder} \quad 11237 \\ \hline \text{minuend} \quad 20000 \end{array}$$

43. There is still another method of subtraction better than either of the two previously described. It may be called the addition method. It is as follows:

Taking example 1 of Art. 39,

$$\begin{array}{r} \text{minuend} \quad 8453 \\ \text{subtrahend} \quad 844 \\ \hline \text{remainder} \quad 7609 \end{array}$$

Instead of subtracting 4 from 13, we add to 4 a number that will make 13; this number is 9, since 4 and 9 is 13. Write the 9 and carry the 1, as in addition; then $4 + 1 = 5$. Since

$5 + 0 = 5$, for the next figure in the subtrahend we write 0, as shown. There is nothing to carry; hence, since 8 is greater than 4, we consider 4 to be 14, and find what number added to 8 will make 14; this is 6, which write below the line, as shown. We have 1 to carry, but, as we have no figure in the subtrahend to add it to, we say 1 and 7 is 8, and write the 7 below the line, as shown.

Again, consider the following example:

$$\begin{array}{r}
 \text{minuend} \quad 10000 \\
 \text{subtrahend} \quad 8763 \\
 \hline
 \text{remainder} \quad 1237
 \end{array}$$

Here we say 3 and 7 is 10, and write the 7; then, 7 and 3 is 10 (carrying the 1 and adding it to the 6), and write the 3; next, 8 and 2 is 10, and write the 2; finally, 9 and 1 is 10, and write the 1. The student may use whichever method he prefers, but we strongly recommend the addition method as being less productive of errors.

EXAMPLES FOR PRACTICE.

44. From:

(a) 94,278 take 62,574.	Ans. {	(a) 31,704.
(b) 53,714 take 25,824.		(b) 27,890.
(c) 71,832 take 58,109.		(c) 13,723.
(d) 20,804 take 10,408.		(d) 10,396.
(e) 310,465 take 102,141.		(e) 208,324.
(f) (81,043 + 1,041) take 14,831.		(f) 67,253.
(g) (20,482 + 18,216) take 21,214.		(g) 17,484.
(h) (2,040 + 1,213 + 542) take 3,791.		(h) 4.

45. In many cases it is inconvenient to write the subtrahend *under* the minuend. For example, it might be required to find the sum of a series of numbers, and to subtract this sum from some other number. In such cases, both time and space may be saved by writing the minuend under the subtrahend, drawing the line, and then subtracting downwards.

The rule given in Art. 41 may be applied to this case by changing the words *under* to read *above*; *above* to read *below*; *lower* to read *upper*; and *upper* to read *lower*.

EXAMPLE.—Writing the subtrahend above the minuend, subtract 5,267,148 from 10,342,927.

SOLUTION.—	<i>subtrahend</i>	5 2 6 7 1 4 8	
	<i>minuend</i>	1 0 3 4 2 9 2 7	
	<i>remainder</i>	5 0 7 5 7 7 9	Ans.

EXAMPLES FOR PRACTICE.

46. In the following examples, subtract the upper number from the lower:

(1)	(2)	(3)	(4)
2 3 4 5 6 7 8 9	3 7 5 2 9 5 1 0	9 8 9 0 9 7 8	1 9 8 2 7
8 0 7 0 6 0 4 0	4 3 1 8 4 2 9 6	1 0 0 0 1 0 0 0 1	8 4 3 6 2
(5)	(6)	(7)	(8)
7 0 9 0 5 0 8	9 8 9 7 9 6 0	8 1 9 0 7	3 1 6 1 7 4 6 7 8 9
8 0 9 0 4 0 3	1 2 3 4 5 6 7 8 9	9 4 3 7 1	4 2 1 3 1 5 0 0 0 0

ANS.—(1) 57,249,251; (2) 5,654,786; (3) 90,119,023; (4) 64,535;
(5) 999,895; (6) 113,558,829; (7) 12,464; (8) 1,051,403,211.

GENERAL REMARKS ON SUBTRACTION.

47. Subtraction is a much simpler and easier operation than addition; but the student should, nevertheless, study the subject thoroughly. Its very simplicity is deceiving, and it is probable that more mistakes are made in subtraction than in addition. The student should practice subtraction until he feels that he has thoroughly mastered the subject. He should not try to subtract rapidly at first, but endeavor to make as few mistakes as possible. When he has attained such proficiency that he can solve, say, ten examples similar to those given in

Art. 46, a part of them having the subtrahend above the minuend, without making a mistake, he may then strive for rapidity. A rapid calculator will subtract as fast as he can write the figures of the result.

It will be a great help to the student if he will reverse the addition table. At odd moments, when walking or working, let him say to himself, 6 from 11 is how much? 9 from 17 is what? etc., and in a short time the right answer will present itself without any mental effort whatever.

48. Addition and subtraction form an extremely important part of a bookkeeper's work. The books must *balance*, as it is termed; i. e., the sum of the columns on the debit side must *exactly* equal the sum of the columns on the credit side. If an error of even one cent is made it will manifest itself in the trial balance, and a day or more may be spent in finding the error. Hence, the importance of accuracy. It is also important that no time be wasted in adding the columns, and in subtracting the sums of the two columns to find the balance. To illustrate, we give part of a page of a ledger. The double vertical lines separate the debit side on the left from the credit side on the right.

DR.				PRICE & HOWARD				CR.			
1888						1888					
June	4	Merchandise,	\$1893	42	June	14	Merchandise,	\$1538	38		
"	20	"	149	37	"	30	Cash,	500			
July	3	Sundries,	115	26	July	17	Bills Receivable,	900			
Aug.	16	Merchandise,	1326	97	Aug.	1	Cash,	375			
"	30	Sundries,	490	63	"	24	Merchandise,	984	88		
Sept.	19	Merchandise,	1085	75	Oct.	1	Balance,	763	14		
			\$5061	40				\$5061	40		
Oct.	1	Balance,	\$763	14							

Now, what the bookkeeper has to do is to add the two columns and subtract the less sum from the greater; then he must write the difference in the column that contains the less sum, and also write it under the total of the column containing the greater sum. This difference is indicated by the word *balance*. In order not to mar the appearance of the ledger, no figures except those written above should be used.

If the student were obliged to write the two sums on a piece of waste paper in order to subtract them, considerable time would be lost, and confusion would result. There is a much shorter and easier method, when it can be readily seen which column contains the greater sum. It is as follows:

In the above account it is readily seen that the debit, or left-hand, column is the greater. Hence, add this column, and write the result, \$5,061.40, underneath (the period separates the dollars from the cents). Now add the extreme right-hand column—8, 16—and subtract 16 from the first figure (right-hand figure) of the total in the debit column. This figure is a cipher; hence, we prefix 2 to the cipher, making 20; whence, $20 - 16 = 4$, which write in the credit column, as shown. Now add the second column on the credit side, carrying the 2—thus, 2, 10, 13—obtaining 13 as the sum. Now subtract 13 from 4, the second figure of the total on the debit side. But 13 cannot be taken from 4; hence, we prefix 1 to the 4, and 13 from 14 leaves 1, which write in the second column on the credit side, as shown. Then add the third column of the credit side, first adding the 1 that was prefixed—thus, 1, 5, 10, 18—obtaining 18 as the sum; subtract 18 from 21 (prefixing 2) and get 3, which write in the third column on the credit side. The sum of the fourth column, with the 2 that was prefixed, is 20. Subtracting 20 from 6, prefixing 2 to the 6, getting 26, leaves 6, which write in the fourth column on the credit side. The sum of the fifth column, with the 2 that was prefixed, is 33. Subtracting 33 from 40, formed by prefixing 4 to 0, leaves 7, which write in the fifth column on the credit side. Carrying 4 to the sixth column and adding it to the 1 gives 5, and 5 from 5 equals 0. Hence, the balance is \$763.14. If the work has been done correctly, the debit and credit sides, when added, should give the same total. Adding the credit side, the total is \$5,061.40, the same as the debit side; hence, the work is correct.

49. The student will find the addition method of subtraction the best to use in this case. Thus, adding the first

column on the right, the sum is 16. The right figure of 5,061.40 is a cipher; hence, we write 2 before the cipher, getting 20, and say 16 and 4 is 20, and write the 4 on the credit side, as shown. Now, carrying the 2, the sum of the second column is 13, and 13 and 1 is 14, writing the 1 as before. Carrying the 1, the sum of the numbers in the third column is 18, and 18 and 3 is 21; write the 3 and carry the 2. The sum of the third column plus the 2 carried is 20, and 20 and 6 is 26; write the 6 and carry the 2. The sum of the fourth column plus the 2 carried is 33, and 33 and 7 is 40; write the 7 and carry the 4. The sum of the fifth column plus the 4 carried is 5, and 5 and 0 is 5.

The student should apply both methods in solving the following examples.

EXAMPLES FOR PRACTICE.

50. Let the student practice this method on the following examples, one of which is worked out. If it is not apparent which set of numbers is the greater, he should add up the two left-hand columns and be guided by the sums so obtained.

(1)		(2)	
1 2 3 9 4	3 3 6 0 4	8 1 7 2 0	8 1 2 2 0
4 7 8 2 6	9 7 7 5	2 2 2 2 2	2 1 4 1 3
5 2 4 8 2	1 1 6 2 8	4 2 7 3 0	3 7 5 0 0
2 6 1 0 3	8 4 7 2 1	8 1 0 7 5	4 1 2 0 0
4 0 0 7 9	5 1 0 9	4 1 6 3 0	7 1 7 0 0
<u>1 7 8 8 8 4</u>	3 4 0 4 7	2 2 5 0 0	
<i>Balance</i> 3 4 0 4 7	<u>1 7 8 8 8 4</u>	<u>7 1 9 4 6</u>	

(3)		(4)	
2 3 7 2 5	1 1 2 2 7	1 0 7 5 0 0	3 7 5 6 0
9 0 0 0 0	2 1 8 3 6	2 3 1 8 4 2	2 1 8 2 4
8 0 0 0 0	7 1 7 4 9	8 1 2 1 0	7 1 7 3 7
7 1 8 2 4	6 4 8 0 0	9 3 8 4 0	2 4 4 4 5
2 1 8 7 5	1 1 8 7 5	<u>4 3 1 2 0 0</u>	9 4 6 3 3
	5 3 8 9 8		2 2 2 4 8
	<u>2 0 3 1 3</u>		<u>1 0 8 7 5</u>

By the same method perform the following:

	(5)	(6)	(7)
<i>minuend</i>	\$ 3 0 1.2 3	\$ 4 2 1 4.6 0	9 2 3 4 6 2 1
<i>subtrahend</i>	$\left\{ \begin{array}{r} 24.99 \\ 63.75 \\ 9.87 \\ 48.84 \\ 59.28 \end{array} \right.$	$\left\{ \begin{array}{r} 875.95 \\ 469.98 \\ 93.49 \\ 721.74 \\ 1803.42 \end{array} \right.$	$\left\{ \begin{array}{r} 897742 \\ 3456987 \\ 747678 \\ 498765 \\ 1768496 \end{array} \right.$
<i>remainder</i>			

Ans. (1) 34,047; (2) 110,790; (3) 31,726; (4) 662,270; (5) \$94.50;
(6) \$250.02; (7) 1,864,953.

MULTIPLICATION.

51. To multiply a number is to *add* the number to itself a certain number of times.

52. Multiplication is the process of multiplying one number by another.

The *number* thus added to itself, or the number to be multiplied, is called the **multiplicand**.

The *number* that shows how many times the *multiplicand* is to be taken, or the *number* by which we *multiply*, is called the **multiplier**.

The result obtained by multiplying is called the **product**.

53. The sign of multiplication is \times . It is read *times*, or *multiplied by*. Thus, 9×6 is read *9 times 6*, or *9 multiplied by 6*.

54. It matters not in what order the numbers to be multiplied together are placed. Thus, 6×9 is the same as 9×6 .

MULTIPLICATION TABLE.

55. In the following table, the product of any two numbers (neither of which exceeds twelve) may be found.

1 times 1 is 1	2 times 1 is 2	3 times 1 is 3
1 times 2 is 2	2 times 2 is 4	3 times 2 is 6
1 times 3 is 3	2 times 3 is 6	3 times 3 is 9
1 times 4 is 4	2 times 4 is 8	3 times 4 is 12
1 times 5 is 5	2 times 5 is 10	3 times 5 is 15
1 times 6 is 6	2 times 6 is 12	3 times 6 is 18
1 times 7 is 7	2 times 7 is 14	3 times 7 is 21
1 times 8 is 8	2 times 8 is 16	3 times 8 is 24
1 times 9 is 9	2 times 9 is 18	3 times 9 is 27
1 times 10 is 10	2 times 10 is 20	3 times 10 is 30
1 times 11 is 11	2 times 11 is 22	3 times 11 is 33
1 times 12 is 12	2 times 12 is 24	3 times 12 is 36
4 times 1 is 4	5 times 1 is 5	6 times 1 is 6
4 times 2 is 8	5 times 2 is 10	6 times 2 is 12
4 times 3 is 12	5 times 3 is 15	6 times 3 is 18
4 times 4 is 16	5 times 4 is 20	6 times 4 is 24
4 times 5 is 20	5 times 5 is 25	6 times 5 is 30
4 times 6 is 24	5 times 6 is 30	6 times 6 is 36
4 times 7 is 28	5 times 7 is 35	6 times 7 is 42
4 times 8 is 32	5 times 8 is 40	6 times 8 is 48
4 times 9 is 36	5 times 9 is 45	6 times 9 is 54
4 times 10 is 40	5 times 10 is 50	6 times 10 is 60
4 times 11 is 44	5 times 11 is 55	6 times 11 is 66
4 times 12 is 48	5 times 12 is 60	6 times 12 is 72
7 times 1 is 7	8 times 1 is 8	9 times 1 is 9
7 times 2 is 14	8 times 2 is 16	9 times 2 is 18
7 times 3 is 21	8 times 3 is 24	9 times 3 is 27
7 times 4 is 28	8 times 4 is 32	9 times 4 is 36
7 times 5 is 35	8 times 5 is 40	9 times 5 is 45
7 times 6 is 42	8 times 6 is 48	9 times 6 is 54
7 times 7 is 49	8 times 7 is 56	9 times 7 is 63
7 times 8 is 56	8 times 8 is 64	9 times 8 is 72
7 times 9 is 63	8 times 9 is 72	9 times 9 is 81
7 times 10 is 70	8 times 10 is 80	9 times 10 is 90
7 times 11 is 77	8 times 11 is 88	9 times 11 is 99
7 times 12 is 84	8 times 12 is 96	9 times 12 is 108
10 times 1 is 10	11 times 1 is 11	12 times 1 is 12
10 times 2 is 20	11 times 2 is 22	12 times 2 is 24
10 times 3 is 30	11 times 3 is 33	12 times 3 is 36
10 times 4 is 40	11 times 4 is 44	12 times 4 is 48
10 times 5 is 50	11 times 5 is 55	12 times 5 is 60
10 times 6 is 60	11 times 6 is 66	12 times 6 is 72
10 times 7 is 70	11 times 7 is 77	12 times 7 is 84
10 times 8 is 80	11 times 8 is 88	12 times 8 is 96
10 times 9 is 90	11 times 9 is 99	12 times 9 is 108
10 times 10 is 100	11 times 10 is 110	12 times 10 is 120
10 times 11 is 110	11 times 11 is 121	12 times 11 is 132
10 times 12 is 120	11 times 12 is 132	12 times 12 is 144

This table should be carefully committed to memory.

Since 0 has no value, the product of 0 and any number is 0.

56. Practice the following until you can give them all readily without referring to the table.

3×7	12×9	9×2	4×4	6×7
4×8	7×8	5×9	6×3	12×8
5×12	9×6	7×4	10×11	10×4
6×11	10×10	9×11	8×11	8×10
7×10	11×11	10×7	7×12	4×7
8×9	12×12	8×8	9×10	10×3
9×5	7×7	4×5	10×6	12×2
5×8	8×5	5×10	11×9	4×12
3×10	2×8	6×12	12×11	3×2
4×3	2×12	7×9	2×5	11×3
3×11	9×3	6×10	3×8	11×2
2×10	3×12	6×6	6×2	11×6
5×4	8×3	12×5	10×5	12×10
10×9	3×6	8×2	11×12	10×2
11×8	6×4	9×12	12×4	4×11
8×4	5×11	12×6	7×5	2×7
5×3	12×7	11×5	2×6	3×4
6×8	9×9	4×9	3×5	2×4
7×2	8×12	5×5	4×2	12×3
9×8	3×3	7×6	5×2	9×4
8×7	4×10	9×7	6×9	10×12
3×9	5×7	10×8	7×11	11×4
4×6	6×5	11×10	7×3	2×3
5×6	11×7	2×11	2×9	8×6

57. To multiply any number by a number of one figure.

EXAMPLE.—Multiply 425 by 5.

SOLUTION.—

<i>multiplicand</i>	4 2 5	
<i>multiplier</i>	5	
<i>product</i>	2 1 2 5	Ans.

EXPLANATION.—For convenience, the multiplier is written under the right-hand figure of the multiplicand. Multiplying the first figure at the right of the multiplicand, or 5, by the multiplier 5, the result is 5 times 5 units are 25 units, 2 tens and 5 units. Write the five units in units place in the product, and reserve the 2 tens to add to the product of tens. Multiplying the second figure of the multiplicand by the multiplier 5, the result is 10 tens, which, plus the 2 tens reserved, is 12 tens, or 1 hundred plus 2 tens. Write the 2 tens in tens place and reserve the 1 hundred to add to the product of hundreds. Multiplying the third, or last, figure of the multiplicand by the

multiplier 5, the result is 20 hundreds, which, plus the 1 hundred reserved, is 21 hundreds, or 2 thousands 1 hundred, which we write in the thousands and hundreds places, respectively.

Hence, the product is 2,125.

This result is the same as the sum of five 425's. Thus,

$$\begin{array}{r}
 425 \\
 425 \\
 425 \\
 425 \\
 425 \\
 \hline
 \text{sum } 2125
 \end{array}$$

EXAMPLES FOR PRACTICE.

58. Find the product of:

(a) $61,483 \times 6$.	Ans. {	(a) 368,898.
(b) $12,375 \times 5$.		(b) 61,875.
(c) $10,426 \times 7$.		(c) 72,982.
(d) $10,835 \times 3$.		(d) 32,505.
(e) $98,376 \times 4$.		(e) 393,504.
(f) $10,873 \times 8$.		(f) 86,984.
(g) $71,543 \times 9$.		(g) 643,887.
(h) $218,734 \times 2$.		(h) 437,468.

59. To multiply a number by a number of two or more figures.

EXAMPLE.—Multiply 475 by 234.

SOLUTION.—	<i>multiplicand</i>	475	
	<i>multiplier</i>	234	
		1900	
		1425	
		950	
	<i>product</i>	111150	Ans.

EXPLANATION.—For convenience, the multiplier is generally written under the multiplicand, placing units under units, tens under tens, etc.

We cannot multiply by 234 at one operation; we must, therefore, multiply by the parts and then add the **partial products**.

The parts by which we are to multiply are 4 units, 3 tens and 2 hundreds. 4 times 475 = 1,900, the first partial product;

3 times 475 = 1,425, the second partial product, the right-hand figure of which is written directly under the figure multiplied by, or 3; 2 times 475 = 950, the third partial product, the right-hand figure of which is written directly under the figure multiplied by, or 2.

The sum of these three partial products is 111,150, which is the entire product.

60. Rule.—I. *Write the multiplier under the multiplicand, so that units are under units, tens under tens, etc.*

II. *Begin at the right, and multiply each figure of the multiplicand by each successive figure of the multiplier, placing the right-hand figure of each partial product directly under the figure used as a multiplier.*

III. *The sum of the partial products will be the required product.*

61. Proof.—*Review the work carefully, or multiply the multiplier by the multiplicand; if the results agree, the work is correct.*

62. The student will find the following test useful in determining whether the answer in multiplication is correct:

Find the sum of the digits in the multiplicand. If the sum consists of more than one figure, add the digits of the sum, and so continue until the sum is one figure. Do the same with the multiplier. Multiply together the final sums thus obtained, and if the result consists of more than one figure, add its digits until one figure is obtained. If this result is the same as is obtained by adding the digits of the product until one figure is obtained, the work is probably correct.

To illustrate, multiply 837,295 by 4,631.

SOLUTION.—	<i>multiplicand</i>	8 3 7 2 9 5
	<i>multiplier</i>	4 6 3 1
	<i>product</i>	3 8 7 7 5 1 3 1 4 5

PROOF.— $8 + 3 + 7 + 2 + 9 + 5 = 34$; $3 + 4 = 7$
 $4 + 6 + 3 + 1 = 14$; $1 + 4 = 5$

$3 \bar{5}$; $3 + 5 = 8$.
 $3 + 8 + 7 + 7 + 5 + 1 + 3 + 1 + 4 + 5 = 44$; $4 + 4 = 8$.

The reason for this proof will be explained later.

The proof given in this article is not absolute, because two or more errors might cause the product to fulfil the conditions of the test. But if, upon trial, the final sum of the digits of the product does not agree with that of the product of the final sums of the multiplicand and the multiplier, it is certain that the work is wrong.

63. There are many short methods of multiplication, and some of these will be given under the heading "Aliquot Parts." It is important that the student should notice the abbreviation that is possible when a cipher occurs in the multiplier, and when the multiplicand or the multiplier ends with one or more ciphers.

EXAMPLE 1.—Multiply 49,076 by 40,807.

$$\begin{array}{r}
 \text{SOLUTION.} \quad \text{multiplicand} \quad 49076 \\
 \quad \quad \quad \text{multiplier} \quad 40807 \\
 \quad \quad \quad \left\{ \begin{array}{r} 343532 \\ 392608 \\ 196304 \end{array} \right. \\
 \quad \quad \quad \text{product} \quad 2002644332 \quad \text{Ans.}
 \end{array}$$

EXPLANATION.—The process is exactly the same as the preceding, except that when a cipher occurs in the multiplier it is not used to multiply by, the next digit of the multiplier being used instead. The first figure of the partial product is always written directly under the figure by which we multiply, as stated in the rule for multiplication, Art. 60.

EXAMPLE 2.—Multiply 49,076 by 48,700.

$$\begin{array}{r}
 \text{SOLUTION.} \quad \text{multiplicand} \quad 49076 \\
 \quad \quad \quad \text{multiplier} \quad 48700 \\
 \quad \quad \quad \left\{ \begin{array}{r} 343532 \\ 392608 \\ 196304 \end{array} \right. \\
 \quad \quad \quad \text{product} \quad 2390001200 \quad \text{Ans.}
 \end{array}$$

EXPLANATION.—Here the multiplier consists of three digits and two ciphers, as in the preceding examples, but

in this case the two ciphers occupy the units and tens places in the multiplier. Write the multiplier as shown, so that the ciphers lie to the right of the right-hand figure of the multiplicand, or, in other words, so that the right-hand *digit* of the multiplier lies under the right-hand digit of the multiplicand. Then, without paying attention to the ciphers on the right of the multiplier, multiply in the usual manner, annexing the two ciphers (the number of ciphers to the right of the right-hand digit of the multiplier) to the product, as shown. If the multiplicand ends in ciphers, the process is exactly the same; thus, multiplying 4,907,600 by 487:

$$\begin{array}{r}
 \text{multiplicand} \quad 4907600 \\
 \text{multiplier} \quad 487 \\
 \hline
 \text{partial products} \left\{ \begin{array}{l} 343532 \\ 392608 \\ 196304 \end{array} \right. \\
 \hline
 \text{product} \quad 2390001200
 \end{array}$$

If both multiplicand and multiplier end in ciphers, place the right-hand digits under each other, as above, and add to the product as many ciphers as are contained in both multiplicand and multiplier on the right of their right-hand digits.

EXAMPLE 3.—Multiply 590,000 by 420.

$$\begin{array}{r}
 \text{SOLUTION.—} \quad \text{multiplicand} \quad 590000 \\
 \text{multiplier} \quad 420 \\
 \hline
 118 \\
 236 \\
 \hline
 \text{product} \quad 247800000 \quad \text{Ans.}
 \end{array}$$

64. It would be well to apply the principle given in Art. **62** to all cases of multiplication, until the student has attained confidence. Thus, in example 1 of Art. **63**, the number obtained by adding the digits of the multiplicand is $4 + 9 + 7 + 6 = 26$, and $2 + 6 = 8$; by adding the digits of the multiplier, $4 + 8 + 7 = 19$, $1 + 9 = 10$, and $1 + 0 = 1$. Whence, $8 \times 1 = 8$. Adding the digits of the product, $2 + 2 + 6 + 4 + 4 + 3 + 3 + 2 = 26$, or $2 + 6 = 8$; hence, the work is probably correct.

65. To be able to multiply rapidly is almost as valuable to a bookkeeper or business man as to be able to add rapidly. The only way that any one can become expert in multiplying is by practice. To give the student a good idea of how a rapid multiplier would proceed, we will now give the entire process pursued, choosing two numbers whose digits consist of 7's, 8's, and 9's only, as these are the hardest to use.

EXAMPLE.— $987789 \times 897 = ?$

SOLUTION.—	987789	sum of digits = 48 = 12, or 3
	897	sum of digits = 24, or 6
	<u>6914523</u>	18, or 9
	8890101	
	<u>7902312</u>	
	886046733	sum of digits = 45, or 9.

EXPLANATION.—Say 7 times 9 is 63; write the 3 and carry 6. Say 7 times 8 is 56 and 6 is 62; write the 2 and carry 6. Say 7 times 7 is 49 and 6 is 55; write the 5 and carry 5. Say 7 times 7 is 49 and 5 is 54; write the 4 and carry 5. Say 7 times 8 is 56 and 5 is 61; write the 1 and carry 6. Say 7 times 9 is 63 and 6 is 69; write the 69. We multiply by 9 and 8 in the same way, and then prove the work by the test given in Art. 62.

66. After the student has attained considerable proficiency in multiplying as described in Art. 65 he may shorten his work considerably by merely repeating the digit by which he multiplies, the product of that digit and the desired digit in the multiplicand, and the sum of this product and the number carried. Thus, instead of saying 7 times 8 is 56 and 6 is 62, think 7, 56, 62. In other words, in multiplying 987,789 by 9, think 9, 81 (write the 1); 9, 72, 80 (write the 0); 9, 63, 71; 9, 63, 70; 9, 72, 79; and, finally, 9, 81, 88. By practicing this method for some time, he should be able to multiply nearly as fast as he can write the results.

67. Besides working the examples for practice which follow, the student should make up many others and work them out. He should continue to do this until he can mul-

tiply rapidly, and with ease and certainty. This remark applies, also, to addition and subtraction, and to division, which follows. He should study the multiplication table until he can name the product of any two numbers between 1 and 12 instantly, without any hesitation whatever. He can learn to do this only by repeating the table over and over again. The result attained will be well worth the time and labor spent.

EXAMPLES FOR PRACTICE.

68. Find the product of:

(a)	$3,842 \times 26.$	Ans. {	(a)	99,892.
(b)	$3,716 \times 45.$		(b)	167,220.
(c)	$1,817 \times 124.$		(c)	225,308.
(d)	$675 \times 38.$		(d)	25,650.
(e)	$1,875 \times 33.$		(e)	61,875.
(f)	$4,836 \times 47.$		(f)	227,292.
(g)	$5,682 \times 543.$		(g)	3,085,326.
(h)	$3,257 \times 246.$		(h)	801,222.
(i)	$2,875 \times 302.$		(i)	868,250.
(j)	$17,819 \times 1,004.$		(j)	17,890,276.
(k)	$38,674 \times 205.$		(k)	7,928,170.
(l)	$18,304 \times 100.$		(l)	1,830,400.
(m)	$7,834 \times 10.$		(m)	78,340.
(n)	$87,543 \times 1,000.$		(n)	87,543,000.
(o)	$48,763 \times 100.$		(o)	4,876,300.

DIVISION.

69. **Division** is the process of finding how many times one number is contained in another of the same kind, or it is the process of separating a number into a given number of equal parts. Thus, to separate 48 dollars into four equal amounts is division.

This form of division is generally called **partition**.

70. The **dividend** is the number to be divided, or to be separated into equal parts.

71. The **divisor** is the number by which the dividend is divided.

72. The **quotient** is the number showing how many times the dividend contains the divisor. In *partition* the quotient shows one of the equal parts of the dividend.

73. The **sign of division** is \div . It is read *divided by*. Thus, $54 \div 9$ denotes that 54 is to be divided by 9. In this case 54 is the *dividend* and 9 is the *divisor*.

74. To divide when the divisor consists of but one figure.

EXAMPLE.—What is the quotient of $875 \div 7$?

divisor	dividend	quotient
7)	875	(125 Ans.
	7	
	<hr style="width: 100px; border: 0.5px solid black;"/>	
	17	
	14	
	<hr style="width: 100px; border: 0.5px solid black;"/>	
	35	
	35	
	<hr style="width: 100px; border: 0.5px solid black;"/>	

EXPLANATION.—7 is contained in 8 hundreds 1 hundred times. Place the 1 as left-hand figure of the quotient. Multiply the divisor 7 by the 1 hundred of the quotient, and place the product, 7 hundreds, under the 8 hundreds in the dividend, and subtract. On the right of the remainder, 1, bring down the next, or *tens*, figure of the dividend, in this case 7, making 17 tens; 7 is contained in 17, 2 times. Write the 2 as the second figure of the quotient. Multiply the divisor 7 by the 2 in the quotient, and subtract the product from 17. To the remainder, 3, annex the next, or *units*, figure of the dividend, in this case 5, making 35 units. 7 is contained in 35, 5 times, which is placed in the quotient. Multiplying the divisor by the last figure of the quotient, 5 times $7 = 35$, which subtracted from 35, under which it is placed, leaves 0. Therefore, the quotient is 125. This method is called **long division**.

75. In **short division**, only the divisor, dividend, and quotient are written.

$$\begin{array}{r}
 \text{divisor } 7 \overline{) 8175} \\
 \text{quotient } 125 \text{ Ans.}
 \end{array}$$

The operation is as follows: 7 is contained in 8 once and 1 remainder; 1 placed before 7 makes 17; 7 is contained in 17 2 times and 3 over; the 3 placed before 5 makes 35; 7 is contained in 35, 5 times. These partial quotients placed in order as they are found, make the entire quotient, 125.

76. If the divisor consists of 2 or more figures, proceed as in the following example:

EXAMPLE.—Divide 2,702,826 by 63.

$$\begin{array}{r}
 \text{divisor} \quad \text{dividend} \quad \text{quotient} \\
 \text{SOLUTION.} \quad 63 \overline{) 2702826} \quad (42902 \text{ Ans.} \\
 \quad \quad \quad 252 \\
 \quad \quad \quad \hline
 \quad \quad \quad 182 \\
 \quad \quad \quad 126 \\
 \quad \quad \quad \hline
 \quad \quad \quad 568 \\
 \quad \quad \quad 567 \\
 \quad \quad \quad \hline
 \quad \quad \quad 126 \\
 \quad \quad \quad 126 \\
 \quad \quad \quad \hline
 \quad \quad \quad 0
 \end{array}$$

EXPLANATION.—As 63 is not contained in the first two figures, 27, we must use the first three figures, 270. Now, by trial we must find how many times 63 is contained in 270; 6 is contained in the first two figures of 270, 4 times. Place the 4 as the first figure in the quotient. Multiply the divisor, 63, by 4, and subtract the product 252 from 270. The remainder is 18, to which we annex the next figure of the dividend, 2, making 182. Now, 6 is contained in the first two figures of 182 3 times, but on multiplying 63 by 3, we see that the product 189 is too great, so we try 2 as the second figure of the quotient. Multiplying the divisor 63 by 2, and subtracting the product 126 from 182, the remainder is 56, to which we annex the next figure of the dividend, making 568; 6 is contained in 56 about 9 times. Multiply the divisor, 63, by 9, and subtract

the product 567 from 568. The remainder is 1, and bringing down the next figure of the dividend, 2, gives 12. As 12 is less than 63, we write 0 in the quotient and bring down the next figure, 6, making 126; 63 is contained in 126, 2 times, without a remainder. Therefore, 42,902 is the quotient.

77. Rule.—I. *Write the divisor at the left of the dividend with a curved line between them.*

II. *Find how many times the divisor is contained in the least number of the left-hand figures of the dividend that will contain it, and write the result at the right of the dividend, with a line between, as the first figure of the quotient.*

III. *Multiply the divisor by this quotient; write the product under the partial dividend used, and subtract, annexing to the remainder the next figure of the dividend. Divide as before, and continue thus until all the figures of the dividend have been used.*

IV. *If any partial dividend will not contain the divisor, write a cipher in the quotient, annex the next figure of the dividend and proceed as before.*

V. *If there is at last a remainder, write it after the quotient, with the divisor underneath.*

78. Proof.—*Multiply the quotient by the divisor, and add the remainder, if there be any, to the product. The result will be the dividend.*

	<i>divisor</i>	<i>dividend</i>	<i>quotient</i>	
Thus,	63) 4235	(67 $\frac{14}{63}$	Ans.
		378		
		<hr/>		
		455		
		<hr/>		
		441		
		<hr/>		
	<i>remainder</i>	14		
Proof,	<i>quotient</i>	67		
	<i>divisor</i>	<hr/>		
		63		
		<hr/>		
		201		
		<hr/>		
		402		
		<hr/>		
		4221		
		<hr/>		
	<i>remainder</i>	14		
	<i>dividend</i>	<hr/>		
		4235		

SHORT METHOD OF DIVISION.

79. The following method saves about half the figures required by the method just given, and we think that there will be fewer mistakes made when using it.

EXAMPLE.—Divide 39,913,910 by 5,494.

SOLUTION.—	$\begin{array}{r} \text{dividend} \\ 39913910 \\ \underline{14559} \\ 35711 \\ \underline{27470} \end{array}$	$\begin{array}{r} \text{divisor} \\ 5494 \\ \underline{7265} \end{array}$	$) 5494$	$7265 \text{ quotient. Ans.}$
------------	---	---	----------	-------------------------------

EXPLANATION.—The addition method of subtraction (see Art. 43) is used in this case; the divisor is written on the right of the dividend, and the quotient underneath the divisor. The different figures of the quotient are obtained in exactly the same manner as by the preceding method. Thus, the divisor is contained in the first five figures of the dividend 7 times, and 7 is written for the first figure of the quotient. Now, instead of multiplying the divisor by 7, writing the product under the first five figures of the dividend, and then subtracting, we multiply each figure of the divisor by 7, and by the addition method, subtract from the dividend, writing only the remainder. Thus, 7 times 4 is 28, and 5 is 33; write the 5 under the 3 in the dividend, and carry 3. Then, 7 times 9 is 63 and 3 is 66, and 66 and 5 is 71; write the 5 and carry 7. 7 times 4 is 28 and 7 is 35, 35 and 4 is 39; write the 4 and carry 3. 7 times 5 is 35 and 3 is 38, and 38 and 1 is 39; write the 1. Now bring down the next figure of the dividend, 9, and annex it to the remainder. $14,559 \div 5,494 = 2$; write 2 as the second figure of the quotient. Then, as above, $2 \times 4 = 8$, and $8 + 1 = 9$; write the 1 under the 9, as shown. $2 \times 9 = 18$, and $18 + 7 = 25$; write the 7 and carry the 2. $2 \times 4 = 8$, $8 + 2 = 10$, and $10 + 5 = 15$; write the 5 and carry the 1. $2 \times 5 = 10$, $10 + 1 = 11$, and $11 + 3 = 14$; write the 3. Bringing down 1, the next figure of the dividend, $35,711 \div 5,494 = 6$, the third figure of the quotient. Proceed as above with the remaining figures.

A fast computer would work as follows: In multiplying by 6, he would repeat to himself 6, 24, and 7 is 31 (writing the 7 and carrying the 3). 6, 54, 57, and 4 is 61. 6, 24, 30, and 7 is 37. 6, 30, 33, and 2 is 35.

The object of writing the divisor on the right is to make it easier to multiply by the figures of the quotient; it also saves space, as may readily be seen. The student is strongly advised to learn this method thoroughly, and always to use it. The best way to attain facility in division, is first to practice dividing by small numbers, from 2 to 12, and using the method of short division. After he has become proficient in this, he should practice long division by the method just described. Some special methods which may be used when dividing by certain numbers will be mentioned farther on.

80. The principle given in Art. 62 may be used to test the work of division, when the principle has been slightly modified. Add the digits of the divisor, the dividend, the quotient, and the remainder, if any, as described in Art. 62, obtaining a single figure for the sum of each. Multiply the number thus obtained for the divisor by the number obtained for the quotient, and add to the product the number obtained for the remainder, if any. If the work has been done correctly, the result must equal the number obtained for the dividend. Thus, in the last example, the sum of the digits in the divisor (reduced to a single figure) is 4, of those in the quotient, 2, and in the remainder, 0. Hence, $4 \times 2 = 8$; $8 + 0 = 8$. Adding the digits in the dividend, the result (reduced to a single figure) is also 8; hence, the work is very probably correct.

Applying this method to the example in Art. 78, we have, for the divisor 9, for the quotient 4, for the remainder 5. Hence, $9 \times 4 + 5 = 41$, and $4 + 1 = 5$. For the dividend, $4 + 2 + 3 + 5 = 14$, and $1 + 4 = 5$, also. The student will find this principle very useful.

Addition, subtraction, multiplication, and division are the four corner stones of arithmetic; everything else in arithmetic depends upon them.

EXAMPLES FOR PRACTICE.

81. Divide the following:

(a)	126,498 by 58.	Ans. {	(a)	2,181.
(b)	3,207,594 by 767.		(b)	4,182.
(c)	11,408,202 by 234.		(c)	48,753.
(d)	2,100,315 by 581.		(d)	3,615.
(e)	969,936 by 4,008.		(e)	242.
(f)	7,481,888 by 1,021.		(f)	7,328.
(g)	1,525,915 by 5,003.		(g)	305.
(h)	1,646,301 by 381.		(h)	4,321.

 CANCELATION.

82. **Cancellation** is the process of shortening operations in division by casting out equal factors from both dividend and divisor.

83. The **factors** of a number are those numbers which, when multiplied together, will equal that number. Thus, 5 and 3 are the factors of 15, since $5 \times 3 = 15$. Likewise, 8 and 7 are the factors of 56, since $8 \times 7 = 56$.

84. A **prime number** is a number that cannot be divided by any number except itself and 1; 1 is not considered a factor. Thus, 2, 3, 11, 29, etc. are prime numbers.

85. A **prime factor** of a number is any factor that is a prime number.

Any number that is not a prime is called a **composite number**, and may be produced by multiplying together its prime factors. Thus, 60 is a composite number, and is equal to the product of its prime factors, $2 \times 2 \times 3 \times 5$.

Two numbers are said to be **prime to each other** when they have no common factor, as, for example, 15 and 28; there is no number, except 1, that will divide *both* 15 and 28 without a remainder.

86. Canceling equal factors from both dividend and divisor does *not* change the quotient.

The canceling of a factor in both dividend and divisor is the same as dividing them both by the same number, which, by a principle of division, does not change the quotient.

Write the numbers forming the dividend above the line, and those forming the divisor below it.

EXAMPLE.—Divide $4 \times 45 \times 60$ by 9×24 .

SOLUTION.—Placing the dividend over the divisor, and canceling,

$$\frac{\overset{5}{\cancel{4}} \times \overset{10}{\cancel{45}} \times \cancel{60}}{\underset{6}{\cancel{9}} \times \underset{\cancel{6}}{\cancel{24}}} = 50. \text{ Ans.}$$

EXPLANATION.—The 4 in the dividend and 24 in the divisor are both divisible by 4, since 4 divided by 4 equals 1, and 24 divided by 4 equals 6. Cancel the 4, and the 24, and write the 6 under 24. Thus,

$$\frac{\cancel{4} \times 45 \times 60}{9 \times \underset{6}{\cancel{24}}} =$$

60 in the dividend and 6 in the divisor are divisible by 6, since 60 divided by 6 equals 10, and 6 divided by 6 equals 1. Cancel the 60 and write 10 over it; also, cancel the 6. Thus,

$$\frac{\cancel{4} \times 45 \times \overset{10}{\cancel{60}}}{9 \times \underset{\cancel{6}}{\cancel{24}}} =$$

Again, 45 in the dividend and 9 in the divisor are each divisible by 9, since 45 divided by 9 equals 5, and 9 divided by 9 equals 1. Cancel the 45 and write the 5 over it; also, cancel the 9. Thus,

$$\frac{\overset{5}{\cancel{4}} \times \overset{10}{\cancel{45}} \times \cancel{60}}{\underset{\cancel{6}}{\cancel{9}} \times \underset{\cancel{6}}{\cancel{24}}} =$$

Since there are no two remaining numbers (one in the dividend and one in the divisor) divisible by any number greater than 1 without a remainder, it is impossible to cancel further.

Multiply together all the uncanceled numbers in the dividend and divide their product by the product of all the

uncanceled numbers in the divisor. The result will be the quotient. The product of all the uncanceled numbers in the dividend is $5 \times 10 = 50$, and there are no uncanceled numbers in the divisor.

$$\text{Hence, } \frac{\overset{5}{4} \times \overset{10}{45} \times \overset{60}{60}}{\underset{6}{9} \times \underset{2}{24}} = 5 \times 10 = 50.$$

87. Rule.—I. *Cancel the common factors from both the dividend and divisor.*

II. *Then divide the product of the remaining factors of the dividend by the product of the remaining factors of the divisor, and the result will be the quotient.*

EXAMPLES FOR PRACTICE

88. Divide:

- | | |
|--|---|
| (a) $14 \times 18 \times 16 \times 40$ by $7 \times 8 \times 6 \times 5 \times 3$. | <div style="display: inline-block; vertical-align: middle;">Ans. {</div> <div style="display: inline-block; vertical-align: middle; margin-left: 10px;"> (a) 32.
 (b) 250.
 (c) 1.
 (d) 48.
 (e) 5.
 (f) 105.
 (g) 42.
 (h) 5. </div> |
| (b) $3 \times 65 \times 50 \times 100 \times 60$ by $30 \times 60 \times 13 \times 10$. | |
| (c) $8 \times 4 \times 3 \times 9 \times 11$ by $11 \times 9 \times 4 \times 3 \times 8$. | |
| (d) $164 \times 321 \times 6 \times 7 \times 4$ by $82 \times 321 \times 7$. | |
| (e) $50 \times 100 \times 200 \times 72$ by $1,000 \times 144 \times 100$. | |
| (f) $48 \times 63 \times 55 \times 49$ by $7 \times 21 \times 11 \times 48$. | |
| (g) $110 \times 150 \times 84 \times 32$ by $11 \times 15 \times 100 \times 64$. | |
| (h) $115 \times 120 \times 400 \times 1,000$ by $23 \times 1,000 \times 60 \times 800$. | |

ARITHMETIC.

(PART 2.)

FRACTIONS.

1. A **fraction** is one or more of the equal parts of a unit.
2. Two numbers are required to express a fraction, one called the **numerator**, and the other, the **denominator**.
3. The numerator is placed above the denominator, with a *line* between them, as $\frac{2}{3}$. Here 3 is the *denominator*, and shows into how many equal parts the unit is divided. The *numerator* 2 shows how many of these equal parts are taken or considered. The denominator also indicates the name of the parts.

$\frac{1}{2}$ is read one-half.

$\frac{3}{4}$ is read three-fourths.

$\frac{3}{8}$ is read three-eighths.

$\frac{5}{16}$ is read five-sixteenths.

$\frac{29}{47}$ is read twenty-nine forty-sevenths.

4. In the expression " $\frac{3}{4}$ of an apple," the denominator 4 shows that the apple is divided into four *equal* parts, and the numerator 3 shows that three of these parts, or fourths, are taken or considered.

If each of the parts, or fourths, of the apple were cut into two equal pieces, there would then be twice as many pieces as before, or $4 \times 2 = 8$ pieces in all; one of these pieces would be called one-eighth, and would be expressed in figures as $\frac{1}{8}$. Three of these pieces would be called three-eighths, written $\frac{3}{8}$. The words three-fourths, three-eighths, five-sixteenths, etc. are abbreviations of three one-fourths, three

For notice of copyright, see page immediately following the title page.

one-eighths, five one-sixteenths, etc. It is evident that, the greater the denominator, the greater is the number of parts into which the unit is divided; consequently, the parts themselves are smaller, and the value of the fraction is less for the same number of parts taken. In other words, $\frac{7}{9}$, for example, is less than $\frac{7}{8}$, because, if a unit is divided into 9 parts, the parts are less than if the same unit had been divided into 8 parts; and, since $\frac{1}{9}$ is less than $\frac{1}{8}$, it is clear that 7 one-ninths is less than 7 one-eighths. Hence, also, $\frac{3}{8}$ is less than $\frac{3}{4}$.

5. The **value** of a fraction is the *numerator* divided by the *denominator*; as, $\frac{4}{2} = 2$, $\frac{6}{2} = 3$.

6. The line between the *numerator* and the *denominator* means *divided by*, or \div .

$\frac{3}{4}$ is equivalent to $3 \div 4$.

$\frac{5}{8}$ is equivalent to $5 \div 8$.

7. The *numerator* and *denominator* of a fraction are called the **terms** of a fraction.

8. The *value* of a fraction when its terms are equal is 1.

$\frac{4}{4}$, or four-fourths = 1.

$\frac{8}{8}$, or eight-eighths = 1.

$\frac{64}{64}$, or sixty-four sixty-fourths = 1.

9. A **proper fraction** is a fraction whose numerator is less than its denominator. Its value is *less* than 1, as $\frac{3}{4}$, $\frac{5}{8}$, $\frac{1}{16}$.

10. An **improper fraction** is a fraction whose numerator *equals or is greater than* the denominator. Its value is 1 or *more* than 1, as $\frac{4}{4}$, $\frac{9}{8}$, $\frac{42}{8}$.

11. A **mixed number** is a *whole number and a fraction united*. $4\frac{2}{3}$ is a mixed number, and is equivalent to $4 + \frac{2}{3}$. It is read *four and two-thirds*.

REDUCTION OF FRACTIONS.

12. **Reduction of fractions** is the process of changing the form of fractions without changing their *value*.

13. A fraction is reduced to *higher terms* by *multiplying both terms of the fraction by the same number*. Thus,

$\frac{3}{4}$ is reduced to $\frac{6}{8}$ by multiplying both terms of the fraction by 2.

$$\frac{3 \times 2}{4 \times 2} = \frac{6}{8}$$

The *value* is not changed. For, suppose that a unit, say an apple, is divided into 8 equal parts. If these parts be arranged in 4 piles, each containing 2 parts, it is evident that each pile will be composed of the same part of the apple as would have been the case had the apple been originally cut into 4 equal parts. Now, if one of these piles (containing 2 parts) be removed, there will be 3 piles left, each containing 2 equal parts, or 6 equal parts in all, i. e., six-eighths. But, since one pile, or one-quarter, was removed, there are three-quarters left. Hence, $\frac{3}{4} = \frac{6}{8}$. The same reasoning may be applied to any similar case. Therefore, multiplying both terms of a fraction by the same number does not alter its value.

14. To reduce a fraction to an equivalent fraction having a given denominator.

EXAMPLE.—Reduce $\frac{7}{8}$ to an equivalent fraction having 96 for a denominator.

SOLUTION.—Both the numerator and the denominator must be multiplied by the same number in order not to change the value of the fraction. The denominator must be multiplied by some number which will make the product 96; this number is evidently $96 \div 8 = 12$, since $8 \times 12 = 96$. Hence, $\frac{7 \times 12}{8 \times 12} = \frac{84}{96}$. Ans.

15. Rule.—*Divide the given denominator by the denominator of the given fraction, and multiply both terms of the fraction by the quotient.*

EXAMPLE.—Reduce $\frac{3}{4}$ to 100ths.

SOLUTION.— $100 \div 4 = 25$; hence, $\frac{3 \times 25}{4 \times 25} = \frac{75}{100}$. Ans.

16. *A fraction is reduced to lower terms by dividing both terms by the same number.* Thus, $\frac{8}{10}$ is reduced to $\frac{4}{5}$ by dividing both terms by 2.

$$\frac{8 \div 2}{10 \div 2} = \frac{4}{5}$$

That $\frac{8}{10} = \frac{4}{5}$ is readily seen from the explanation given in

Art. 13; for, multiplying both terms of the fraction $\frac{4}{5}$ by 2, $\frac{4 \times 2}{5 \times 2} = \frac{8}{10}$, and, if $\frac{4}{5} = \frac{8}{10}$, $\frac{8}{10}$ must equal $\frac{4}{5}$. Hence, dividing both terms of a fraction by the same number does not alter its value.

17. *A fraction is reduced to lowest terms, or simplest form, when its numerator and denominator cannot both be divided by the same number without a remainder.* As, $\frac{8}{4}$, $\frac{2}{3}$, $\frac{11}{24}$, $\frac{8}{15}$.

EXAMPLES FOR PRACTICE.

18. Reduce the following:

- | | |
|--|--|
| (a) $\frac{7}{10}$ to 128ths. | Ans. $\left\{ \begin{array}{l} (a) \frac{56}{128} \\ (b) \frac{2}{11} \\ (c) \frac{8}{128} \\ (d) \frac{85}{49} \\ (e) \frac{8125}{10000} \end{array} \right.$ |
| (b) $\frac{24}{152}$ to its lowest terms. | |
| (c) $\frac{64}{1000}$ to its lowest terms. | |
| (d) $\frac{5}{7}$ to 49ths. | |
| (e) $\frac{43}{16}$ to 10,000ths. | |

19. To reduce a whole number or a mixed number to an improper fraction.

EXAMPLE 1.—How many *fourths* in 5?

SOLUTION.—Since there are 4 *fourths* in 1, in 5 there will be 5×4 fourths, or 20 fourths; i.e., $5 \times \frac{4}{4} = \frac{20}{4}$. Ans.

EXAMPLE 2.—Reduce $8\frac{3}{4}$ to an improper fraction.

SOLUTION.— $8 \times \frac{4}{4} = \frac{32}{4}$. $\frac{32}{4} + \frac{3}{4} = \frac{35}{4}$. Ans.

20. Rule.—*Multiply the whole number by the denominator of the fraction, add the numerator to the product and place the denominator under the result. If it is desired to reduce a whole number to a fraction, multiply the whole number by the given denominator and the result will be the numerator of the required fraction.*

EXAMPLES FOR PRACTICE.

21. Reduce to improper fractions:

- | | |
|---|--|
| (a) $4\frac{1}{8}$. | Ans. $\left\{ \begin{array}{l} (a) \frac{33}{8} \\ (b) \frac{46}{9} \\ (c) \frac{102}{10} \\ (d) \frac{151}{4} \\ (e) \frac{254}{6} \\ (f) \frac{112}{16} \end{array} \right.$ |
| (b) $5\frac{1}{9}$. | |
| (c) $10\frac{2}{10}$. | |
| (d) $37\frac{3}{4}$. | |
| (e) $50\frac{4}{6}$. | |
| (f) Reduce 7 to a fraction whose denominator is 16. | |

22. To reduce an improper fraction to a whole or a mixed number.

EXAMPLE.—Reduce $2\frac{1}{4}$ to a mixed number.

SOLUTION.—4 is contained in 21, 5 times and 1 remaining (see Art. 5); as this remainder is also divided by 4, its value is $\frac{1}{4}$. Therefore, $5 + \frac{1}{4}$, or $5\frac{1}{4}$, is the number.

23. Rule.—*Divide the numerator by the denominator, and write the result as in ordinary division.* (See part V of Rule, Art. 77, § 1.)

EXAMPLES FOR PRACTICE.

24. Reduce to whole or mixed numbers:

(a) $1\frac{45}{6}$.	Ans. {	(a) $24\frac{1}{3}$.
(b) $1\frac{85}{8}$.		(b) $61\frac{5}{8}$.
(c) $20\frac{1}{8}$.		(c) $116\frac{5}{8}$.
(d) $1\frac{49}{8}$.		(d) $49\frac{5}{8}$.
(e) $\frac{76}{19}$.		(e) 4.
(f) $1\frac{25}{26}$.		(f) 5.

25. A **common denominator** of *two or more fractions* is a number that will contain (i. e., which may be divided by) all of the *denominators* of the fractions without a remainder. The **least common denominator** is the least number that will contain all the denominators of the fractions without a remainder.

26. To find the least common denominator.

EXAMPLE.—Find the least common denominator of $\frac{1}{4}$, $\frac{1}{8}$, $\frac{1}{6}$, and $\frac{1}{18}$.

SOLUTION.—We first place the denominators in a row, separated by commas.

$$\begin{array}{r}
 2 \overline{) 4, \quad 3, \quad 9, \quad 16} \\
 2 \overline{) 2, \quad 3, \quad 9, \quad 8} \\
 3 \overline{) \quad 3, \quad 9, \quad 4} \\
 \hline
 \quad \quad 3, \quad 4
 \end{array}$$

$2 \times 2 \times 3 \times 3 \times 4 = 144$, the least common denominator. Ans.

EXPLANATION.—Divide each of the denominators by some prime number that will divide at least two of them without a remainder if (possible), bringing down to the row below those

denominators which will not contain the divisor without a remainder. Dividing each of the numbers by 2, the second row becomes 2, 3, 9, 8, since 2 will not divide 3 and 9 without a remainder. Dividing again by 2, the result is 3, 9, 4. Dividing the third row by 3, the result is 3, 4. The numbers in the fourth row are now prime to each other (see Art. 85, § 1), and the product of these numbers multiplied by the divisors will be the least common denominator. Thus, $2 \times 2 \times 3 \times 3 \times 4 = 144$, the least common denominator.

27. EXAMPLE.—Find the least common denominator of $\frac{4}{3}$, $\frac{5}{12}$, and $\frac{7}{18}$.

SOLUTION.—

$$\begin{array}{r} 3 \overline{) 9, 12, 18} \\ 3 \overline{) 3, 4, 6} \\ 2 \overline{) 4, 2} \\ \quad 2 \end{array}$$

$$3 \times 3 \times 2 \times 2 = 36. \text{ Ans.}$$

28. If one (or more) of the denominators is a factor of some other denominator, it need not be considered in the process of finding the least common denominator, for if the least common denominator will contain the larger denominator it will also contain any factor of it. Thus, in the last example, since 9 is a factor of 18, it need not be considered, and all that is necessary is to find the least common denominator of 12 and 18. Also, if *all* of the denominators have a common factor, whether prime or composite, that factor may be used as a divisor. For example, since 12 and 18 have the common factor 6, 6 may be used as a divisor instead of its prime factors 2 and 3. Hence, the entire operation of finding the least common denominator of $\frac{4}{3}$, $\frac{5}{12}$, $\frac{7}{18}$ reduces to $\frac{6 \overline{) 12, 18}}{2, 3}$, or least common denominator $= 6 \times 2 \times 3 = 36$, the same result as before.

29. Any number that will exactly contain another number is called a **multiple** of that number. Thus, 48 is a multiple of 6; also, of 8, of 12, etc. Any number that will exactly contain two or more numbers is called a **common multiple** of those numbers; and the least number that will

exactly contain two or more numbers is called the **least common multiple** of those numbers. Hence, the least common denominator of two or more fractions is the least common multiple of the denominators of the fractions.

30. The least common multiple of several numbers may often be determined by inspection. For example, if it is desired to find the least common multiple of 3, 5, and 10, simple inspection will show that the least common multiple is 30, the mental process being as follows: Since 5 is a factor of 10, 5 need not be considered; and since 3 and 10 are prime to each other, their least common multiple is their product, i. e., 3×10 , or 30. Therefore, 30 is the least common multiple of 3, 5, and 10.

Again, consider the example of Art. 27. Here, it is required to find the least common multiple of 9, 12, and 18. Since 9 is a factor of 18, it need not be considered. The least common multiple of 12 and 18 must, of course, contain 18 a certain number of times. To ascertain how many times 18 the least common multiple must be, divide 12 (the other number) by the greatest factor common to both 12 and 18; the quotient multiplied by 18 will be the required least common multiple. In the present case, the greatest factor is 6, and $12 \div 6 = 2$; $2 \times 18 = 36$, the least common multiple.

31. To reduce two or more fractions to equivalent fractions having the least common denominator.

EXAMPLE.—Reduce $\frac{2}{3}$, $\frac{3}{4}$, $\frac{7}{8}$ to equivalent fractions having the least common denominator.

SOLUTION.—The least common denominator is the least number that can be exactly divided by 3, 4, and 8. This number is readily seen by inspection to be 24. Now, reducing each fraction to a fraction having a denominator of 24 (Art. 14), we obtain

$$\frac{2 \times 8}{3 \times 8} = \frac{16}{24}, \quad \frac{3 \times 6}{4 \times 6} = \frac{18}{24}, \quad \frac{7 \times 3}{8 \times 3} = \frac{21}{24} \quad \text{Ans.}$$

32. Rule.—*Divide the least common denominator by the denominator of the given fraction, and multiply both terms of the fraction by the quotient.*

EXAMPLES FOR PRACTICE.

33. Reduce to fractions having a common denominator:)

(a) $\frac{3}{4}, \frac{5}{8}, \frac{7}{8}.$	Ans. {	(a) $\frac{6}{8}, \frac{5}{8}, \frac{7}{8}.$
(b) $\frac{3}{10}, \frac{3}{4}, \frac{7}{8}.$		(b) $\frac{3}{20}, \frac{15}{20}, \frac{17}{20}.$
(c) $\frac{7}{8}, \frac{7}{88}, \frac{10}{11}.$		(c) $\frac{77}{88}, \frac{7}{88}, \frac{80}{88}.$
(d) $\frac{3}{8}, \frac{5}{8}, \frac{11}{40}.$		(d) $\frac{15}{40}, \frac{25}{40}, \frac{11}{40}.$
(e) $\frac{4}{10}, \frac{6}{40}, \frac{9}{20}.$		(e) $\frac{16}{40}, \frac{6}{40}, \frac{18}{40}.$
(f) $\frac{7}{15}, \frac{17}{30}, \frac{21}{30}.$		(f) $\frac{14}{30}, \frac{17}{30}, \frac{21}{30}.$

ADDITION OF FRACTIONS.

34. *Fractions cannot be added unless they have a common denominator.* We cannot add $\frac{3}{4}$ to $\frac{7}{8}$ as they now stand, since the denominators represent different parts of a unit. Fourths can be added to fourths, but not to eighths.

Suppose we divide an apple into 4 equal parts, and then divide 2 of these parts into 2 equal parts. It is evident that we shall have 2 one-fourths and 4 one-eighths. Now if we add these parts the result is $2 + 4 = 6$ something. But what is this something? It is not fourths, for six fourths are $1\frac{1}{2}$, and we had only one apple to begin with; neither is it eighths, for six eighths are $\frac{3}{4}$, which is less than 1 apple. By reducing the fourths to eighths, we have $\frac{2}{4} = \frac{4}{8}$; and, adding the other 4 eighths, $4 + 4 = 8$ eighths. The result is correct, since $\frac{8}{8} = 1$. Or we can, in this case, reduce the eighths to fourths. Thus, $\frac{4}{8} = \frac{2}{4}$; whence, adding $2 + 2 = 4$ quarters or fourths, a correct result, since $\frac{4}{4} = 1$.

Before adding, fractions should be reduced to a common denominator, preferably the *least* common denominator.

35. EXAMPLE.—Find the sum of $\frac{1}{2}$, $\frac{3}{4}$, and $\frac{5}{8}$.

SOLUTION.—The *least common denominator*, or the *least number* that will exactly contain all the *denominators*, is 8.

$$\frac{1}{2} = \frac{4}{8}, \frac{3}{4} = \frac{6}{8}, \text{ and } \frac{4}{8} + \frac{6}{8} + \frac{5}{8} = \frac{4+6+5}{8} = \frac{15}{8} = 1\frac{7}{8}. \quad \text{Ans.}$$

EXPLANATION.—As the *denominator* indicates the names of the *parts*, only the *numerators* are added to obtain the total number of *parts* indicated by the *denominator*. Thus, 4 one-eighths plus 6 one-eighths plus 5 one-eighths = 15 one-eighths.

36. EXAMPLE 1.—What is the sum of $12\frac{3}{4}$, $14\frac{5}{8}$, and $7\frac{5}{16}$?

SOLUTION.—The least common denominator in this case is 16.

$$\begin{array}{r} 12\frac{3}{4} = 12\frac{12}{16} \\ 14\frac{5}{8} = 14\frac{10}{16} \\ 7\frac{5}{16} = 7\frac{5}{16} \\ \hline \text{sum } 33 + \frac{27}{16} = 33 + 1\frac{11}{16} = 34\frac{11}{16}. \text{ Ans.} \end{array}$$

The sum of the fractions = $\frac{27}{16}$, or $1\frac{11}{16}$, which added to the sum of the whole numbers = $34\frac{11}{16}$.

EXAMPLE 2.—What is the sum of 17, $13\frac{3}{16}$, $\frac{9}{32}$, and $3\frac{1}{4}$?

SOLUTION.—The least common denominator is 32. $13\frac{3}{16} = 13\frac{6}{32}$, $3\frac{1}{4} = 3\frac{8}{32}$.

$$\begin{array}{r} 17 \\ 13\frac{6}{32} \\ \frac{9}{32} \\ 3\frac{8}{32} \\ \hline \text{sum } 33\frac{23}{32} \text{ Ans.} \end{array}$$

37. Rule.—I. Make the fractions similar; write the sum of the numerators over the least common denominator.

II. When there are integers or mixed numbers, add them separately and then add the results.

EXAMPLES FOR PRACTICE.

38. Find the sum of:

- (a) $\frac{4}{6}, \frac{7}{24}, \frac{5}{8}.$
 (b) $\frac{2}{8}, \frac{5}{16}, 2\frac{4}{5}.$
 (c) $\frac{1}{2}, \frac{3}{8}, \frac{5}{16}.$
 (d) $\frac{5}{6}, \frac{11}{12}, \frac{13}{18}.$
 (e) $\frac{10}{11}, \frac{6}{33}, 2\frac{3}{8}.$
 (f) $2\frac{3}{8}, \frac{11}{16}, \frac{14}{48}.$
 (g) $\frac{4}{11}, \frac{7}{22}, 1\frac{1}{2}.$
 (h) $\frac{8}{7}, 1\frac{4}{49}, \frac{2}{7}.$

$$\text{Ans. } \left\{ \begin{array}{l} (a) \ 1\frac{7}{12}. \\ (b) \ 1\frac{1}{15}. \\ (c) \ 1\frac{3}{16}. \\ (d) \ 1\frac{17}{24}. \\ (e) \ 2\frac{9}{88}. \\ (f) \ 2\frac{5}{8}. \\ (g) \ 1\frac{7}{22}. \\ (h) \ 1. \end{array} \right.$$

SUBTRACTION OF FRACTIONS.

39. Fractions cannot be subtracted without first reducing them to a common denominator. This can be shown in the same manner as in the case of addition of fractions. (Art. 34.)

EXAMPLE.—Subtract $\frac{3}{8}$ from $\frac{13}{16}$.

SOLUTION.—The least common denominator is 16.

$$\frac{3}{8} = \frac{6}{16}, \quad \frac{13}{16} - \frac{6}{16} = \frac{13-6}{16} = \frac{7}{16}. \quad \text{Ans.}$$

40. EXAMPLE.—From 7 take $\frac{5}{8}$.

SOLUTION.— $1 = \frac{8}{8}$; therefore, since $7 = 6 + 1$, $7 = 6 + \frac{8}{8} = 6\frac{8}{8}$, and $6\frac{8}{8} - \frac{5}{8} = 6\frac{3}{8}$. Ans.

41. EXAMPLE.—What is the difference between $17\frac{9}{16}$ and $9\frac{15}{32}$?

SOLUTION.—The least common denominator of the fraction is 32.
 $17\frac{9}{16} = 17\frac{18}{32}$.

$$\begin{array}{r} \text{minuend} \quad 17\frac{18}{32} \\ \text{subtrahend} \quad 9\frac{15}{32} \\ \hline \text{difference} \quad 8\frac{3}{32} \quad \text{Ans.} \end{array}$$

42. EXAMPLE.—From $9\frac{1}{4}$ take $4\frac{7}{16}$.

SOLUTION.—The least common denominator of the fractions is 16.
 $9\frac{1}{4} = 9\frac{4}{16}$.

$$\begin{array}{r} \text{minuend} \quad 9\frac{4}{16} \text{ or } 8\frac{20}{16} \\ \text{subtrahend} \quad 4\frac{7}{16} \\ \hline \text{remainder} \quad 4\frac{13}{16} \quad \text{Ans.} \end{array}$$

EXPLANATION.—As the fraction in the subtrahend is greater than the fraction in the minuend, it cannot be subtracted; therefore, borrow 1, or $\frac{16}{16}$, from the 9 in the minuend and add it to the $\frac{4}{16}$; $\frac{4}{16} + \frac{16}{16} = \frac{20}{16}$. $\frac{7}{16}$ from $\frac{20}{16} = \frac{13}{16}$. Since 1 was borrowed from 9, 8 remains; 4 from 8 = 4; $4 + \frac{13}{16} = 4\frac{13}{16}$.

43. EXAMPLE.—From 9 take $8\frac{3}{16}$.

SOLUTION.—

$$\begin{array}{r} \text{minuend} \quad 9 \text{ or } 8\frac{16}{16} \\ \text{subtrahend} \quad 8\frac{3}{16} \\ \hline \text{difference} \quad \frac{13}{16} \quad \text{Ans.} \end{array}$$

EXPLANATION.—As there is no fraction in the minuend from which to take the fraction in the subtrahend, borrow 1, or $\frac{16}{16}$, from 9. $\frac{3}{16}$ from $\frac{16}{16} = \frac{13}{16}$. Since 1 was borrowed from 9, only 8 is left. 8 from 8 = 0.

44. Rule.—I. Reduce the given fractions to fractions having the least common denominator. Subtract one numerator from the other and place the remainder over the common denominator.

II. When there are mixed numbers, subtract the fractions and whole numbers separately.

III. When the fraction in the subtrahend is greater than the fraction in the minuend, borrow 1 from the whole number in the minuend, and add it to the fraction in the minuend, from which subtract the fraction in the subtrahend.

IV. When the minuend is a whole number, borrow 1 from it; reduce the 1 to a fraction whose denominator is the same as the denominator of the fraction in the subtrahend, and then subtract.

EXAMPLES FOR PRACTICE.

45. Subtract:

$$(a) \frac{10}{24} \text{ from } 1\frac{1}{2}.$$

$$(b) \frac{7}{14} \text{ from } 1\frac{7}{8}.$$

$$(c) \frac{4}{30} \text{ from } 1\frac{5}{10}.$$

$$(d) \frac{15}{36} \text{ from } 4\frac{5}{10}.$$

$$(e) \frac{15}{16} \text{ from } 5\frac{7}{8}.$$

$$(f) 13\frac{1}{4} \text{ from } 30\frac{1}{2}.$$

$$(g) 12\frac{1}{8} \text{ from } 27.$$

$$(h) 5\frac{1}{4} \text{ from } 30.$$

$$\text{Ans. } \left\{ \begin{array}{l} (a) \frac{1}{2}. \\ (b) 2\frac{3}{8}. \\ (c) 1\frac{1}{30}. \\ (d) 1\frac{1}{4}. \\ (e) \frac{1}{4}. \\ (f) 17\frac{1}{4}. \\ (g) 14\frac{7}{8}. \\ (h) 24\frac{3}{4}. \end{array} \right.$$

MULTIPLICATION OF FRACTIONS.

46. In multiplication of fractions it is not necessary to reduce the given fractions to fractions having a common denominator.

47. Multiplying the numerator or dividing the denominator multiplies the fraction.

EXAMPLE.—Multiply $\frac{3}{4}$ by 4.

$$\text{SOLUTION.}—\frac{3}{4} \times 4 = \frac{3 \times 4}{4} = 1^2 = 3. \quad \text{Ans.}$$

$$\text{Or, } \frac{3}{4} \times 4 = \frac{3}{4 \div 4} = \frac{3}{1} = 3. \quad \text{Ans.}$$

The word “of” in multiplication of fractions means the same as \times , or times. Thus,

$$\begin{aligned} \frac{3}{4} \text{ of } 4 &= \frac{3}{4} \times 4 = 3. \\ \frac{1}{8} \text{ of } \frac{5}{16} &= \frac{1}{8} \times \frac{5}{16} = \frac{5}{128}. \end{aligned}$$

EXAMPLE.—Multiply 2 by $\frac{3}{8}$.

SOLUTION.— $2 \times \frac{3}{8} = \frac{3 \times 2}{8} = \frac{6}{8} = \frac{3}{4}$. Ans.

Or $2 \times \frac{3}{8} = \frac{3}{8 \div 2} = \frac{3}{4}$. Ans.

48. EXAMPLE.—What is the product of $\frac{4}{16}$ and $\frac{7}{8}$?

SOLUTION.— $\frac{4}{16} \times \frac{7}{8} = \frac{4 \times 7}{16 \times 8} = \frac{28}{128} = \frac{7}{32}$. Ans.

Or, by cancelation, $\frac{4 \times 7}{16 \times 8} = \frac{7}{4 \times 8} = \frac{7}{32}$. Ans.

49. EXAMPLE.—What is $\frac{4}{8}$ of $\frac{3}{4}$ of $\frac{16}{32}$?

SOLUTION.— $\frac{4 \times 3 \times 16}{8 \times 4 \times \frac{32}{2}} = \frac{3}{8 \times 2} = \frac{3}{16}$. Ans.

50. EXAMPLE.—What is the product of $9\frac{3}{4}$ and $5\frac{5}{8}$?

SOLUTION.— $9\frac{3}{4} = \frac{39}{4}$; $5\frac{5}{8} = \frac{45}{8}$.

$$\frac{39}{4} \times \frac{45}{8} = \frac{39 \times 45}{4 \times 8} = \frac{1755}{32} = 54\frac{27}{32}. \text{ Ans.}$$

51. EXAMPLE.—Multiply $15\frac{7}{8}$ by 3.

SOLUTION.—

$15\frac{7}{8}$	$15\frac{7}{8}$
$\frac{3}{8}$	$\frac{3}{8}$
<hr/>	<hr/>
$47\frac{5}{8}$	$45 + 2\frac{1}{8} = 45 + 2\frac{5}{8} = 47\frac{5}{8}$

Ans.

52. Rule.—I. Divide the product of the numerators by the product of the denominators. All factors common to the numerators and denominators should first be cast out by cancelation.

II. To multiply one mixed number by another, reduce them both to improper fractions.

III. To multiply a mixed number by a whole number, first multiply the fractional part by the multiplier, and if the product is an improper fraction, reduce it to a mixed number, and add the whole-number part to the product of the multiplier and the whole number.

EXAMPLES FOR PRACTICE.

53. Find the product of :

- (a) $7 \times \frac{3}{19}$.
 (b) $14 \times \frac{5}{14}$.
 (c) $\frac{21}{82} \times \frac{5}{14}$.
 (d) $\frac{16}{27} \times 4$.
 (e) $\frac{19}{18} \times 7$.
 (f) $17\frac{18}{21} \times 7$.
 (g) $\frac{10\frac{1}{2}}{24} \times 32$.
 (h) $\frac{15}{28} \times 14$.

Ans. $\left\{ \begin{array}{l} (a) \ 1\frac{3}{19} \\ (b) \ 4\frac{5}{8} \\ (c) \ \frac{5}{4} \\ (d) \ 2\frac{10}{27} \\ (e) \ 7\frac{7}{18} \\ (f) \ 125 \\ (g) \ 15 \\ (h) \ 7\frac{1}{2} \end{array} \right.$

54. Short Methods of Multiplying by a Mixed Number.—In all business transactions, the multiplication of a mixed number by an integer, an integer by a mixed number, or a mixed number by a mixed number, is of very frequent occurrence. Unless the numbers are quite small, which is not usually the case, it is very inconvenient to reduce the mixed numbers to improper fractions, multiply, and then reduce the product to a mixed number. A better way is to use one of the methods given below:

55. EXAMPLE.—Multiply $126\frac{7}{8}$ by 27.

SOLUTION.—

$$\begin{array}{r}
 126\frac{7}{8} \\
 27 \\
 \hline
 3\frac{3}{8} \\
 18\frac{18}{8} \\
 882 \\
 252 \\
 \hline
 3425\frac{5}{8} \text{ Ans.}
 \end{array}$$

EXPLANATION.—First multiply the $\frac{7}{8}$ by 27; this may be conveniently done as follows: Multiply $\frac{1}{8}$ by 27; to do this all that is necessary is to divide 27 by 8 (this is evidently correct, since $\frac{1}{8} \times 27 = \frac{27}{8} = 27 \div 8$), obtaining $3\frac{3}{8}$. Now multiply the result just obtained ($3\frac{3}{8}$) by the numerator of the fraction less 1, or in this case, by $7 - 1 = 6$, getting $18\frac{18}{8}$ for the product, which write under $3\frac{3}{8}$, as shown. Then multiply 126 by 27 in the usual manner, placing the unit figure under the unit figures of the two mixed numbers, which may be

regarded as partial products. That this method is correct is readily seen. For $3\frac{3}{8}$ is $\frac{1}{8}$ of 27, and $18\frac{1}{8}$ is $\frac{6}{8}$ of 27; therefore, $3\frac{3}{8} + 18\frac{1}{8} = \frac{1}{8}$ of 27 + $\frac{6}{8}$ of 27 = $\frac{7}{8}$ of 27.

56. EXAMPLE.—Multiply 825 by $29\frac{3}{4}$.

SOLUTION.—*First Method.*

$$\begin{array}{r}
 825 \\
 29\frac{3}{4} \\
 \hline
 4)2475 \\
 \hline
 618\frac{3}{4} \\
 7425 \\
 \hline
 1650 \\
 \hline
 24543\frac{3}{4} \text{ Ans.}
 \end{array}$$

Second Method.

$$\begin{array}{r}
 825 \\
 29\frac{3}{4} \\
 \hline
 206\frac{1}{4} \\
 412\frac{3}{4} \\
 \hline
 7425 \\
 \hline
 1650 \\
 \hline
 24543\frac{3}{4} \text{ Ans.}
 \end{array}$$

EXPLANATION.—*First Method:* Since $\frac{3}{4}$ of 825 is the same as $\frac{1}{4}$ of 3 times 825, we first find 3 times 825 and take $\frac{1}{4}$ of the product. The remainder of the operation needs no explanation. The *second method* is similar to that used in the preceding example.

57. EXAMPLE.—Multiply $89\frac{2}{8}$ by $75\frac{3}{8}$.

SOLUTION.—

First Method.

$$\begin{array}{r}
 89\frac{2}{8} \\
 75\frac{3}{8} \\
 \hline
 8)267 \\
 \hline
 3)150 \\
 \hline
 33\frac{3}{8} \\
 50\frac{1}{4} \\
 \hline
 445 \\
 623 \\
 \hline
 6758\frac{5}{8} \text{ Ans.}
 \end{array}$$

$$\frac{2}{8} \times \frac{3}{8} = \frac{1}{4}$$

Second Method.

$$\begin{array}{r}
 89\frac{2}{8} \\
 75\frac{3}{8} \\
 \hline
 11\frac{1}{8} \\
 22\frac{2}{8} \\
 \hline
 25 \\
 25 \\
 \hline
 445\frac{1}{4} \\
 623 \\
 \hline
 6758\frac{5}{8} \text{ Ans.}
 \end{array}$$

EXPLANATION.—*First Method:* In this example there are four operations. (1) To multiply the fraction by the fraction. (2) To multiply the upper number by the lower fraction. (3) To multiply the lower number by the upper fraction. (4) To multiply the whole number by the whole number. We first multiply 89 by $\frac{3}{8}$, but in order to save space the division of 3 times 89 by 8 is merely indicated for the present. $\frac{2}{8}$ is multiplied by 75 in the same manner, multiplying

75 by 2 and indicating the division by 3. 267 (i. e., 3×89) is now divided by 8, obtaining $33\frac{3}{8}$, which is written as shown. 150 (i. e., 2×75) is divided by 3, obtaining 50, which is written under the $33\frac{3}{8}$. The two fractions are multiplied and the product, $\frac{1}{4}$, placed alongside of the 50. The two integers are now multiplied and all the separate products added together, as shown.

Second Method: This is a combination of the method of Art. 55, and the second method of Art. 56, and should be understood without further explanation. The product of the two fractions, $\frac{1}{4}$, is written alongside of the 445 and added to the other two fractions, $\frac{1}{8}$ and $\frac{2}{8}$, as shown.

58. EXAMPLE.—At $3\frac{5}{8}$ cents per pound, what will $66\frac{1}{2}$ pounds of sugar cost?

SOLUTION.—*First Method.*

$$\begin{array}{r} 66\frac{1}{2} \\ 3\frac{5}{8} \\ \hline 8)330 \\ 2)3 \\ \hline 41\frac{1}{4} \\ 1\frac{1}{2} \\ \hline 198\frac{5}{16} \end{array}$$

$241\frac{1}{16}$ cents. Ans.

$$\frac{1}{2} \times \frac{5}{8} = \frac{5}{16}$$

Second Method.

$$\begin{array}{r} 66\frac{1}{2} \\ 3\frac{5}{8} \\ \hline 8\frac{1}{4} \\ 33 \\ 1\frac{1}{2} \\ \hline 198\frac{5}{16} \\ 241\frac{1}{16} \end{array}$$

EXPLANATION.—First multiply 66 by $\frac{5}{8}$, then 3 by $\frac{1}{2}$, then 66 by 3, and finally $\frac{1}{2}$ by $\frac{5}{8}$. The $\frac{5}{16}$ is written under and added to the other fractions.

EXAMPLES FOR PRACTICE.

59. Solve the following examples:

1. Find the cost of $89\frac{2}{3}$ yards of silk velvet at $\$4\frac{3}{4}$ per yard.

Ans. $\$425\frac{1}{2}$.

2. How much must be paid for $83\frac{1}{2}$ tons of hay at $\$16\frac{5}{8}$ a ton?

Ans. $\$1,388\frac{3}{8}$.

3. How far can a man ride on a bicycle in $14\frac{5}{8}$ hours at the rate of $9\frac{1}{2}$ miles per hour?

Ans. $144\frac{5}{8}$ miles.

4. Find the following products: (a) $28\frac{7}{8} \times 17\frac{3}{8}$. (b) $44\frac{7}{8} \times 16\frac{5}{8}$.
(c) $127\frac{1}{2} \times 69\frac{3}{4}$. (d) $86\frac{5}{12} \times 78\frac{1}{2}$. (e) $53\frac{3}{4} \times 27\frac{1}{2}$.

Ans. (a) $510\frac{1}{3}$. (b) $744\frac{3}{4}$. (c) $8,854\frac{5}{8}$. (d) $6,809\frac{1}{8}$. (e) $1,478\frac{1}{2}$.

DIVISION OF FRACTIONS.

60. In division of fractions it is not necessary to reduce the given fractions to fractions having a common denominator.

61. *Dividing the numerator or multiplying the denominator of a fraction, divides the fraction.*

EXAMPLE.—Divide $\frac{6}{8}$ by 3.

SOLUTION.—When *dividing* the *numerator*, we have

$$\frac{6}{8} \div 3 = \frac{6 \div 3}{8} = \frac{2}{8} = \frac{1}{4}. \quad \text{Ans.}$$

When *multiplying* the *denominator*, we have

$$\frac{6}{8} \div 3 = \frac{6}{8 \times 3} = \frac{6}{24} = \frac{1}{4}. \quad \text{Ans.}$$

EXAMPLE.—Divide $\frac{3}{16}$ by 2.

SOLUTION.— $\frac{3}{16} \div 2 = \frac{3}{16 \times 2} = \frac{3}{32}. \quad \text{Ans.}$

EXAMPLE.—Divide $\frac{14}{32}$ by 7.

SOLUTION.— $\frac{14}{32} \div 7 = \frac{14 \div 7}{32} = \frac{2}{32} = \frac{1}{16}. \quad \text{Ans.}$

62. To **invert** a fraction is to *turn it upside down*, that is, make the numerator and denominator change places.

Invert $\frac{3}{4}$ and it becomes $\frac{4}{3}$.

63. EXAMPLE.—Divide $\frac{9}{16}$ by $\frac{3}{16}$.

SOLUTION.—1. The fraction $\frac{9}{16}$ is contained in $\frac{9}{16}$, 3 times, for the denominators are the same, and one numerator is contained in the other 3 times. 2. If we now invert the divisor, $\frac{3}{16}$, and multiply, the solution is

$$\frac{9}{16} \times \frac{16}{3} = \frac{9 \times 16}{16 \times 3} = 3. \quad \text{Ans.}$$

This gives the same quotient as in the first case.

64. EXAMPLE.—Divide $\frac{3}{8}$ by $\frac{1}{4}$.

SOLUTION.—We cannot divide $\frac{3}{8}$ by $\frac{1}{4}$, as in the first case above, for the denominators are not the same; therefore, we must solve as in the second case.

$$\frac{3}{8} \div \frac{1}{4} = \frac{3}{8} \times \frac{4}{1} = \frac{3 \times 4}{8 \times 1} = \frac{3}{2} \text{ or } 1\frac{1}{2}. \text{ Ans.}$$

65. EXAMPLE.—Divide 5 by $\frac{10}{18}$.

SOLUTION.— $\frac{10}{18}$ inverted becomes $\frac{18}{10}$.

$$5 \times \frac{16}{10} = \frac{5 \times 16}{10} = 8. \text{ Ans.}$$

66. EXAMPLE.—How many times is $3\frac{3}{4}$ contained in $7\frac{7}{18}$?

SOLUTION.— $3\frac{3}{4} = \frac{15}{4}$; $7\frac{7}{18} = \frac{119}{18}$.

$\frac{15}{4}$ inverted equals $\frac{4}{15}$.

$$\frac{119}{18} \times \frac{4}{15} = \frac{119 \times 4}{18 \times 15} = \frac{119}{60} = 1\frac{59}{60}. \text{ Ans.}$$

67. Rule.—*Invert the divisor and proceed as in multiplication.*

68. We have learned that a line placed between two numbers indicates that the number above the line is to be divided by the number below it. Thus, $\frac{18}{3}$ denotes that 18 is to be divided by 3. This is also true if a fraction or a fractional expression be placed above or below a line.

$\frac{9}{\frac{3}{8}}$ means that 9 is to be divided by $\frac{3}{8}$; $\frac{3 \times 7}{\frac{8+4}{16}}$ means that

3×7 is to be divided by the value of $\frac{8+4}{16}$.

$\frac{\frac{1}{4}}{\frac{3}{8}}$ is the same as $\frac{1}{4} \div \frac{3}{8}$.

69. It will be noticed that there is a heavy line between the 9 and the $\frac{3}{8}$. This is necessary, since otherwise there would be nothing to show whether 9 is to be divided by $\frac{3}{8}$, or

$\frac{2}{3}$ is to be divided by 8. Whenever a heavy line is used, as shown here, it indicates that *all above the line* is to be divided by *all below it*.

EXAMPLES FOR PRACTICE.

70. Divide:

(a) 15 by $6\frac{2}{7}$.

(b) 30 by $\frac{6}{8}$.

(c) 172 by $\frac{4}{5}$.

(d) $\frac{14}{18}$ by $1\frac{7}{8}$.

(e) $\frac{103}{8}$ by $14\frac{2}{3}$.

(f) $\frac{142}{27}$ by $17\frac{1}{5}$.

(g) $\frac{14}{18}$ by $\frac{145}{72}$.

(h) $\frac{128}{18}$ by $72\frac{1}{5}$.

Ans. $\left\{ \begin{array}{ll} (a) & 2\frac{1}{3}. \\ (b) & 40. \\ (c) & 215. \\ (d) & \frac{112}{207}. \\ (e) & 1\frac{15}{88}. \\ (f) & \frac{71}{231}. \\ (g) & \frac{56}{145}. \\ (h) & \frac{64}{651}. \end{array} \right.$

ORDER OF SIGNS.

71. In any series of numbers connected by the signs +, −, ×, ÷, the operations indicated by the signs must be performed in order from left to right, except when a sign of multiplication or division *follows* the number on the *right* of a sign of addition or subtraction, the multiplication or division indicated by the sign should be performed before that of addition or subtraction. In all cases, the sign of multiplication takes precedence, the sign of division next, and the sign either of addition or of subtraction next.

NOTE.—Some recognized authorities claim that the multiplication and division signs have equal weight, and take precedence to the sign of either addition or subtraction, which also have equal weight.

EXAMPLE 1.—What is the value of $4 \times 24 - 8 + 17$?

SOLUTION.—Performing the operations in order from left to right, $4 \times 24 = 96$; $96 - 8 = 88$; $88 + 17 = 105$. Ans.

EXAMPLE 2.—What is the value of $1,296 \div 12 + 160 - 21 \times 3$?

SOLUTION.— $1,296 \div 12 = 108$; $108 + 160 = 268$; here we cannot subtract 21 from 268, because the sign of multiplication follows 21; hence, multiplying 21×3 we get 63, and $268 - 63 = 205$. Ans.

Had example 2 been written $1,296 \div 12 + 160 - 21 \times 3 \div 7 + 25$, it would have been necessary to divide 21×3 by 7 before subtracting from 268, and the final result would then have been: $21 \times 3 = 63$; $63 \div 7 = 9$; $268 - 9 = 259$;

$259 + 25 = 284$. Ans. In other words, it is necessary before adding or subtracting to perform first all the multiplications included between the signs of $+$ and $-$ or $-$ and $+$, and next perform all the divisions included between these signs.

SYMBOLS OF AGGREGATION.

72. If it is desired to change the order of precedence of the signs of multiplication and division, the **symbols of aggregation** are used. They are the vinculum $\overline{}$, parentheses $()$, brackets $[\]$, and brace $\{\}$. These symbols are used to include numbers that are to be considered together. For example, $13 \times \overline{8 - 3}$, $13 \times (8 - 3)$, $13 \times [8 - 3]$, and $13 \times \{8 - 3\}$ all indicate that 13 is to be multiplied by the difference between 8 and 3. Thus,

$$13 \times \overline{8 - 3} = 65. \text{ Ans.}$$

$$13 \times (8 - 3) = 65. \text{ Ans.}$$

$$13 \times [8 - 3] = 65. \text{ Ans.}$$

$$13 \times \{8 - 3\} = 65. \text{ Ans.}$$

When the signs of aggregation are not used, we have

$$13 \times 8 - 3 = 101. \text{ Ans.}$$

In problems where one sign of aggregation occurs within another, the sign within must be removed by performing the operations indicated within the inner sign according to the order of precedence of signs. The remainder of the problem is performed in the manner described in Art. 71.

EXAMPLE.— $2 + 6 \times [8 + 5 - 3 + 10 \times (6 - 2 \times 2)] \div 2 = ?$

SOLUTION.—The expression included in the sign of parenthesis should be first simplified by performing the multiplication $2 \times 2 = 4$, and the subtraction $6 - 4 = 2$. The whole expression now becomes $2 + 6 \times [8 + 5 - 3 + 10 \times 2] \div 2 = ?$ The remainder of the problem is performed in the manner described in Art. 71 and the expression becomes

$$2 + 6 \times [8 + 5 - 3 + 20] \div 2; \text{ or } 2 + 6 \times 30 \div 2; \text{ or } 2 + 180 \div 2; \text{ or } 2 + 90 = 92. \text{ Ans.}$$

EXAMPLES FOR PRACTICE.

73. What is the value of:

(a) $7 + 14 + 27 \times 4 \div 9 + 5?$

(b) $18 \div 2 \times 3 + 17 - 4?$

(c) $(7 + 24 - 26 + 30) \div 7?$

(d) $8 + 4 \times [(7 - 2) \times (3 + 9)]?$

(e) $9 \times (3 + 2) \div [(7 + 8) \div 3]?$

$$\text{Ans. } \begin{cases} (a) & 38. \\ (b) & 16. \\ (c) & 5. \\ (d) & 248. \\ (e) & 9. \end{cases}$$

COMPLEX FRACTIONS.

74. Whenever an expression like one of the following three is obtained, it may always be simplified by transposing the denominator from *above* to *below* the line, or from *below* to *above*, as the case may be, taking care, however, to indicate that the denominator, when so transferred, is a multiplier. These expressions are called **complex fractions**.

1. $\frac{\frac{3}{4}}{9} = \frac{3}{9 \times 4} = \frac{3}{36} = \frac{1}{12}$; for, regarding the fraction above the heavy line as the numerator of a fraction whose denominator is 9, $\frac{\frac{3}{4} \times 4}{9 \times 4} = \frac{3}{9 \times 4}$, as before.

2. $\frac{9}{\frac{3}{4}} = \frac{9 \times 4}{3} = 12$. The proof is the same as in the first case.

3. $\frac{\frac{5}{9}}{\frac{3}{4}} = \frac{5 \times 4}{3 \times 9} = \frac{20}{27}$; for, regarding $\frac{5}{9}$ as the numerator of a fraction whose denominator is $\frac{3}{4}$, $\frac{\frac{5}{9} \times 9}{\frac{3}{4} \times 9} = \frac{5}{\frac{3 \times 9}{4}}$; and $\frac{\frac{5}{3 \times 9} \times 4}{4} = \frac{5 \times 4}{3 \times 9} = \frac{20}{27}$, as above.

This principle may be used to great advantage in cases like $\frac{\frac{1}{4} \times 310 \times \frac{27}{12} \times 72}{40 \times 4\frac{1}{2} \times 5\frac{1}{6}}$. Reducing the mixed numbers to fractions, the expression becomes $\frac{\frac{1}{4} \times 310 \times \frac{27}{12} \times 72}{40 \times \frac{9}{2} \times \frac{31}{6}}$. Now,

transferring the denominators of the fractions and canceling,

$$\frac{1 \times 310 \times 27 \times 72 \times 2 \times 6}{40 \times 9 \times 31 \times 4 \times 12} = \frac{1 \times \overset{10}{\cancel{310}} \times \overset{3}{\cancel{27}} \times \overset{3}{\cancel{72}} \times \overset{3}{\cancel{2}} \times \cancel{6}}{\underset{4}{\cancel{40}} \times \underset{2}{\cancel{9}} \times \cancel{31} \times \cancel{4} \times \cancel{12}} = \frac{27}{2} = 13\frac{1}{2}.$$

Greater exactness in results can usually be obtained by using this principle than can be obtained by reducing the fractions to decimals. The principle, however, should not be employed if a sign of addition or subtraction occurs either above or below the dividing line.

EXAMPLES FOR PRACTICE.

75. Simplify the following:

$$\begin{aligned} (a) \quad & \frac{4\frac{2}{3} \times 10\frac{2}{5} \times 26\frac{1}{4}}{8\frac{2}{5} \times 4\frac{7}{8} \times 12\frac{3}{8}} & (b) \quad & \frac{10\frac{2}{3} \times 12\frac{1}{2} \times 15\frac{3}{4}}{4\frac{7}{8} \times \frac{24}{5} \times 8\frac{2}{5}} \\ (c) \quad & \frac{20\frac{2}{5} \times 34\frac{2}{3} \times 8\frac{5}{8}}{14\frac{1}{6} \times 3\frac{9}{10} \times 18\frac{2}{3}} & (d) \quad & \frac{15\frac{3}{4} \times 32\frac{2}{3} \times 25\frac{3}{5}}{28\frac{1}{2} \times 38\frac{1}{4} \times 17\frac{7}{9}} \end{aligned} \quad \text{Ans.} \quad \begin{cases} (a) & 2\frac{3}{8}. \\ (b) & 80. \\ (c) & 6. \\ (d) & \frac{5488}{8415}. \end{cases}$$

76. Examples similar to the following, in which the expressions above and below the heavy line involve the principles of addition, subtraction, multiplication, and division of fractions, are more complicated forms of the complex fraction. Such fractions are simplified by performing successively the operations indicated in the numerator and denominator.

EXAMPLE 1.—Simplify $\frac{\frac{2}{3} + \frac{3}{4}}{\frac{4}{5} - \frac{1}{3}}$.

$$\begin{aligned} \text{SOLUTION.} \quad & \frac{\frac{2}{3} + \frac{3}{4}}{\frac{4}{5} - \frac{1}{3}} = \frac{\frac{2}{3} \times \frac{4}{4} + \frac{3}{4} \times \frac{3}{3}}{\frac{4}{5} \times \frac{3}{3} - \frac{1}{3} \times \frac{5}{5}} = \frac{\frac{8}{12} + \frac{9}{12}}{\frac{12}{15} - \frac{5}{15}} = \frac{\frac{17}{12}}{\frac{7}{15}} = \frac{17}{12} \div \frac{7}{15} \\ & = \frac{17}{12} \times \frac{15}{7} = \frac{85}{28} = 3\frac{1}{4}. \quad \text{Ans.} \end{aligned}$$

EXAMPLE 2.—Simplify $\frac{\frac{2}{3} \div \frac{5}{6}}{\frac{3}{10} \times \frac{2}{7}}$.

$$\begin{aligned} \text{SOLUTION.} \quad & \frac{\frac{2}{3} \div \frac{5}{6}}{\frac{3}{10} \times \frac{2}{7}} = \frac{\frac{2}{3} \times \frac{6}{5}}{\frac{3}{10} \times \frac{2}{7}} = \frac{\frac{10}{5}}{\frac{6}{70}} = \frac{10}{6} \div \frac{6}{70} = \frac{10}{6} \times \frac{70}{6} = \frac{175}{9} \\ & = 19\frac{4}{9}. \quad \text{Ans.} \end{aligned}$$

EXAMPLE 3.—Simplify $\frac{\frac{2}{3} + \frac{3}{4} \times \frac{2}{5} - \frac{5}{6} \div \frac{7}{8}}{\frac{7}{8} - \frac{1}{4} \div \frac{2}{7} + \frac{2}{3} \times \frac{5}{9}}$.

SOLUTION.—First simplify, according to the order of signs, the numerator of this complex fraction, and we have: $\frac{2}{3} + \frac{3}{4} \times \frac{2}{5} - \frac{5}{6} \div \frac{7}{8} = \frac{2}{3} + \frac{3}{10} - \frac{5}{6} \div \frac{7}{8} = \frac{2}{3} + \frac{3}{10} - \frac{5}{6} \times \frac{8}{7} = \frac{2}{3} + \frac{3}{10} - \frac{20}{21} = \frac{140}{210} + \frac{63}{210} - \frac{200}{210} = \frac{3}{210} = \frac{1}{70}$. Next, simplify the denominator in the same manner, and we have: $\frac{7}{8} - \frac{1}{4} \div \frac{2}{7} + \frac{2}{3} \times \frac{5}{9} = \frac{7}{8} - \frac{1}{4} \div \frac{2}{7} + \frac{10}{27} = \frac{7}{8} - \frac{1}{4} \times \frac{7}{2} + \frac{10}{27} = \frac{7}{8} - \frac{7}{8} + \frac{10}{27} = \frac{10}{27}$. The fraction is now reduced to the form

$$\frac{\frac{1}{70}}{\frac{10}{27}} = \frac{1}{70} \div \frac{10}{27} = \frac{1}{70} \times \frac{27}{10} = \frac{27}{700}. \text{ Ans.}$$

EXAMPLES FOR PRACTICE.

77. What is the value of:

(a) $\frac{\frac{2}{3} + \frac{3}{8} - \frac{1}{6}}{\frac{3}{4} + \frac{5}{12} - \frac{2}{3}}?$

(b) $\frac{(4\frac{1}{2} - 1\frac{3}{4}) \div 5\frac{1}{2}}{4\frac{1}{2} - 2\frac{3}{5}}?$

(c) $\frac{\frac{11}{12} + \frac{7}{4} - \frac{5}{6} + \frac{17}{8}}{\frac{5}{2} + \frac{2}{3} + \frac{7}{6} - \frac{11}{4}}?$

(d) $\frac{\frac{3}{4} - \frac{2}{3} \times \frac{1}{2} - \frac{1}{6}}{(4\frac{1}{2} - 2\frac{1}{3}) \div (3\frac{1}{3} - 1\frac{1}{3})}?$

$$\text{Ans.} \left\{ \begin{array}{ll} (a) & 1\frac{3}{4}. \\ (b) & \frac{5}{16}. \\ (c) & 3\frac{2}{3}. \\ (d) & \frac{1}{4}. \end{array} \right.$$

ARITHMETIC.

(PART 3.)

DECIMALS.

NOTATION AND NUMERATION.

1. A **decimal**, or a **decimal fraction**, is a fraction whose denominator is 10, 100, 1,000, etc.

2. The denominator is always 10 or a power of 10, and is not expressed as in common fractions, by writing it under the numerator, with a line between them; as $\frac{3}{10}$, $\frac{3}{100}$, $\frac{3}{1000}$. The denominator is always understood, the numerator

consisting of the figures on the right of the *unit* figure of the number. In order to distinguish the unit figure, a period (.), called the **decimal point**, is placed between the unit figure and the next figure on the right. The decimal point may be regarded in two ways: first, as indicating that the number on the right is the numerator of a fraction whose denominator is 10, 100, 1,000, etc.; and, second, as a part of the Arabic system of notation, each figure on the right being 10 times as large as the next succeeding figure, and 10 times as small as the next preceding figure, serving merely to point out the unit figure.

3. The reading of a *decimal* depends upon the number of decimal places in it; i. e., upon the number of figures to the *right* of the unit figure.

The first figure to the right of the unit figure expresses *tenths*.

The second figure to the right of the unit figure expresses *hundredths*.

The third figure to the right of the unit figure expresses *thousandths*.

For notice of copyright, see page immediately following the title page.

The figures to the left of the decimal point represent whole numbers; those to the right are decimals.

In both the decimals and whole numbers, the *units* place is made the starting point of notation and numeration. The *decimals decrease* on the scale of ten to the right, and the *whole numbers increase* on the scale of ten to the left. The first figure to the left of units is *tens*, and the first figure to the right of units is *tenths*. The second figure to the left of units is *hundreds*, and the second figure to the right is *hundredths*. The third figure to the left is *thousands*, and the third to the right is *thousandths*, and so on. The figures equally distant from units place correspond in name, but the decimals have the ending *ths*, which distinguishes them from whole numbers. The following is the numeration of the number in the above table: nine hundred eighty-seven million, six hundred fifty-four thousand, three hundred twenty-one, and twenty-three million, four hundred fifty-six thousand, seven hundred eighty-nine hundred-millionths.

The decimals increase to the left, on the scale of ten, the same as whole numbers; for, beginning at, say, 4 thousandths, in the table, the next figure to the left is hundredths, which is ten times as great, and the next tenths, or ten times the hundredths, and so on through both decimals and whole numbers.

PRINCIPLES OF DECIMALS.

4. I. *The value of a decimal is not changed by annexing or rejecting a cipher at the right.*

Thus, $.5 = .50$. For $.5 = \frac{5}{10} = \frac{1}{2}$, and $.50 = \frac{50}{100} = \frac{1}{2}$.

II. *A decimal is divided by 10 by inserting a cipher after the decimal point.*

Thus, $.5 = \frac{5}{10}$; $\frac{5}{10} \div 10 = \frac{5}{100} = .05$.

III. *A decimal is multiplied by 10 by rejecting a cipher from its left.*

Thus, $.05 = \frac{5}{100}$; $\frac{5}{100} \times 10 = \frac{5}{10} = .5$.

EXAMPLES FOR PRACTICE.

5. Read the following numbers:

- | | |
|------------------|----------------|
| 1. .00707. | 5. .004001008. |
| 2. .100707. | 6 75040.0742. |
| 3. 114.75206. | 7. 234.542000. |
| 4. 40032.890001. | 8. 961724.009. |

Write the following numbers:

9. Five hundred forty-six ten-millionths.
10. Three thousand, four, and three thousand four hundred seven-teen hundred-thousandths.
11. Five hundred four, and three-tenths.
12. Nineteen thousand thirteen, and one hundred four thousand, five hundred one ten-billionths.
13. Six hundred thirty-eight million, four hundred twenty-five thousand, six hundred seventy-two, and thirty-two million, six hundred seventy-two thousand, five hundred forty-five hundred-millionths.

ADDITION OF DECIMALS.

6. To add decimals, they must be written so that the units of the same order are in the same column. That this may be, it is necessary only to see that the decimal points are in the same vertical column.

<i>whole numbers</i>	<i>decimals</i>	<i>mixed decimals</i>
342	.342	342.032
4234	.4234	4234.5
26	.26	26.6782
3	.03	3.06
<i>sum</i> 4605 <i>Ans.</i>	<i>sum</i> 1.0554 <i>Ans.</i>	<i>sum</i> 4606.2702 <i>Ans.</i>

7. EXAMPLE.—What is the sum of 242, .36, 118.725, 1.005, 6, and 100.1?

SOLUTION.—

$$\begin{array}{r}
 242. \\
 .36 \\
 118.725 \\
 1.005 \\
 6. \\
 \underline{100.1} \\
 \text{sum } 468.190 \quad \text{Ans.}
 \end{array}$$

8. Rule.—Place the numbers to be added so that the decimal points shall be directly under each other. Add as in whole numbers, and place the decimal point in the sum directly under the decimal points above.

EXAMPLES FOR PRACTICE.

9. Find the sum of:

(a)	.2143, .105, 2.3042, and 1.1417.	Ans. {	(a)	3.7652.
(b)	783.5, 21.473, .2101, and .7816.		(b)	805.9647.
(c)	21.781, 138.72, 41.8738, .72, and 1.413.		(c)	204.5078.
(d)	.3724, 104.15, 21.417, and 100.042.		(d)	225.9814.
(e)	200.172, 14.105, 12.1465, .705, and 7.2.		(e)	234.8285.
(f)	1,427.16, .244, .32, .032, and 10.0041.		(f)	1,437.7601.
(g)	2,473.1, 41.65, .7243, 104.067, and 21.073.		(g)	2,640.6143.
(h)	4,107.2, .00375, 21.716, 410.072, and .0345.		(h)	4,539.02625.

SUBTRACTION OF DECIMALS.

10. For the same reason as in addition of decimals, the numbers are placed so that the decimal points shall be in the same vertical column.

EXAMPLE.—Subtract .132 from .3063.

SOLUTION.—

<i>minuend</i>	.3063	
<i>subtrahend</i>	.132	
<i>difference</i>	.1743	Ans.

11. EXAMPLE.—What is the difference between 7.895 and .725?

SOLUTION.—

<i>minuend</i>	7.895	
<i>subtrahend</i>	.725	
<i>difference</i>	7.170 or 7.17	Ans.

12. EXAMPLE.—Subtract .625 from 11.

SOLUTION.—

<i>minuend</i>	11.000	
<i>subtrahend</i>	.625	
<i>difference</i>	10.375	Ans.

13. Rule.—Place the subtrahend under the minuend, so that the decimal points shall be in the same vertical column. Subtract as in whole numbers, and place the decimal point in the remainder directly under the decimal points above.

When there are more decimal places in the subtrahend than in the minuend, place ciphers in the minuend above them, and subtract as before.

EXAMPLES FOR PRACTICE.

14. From:

(a)	407.385 take 235.0004.	Ans.	(a)	172.3846.
(b)	22.718 take 1.7042.		(b)	21.0138.
(c)	1,368.17 take 13.6817.		(c)	1,354.4883.
(d)	70.00017 take 7.000017.		(d)	63.000153.
(e)	630.630 take .6304.		(e)	629.9996.
(f)	421.73 take 217.162.		(f)	204.568.
(g)	1.000014 take .00001.		(g)	1.000004.
(h)	.783652 take .542314.		(h)	.241338.

MULTIPLICATION OF DECIMALS.

15. In multiplication of decimals, no attention is paid for the time being to the decimal points. Write the multiplier under the multiplicand, so that the right-hand figure of the one is under the right-hand figure of the other, and proceed *exactly as in multiplication of whole numbers*. After multiplying, *count the number of decimal places in both multiplicand and multiplier, and point off the same number in the product*.

EXAMPLE.—Multiply .825 by 13.

$$\begin{array}{r}
 \text{SOLUTION.} \quad \text{multiplicand} \quad .825 \\
 \text{multiplier} \quad \quad \quad 13 \\
 \hline
 2475 \\
 825 \\
 \hline
 \text{product} \quad 10.725 \quad \text{Ans.}
 \end{array}$$

In this example there are 3 decimal places in the multiplicand and none in the multiplier; therefore, $3 + 0 = 3$ decimal places are pointed off in the product.

16. EXAMPLE.—What is the product of 426 and the decimal .005?

$$\begin{array}{r}
 \text{SOLUTION.} \quad \text{multiplicand} \quad 426 \\
 \text{multiplier} \quad \quad \quad .005 \\
 \hline
 \text{product} \quad 2.130 \text{ or } 2.13 \quad \text{Ans.}
 \end{array}$$

In this example there are 3 decimal places in the multiplier and none in the multiplicand; therefore, 3 decimal places are pointed off in the product.

17. It is not necessary to multiply by the ciphers on the *left* of a decimal; they merely *determine the number of decimal places*. Ciphers to the *right* of a decimal should be removed, as they only make more figures to deal with, and do not change the value.

18. EXAMPLE.—Multiply 1.205 by 1.15.

SOLUTION.—	<i>multiplicand</i>	1.205	
	<i>multiplier</i>	1.15	
		<hr/>	
		6025	
		1205	
		<hr/>	
	<i>product</i>	1.38575	Ans.

In this example there are 3 decimal places in the multiplicand, and 2 in the multiplier; therefore, $3 + 2$, or 5 decimal places must be pointed off in the product.

19. EXAMPLE.—Multiply .232 by .001.

SOLUTION.—	<i>multiplicand</i>	.232	
	<i>multiplier</i>	.001	
		<hr/>	
	<i>product</i>	.000232	Ans.

In this example we multiply the multiplicand by the digit in the multiplier, which makes 232 in the product, but since there are 3 decimal places in the multiplier and 3 in the multiplicand, we must prefix 3 ciphers to the 232, to make $3 + 3$, or 6 decimal places in the product.

20. Rule.—Place the multiplier under the multiplicand, disregarding the position of the decimal points. Multiply as in whole numbers, and in the product point off as many decimal places as there are decimal places in both multiplier and multiplicand, prefixing ciphers if necessary.

EXAMPLES FOR PRACTICE.

21. Find the product of:

(a)	$.000492 \times 4.1418.$	Ans.	(a)	$.0020377656.$
(b)	$4,003.2 \times 1.2.$		(b)	$4,803.84.$
(c)	$78.6531 \times 1.03.$		(c)	$81.012693.$
(d)	$.3685 \times .042.$		(d)	$.015477.$
(e)	$178,352 \times .01.$		(e)	$1,783.52.$
(f)	$.00045 \times .0045.$		(f)	$.000002025.$
(g)	$.714 \times .00002.$		(g)	$.00001428.$
(h)	$.00004 \times .008.$		(h)	$.00000032.$

DIVISION OF DECIMALS.

22. In division of decimals we pay no attention to the decimal point until after the division is performed. Divide exactly as in whole numbers. *If the divisor contains more decimal places than the dividend, annex ciphers to the dividend until the number of decimal places in the dividend equals the number of decimal places in the divisor, before dividing. Subtract the number of decimal places in the divisor from the number of decimal places in the dividend, and point off as many decimal places in the quotient as there are units in the remainder thus found.*

23. EXAMPLE.—Divide .625 by 25.

	<i>divisor</i>	<i>dividend</i>	<i>quotient</i>	
SOLUTION.—	25)	.625	(.025	Ans.
		50		
		125		
		125		
		remainder	0	

In this example there are no decimal places in the divisor, and 3 decimal places in the dividend; therefore, there are 3 minus 0, or 3 decimal places in the quotient. One cipher has to be prefixed to the 25, to make the 3 decimal places.

24. EXAMPLE.—Divide 6.035 by .05.

	<i>divisor</i>	<i>dividend</i>	
SOLUTION.—	.05)	6.035	
	<i>quotient</i>	120.7	Ans.

In this example we divide by 5, as if the cipher were not before it. There is one more decimal place in the dividend

than in the divisor; therefore, one decimal place is pointed off in the quotient.

25. EXAMPLE.—Divide .125 by .005.

$$\begin{array}{r} \text{divisor} \quad \text{dividend} \\ \text{SOLUTION.—} \quad .005 \overline{) .125} \\ \text{quotient} \quad 25 \quad \text{Ans.} \end{array}$$

In this example there are the same number of decimal places in the dividend as in the divisor; therefore, the quotient has no decimal places, and is a whole number.

26. EXAMPLE.—Divide 326 by .25.

$$\begin{array}{r} \text{divisor} \quad \text{dividend} \quad \text{quotient} \\ \text{SOLUTION.—} \quad .25 \overline{) 326.00} \quad (1304 \quad \text{Ans.} \\ \quad \quad \quad 25 \\ \quad \quad \quad \hline \quad \quad \quad 76 \\ \quad \quad \quad 75 \\ \quad \quad \quad \hline \quad \quad \quad 100 \\ \quad \quad \quad 100 \\ \quad \quad \quad \hline \text{remainder} \quad 0 \end{array}$$

In this problem two ciphers were annexed to the dividend to make the number of decimal places equal to the number in the divisor. The quotient is a whole number.

27. EXAMPLE.—Divide .0025 by 1.25.

$$\begin{array}{r} \text{SOLUTION.—} \quad 1.25 \overline{) .00250} \quad (.002 \quad \text{Ans.} \\ \quad \quad \quad 250 \\ \quad \quad \quad \hline \text{remainder} \quad 0 \end{array}$$

EXPLANATION.—In this example we are to divide .0025 by 1.25. Consider the dividend as a whole number or 25 (disregarding the two ciphers at its left, for the present); also, consider the divisor as a whole number, or 125. It is evident that the dividend 25 will not contain the divisor, 125; we must, therefore, annex one cipher to the 25, thus making the dividend 250. 125 is contained twice in 250, so we place the figure 2 in the quotient. In pointing off the decimal places in the quotient, it must be remembered that there were only four decimal places in the dividend; but one cipher was annexed, making 4 + 1, or 5, decimal places. Since there are 5 decimal places in the dividend and 2 decimal places in the

divisor, we must point off $5 - 2$, or 3, decimal places in the quotient. In order to point off 3 decimal places, two ciphers must be prefixed to the figure 2, thereby making .002 the quotient. It is not necessary to consider the ciphers at the left of a decimal when dividing, except when determining the position of the decimal point in the quotient.

28. Rule.—I. *Place the divisor to the left of the dividend, and proceed as in division of whole numbers; in the quotient, point off as many decimal places as the number of decimal places in the dividend exceeds those in the divisor, prefixing ciphers to the quotient, if necessary.*

II. *If in dividing one number by another there is a remainder, the remainder can be placed over the divisor, as a fractional part of the quotient, but it is generally better to annex ciphers to the remainder, and continue dividing until there are 3 or 4 decimal places in the quotient, and then if there is still a remainder, terminate the quotient by the plus sign (+), to show that the division can be carried farther.*

29. EXAMPLE.—What is the quotient of 199 divided by 15?

SOLUTION.—

$$15 \overline{) 199} (13 + \frac{4}{15} \text{ Ans.}$$

$$\begin{array}{r} 15 \\ \hline \end{array}$$

$$\begin{array}{r} 49 \\ \hline \end{array}$$

$$\begin{array}{r} 45 \\ \hline \end{array}$$

$$\text{remainder} \quad \begin{array}{r} 4 \end{array}$$

$$\text{Or, } 15 \overline{) 199.000} (13.266+ \text{ Ans.}$$

$$\begin{array}{r} 15 \\ \hline \end{array}$$

$$\begin{array}{r} 49 \\ \hline \end{array}$$

$$\begin{array}{r} 45 \\ \hline \end{array}$$

$$\begin{array}{r} 40 \\ \hline \end{array}$$

$$\begin{array}{r} 30 \\ \hline \end{array}$$

$$\begin{array}{r} 100 \\ \hline \end{array}$$

$$\begin{array}{r} 90 \\ \hline \end{array}$$

$$\begin{array}{r} 100 \\ \hline \end{array}$$

$$\begin{array}{r} 90 \\ \hline \end{array}$$

$$\text{remainder} \quad \begin{array}{r} 10 \end{array}$$

$$13\frac{4}{15} = 13.266+$$

$$\frac{4}{15} = .266+$$

30. It frequently happens, as in the above example, that the division will never terminate. In such cases, decide how many decimal places are desired in the quotient and then carry the work one place farther. If the last figure of the quotient thus obtained is 5 or a greater number, increase the preceding figure by 1, and write after it the minus sign (—), thus indicating that the quotient is not quite so great as indicated; if the figure thus obtained is less than 5, write the plus sign (+) after the quotient, thus indicating that the number is slightly greater than indicated. In the last example, had it been desired to obtain the answer correct to four decimal places, the work would have been carried to five places, obtaining 13.26666, and the answer would have been given as 13.2667—. This remark applies to any other calculation involving decimals, when it is desired to omit some of the figures in the decimal. Thus, if it is desired to retain three decimal places in the number .2471253, it would be expressed as .247+; if it were desired to retain five decimal places, it would be expressed as .24713—. Both the + and — signs are frequently omitted; they are seldom used in this connection outside of arithmetic, except in exact calculations, when it is desired to call particular attention to the fact that the result obtained is not *quite* exact.

EXAMPLES FOR PRACTICE.

31. Divide:

(a)	101.6688 by 2.36.	Ans. {	(a)	43.08.
(b)	187.12264 by 123.107.		(b)	1.52.
(c)	.08 by .008.		(c)	10.
(d)	.0008 by 3.75.		(d)	.00008.
(e)	.0144 by .024.		(e)	.6.
(f)	.00375 by 1.25.		(f)	.003.
(g)	.004 by 400.		(g)	.00001.
(h)	.4 by .008.		(h)	50.

TO REDUCE A FRACTION TO A DECIMAL.

32. EXAMPLE.— $\frac{3}{4}$ equals what decimal?

SOLUTION.—
$$\begin{array}{r} 4 \overline{) 3.00} \\ \underline{.75} \end{array} \text{ or } \frac{3}{4} = .75. \text{ Ans.}$$

EXAMPLE.—What decimal is equivalent to $\frac{7}{8}$?

SOLUTION.—
$$8 \overline{) 7.000} \text{ or } \frac{7}{8} = .875. \text{ Ans.}$$

33. Rule.—*Annex ciphers to the numerator and divide by the denominator. Point off as many decimal places in the quotient as there are ciphers annexed.*

EXAMPLES FOR PRACTICE.

34. Reduce the following common fractions to decimals:

(a) $\frac{15}{32}$.	Ans. {	(a) .46875.
(b) $\frac{7}{8}$.		(b) .875.
(c) $\frac{21}{32}$.		(c) .65625.
(d) $\frac{51}{64}$.		(d) .796875.
(e) $\frac{4}{25}$.		(e) .16.
(f) $\frac{5}{8}$.		(f) .625.
(g) $\frac{10}{200}$.		(g) .05.
(h) $\frac{4}{1000}$.		(h) .004.

35. To reduce inches to decimal parts of a foot.

EXAMPLE.—What decimal part of a foot is 9 inches?

SOLUTION.—Since there are 12 inches in one foot, 1 inch is $\frac{1}{12}$ of a foot, and 9 inches is $9 \times \frac{1}{12}$ or $\frac{9}{12}$ of a foot. This reduced to a decimal by the above rule, shows what decimal part of a foot 9 inches is.

$$12 \overline{) 9.00} (.75 \text{ of a foot. Ans.}$$

$$\begin{array}{r} 84 \\ \underline{84} \\ 60 \\ \underline{60} \\ 00 \end{array}$$

36. Rule.—I. To reduce inches to a decimal part of a foot, divide the number of inches by 12.

II. Should the resulting decimal be an unending one and it is desired to terminate the division at some point, say the fourth decimal place, carry the division one place farther, and if the fifth figure is 5 or greater, increase the fourth figure by 1. Omit the signs + and —.

EXAMPLES FOR PRACTICE.

37. Reduce to the decimal part of a foot:

(a) 3 in.	Ans. {	(a) .25.
(b) $4\frac{1}{2}$ in.		(b) .375.
(c) 5 in.		(c) .4167.
(d) $6\frac{5}{8}$ in.		(d) .5521.
(e) 11 in.		(e) .9167.

TO REDUCE A DECIMAL TO A FRACTION.

38. EXAMPLE.—Reduce .125 to a fraction.

SOLUTION.— $.125 = \frac{125}{1000} = \frac{5}{40} = \frac{1}{8}$.

EXAMPLE.—Reduce .875 to a fraction.

SOLUTION.— $.875 = \frac{875}{1000} = \frac{35}{40} = \frac{7}{8}$. Ans.

39. Rule.—Under the figures of the decimal, place 1 followed by as many ciphers at its right as there are decimal places in the decimal, and reduce the resulting fraction to its lowest terms.

EXAMPLES FOR PRACTICE.

40. Reduce the following to common fractions:

(a) .125.	Ans. {	(a) $\frac{1}{8}$.
(b) .625.		(b) $\frac{5}{8}$.
(c) .3125.		(c) $\frac{5}{16}$.
(d) .04.		(d) $\frac{1}{25}$.
(e) .06.		(e) $\frac{3}{50}$.
(f) .75.		(f) $\frac{3}{4}$.
(g) .15625.		(g) $\frac{5}{32}$.
(h) .875.		(h) $\frac{7}{8}$.

41. To express a decimal approximately as a fraction having a given denominator.

EXAMPLE.—Express .5827 in 64ths.

SOLUTION.— $.5827 \times \frac{64}{64} = \frac{37.2928}{64}$, say, $\frac{37}{64}$.

Hence, $.5827 = \frac{37}{64}$, nearly. Ans.

EXAMPLE.—Express .3917 in 12ths.

SOLUTION.— $.3917 \times \frac{12}{12} = \frac{4.7004}{12}$, say, $\frac{5}{12}$.

Hence, $.3917 = \frac{5}{12}$, nearly. Ans.

42. Rule.—*Reduce 1 to a fraction having the given denominator. Multiply the given decimal by the fraction so obtained, and the result will be the fraction required.*

EXAMPLES FOR PRACTICE.

43. Express:

(a) .625 in 8ths.	Ans. {	(a) $\frac{5}{8}$.
(b) .3125 in 16ths.		(b) $\frac{5}{16}$.
(c) .15625 in 32ds.		(c) $\frac{5}{32}$.
(d) .77 in 64ths.		(d) $\frac{49}{64}$.
(e) .81 in 48ths.		(e) $\frac{39}{48}$.
(f) .923 in 96ths.		(f) $\frac{89}{96}$.

UNITED STATES MONEY.

44. The sign for dollars is \$. It is read dollars. \$25 is read 25 dollars.

Since there are 100 cents in a dollar, one cent is 1 one-hundredth of a dollar; the first two figures of a decimal part of a dollar represent *cents*. Since a mill is $\frac{1}{10}$ of a cent, or $\frac{1}{1000}$ of a dollar, the third figure represents mills. Thus, \$25.16 is read twenty-five dollars and sixteen cents; \$25.168 is read twenty-five dollars, sixteen cents, and eight mills.

45. To change dollars to cents, move the decimal point *two* places to the *right*; to change dollars to mills, move the decimal point *three* places to the right. Thus, to change \$143.75 to cents, we have \$143.75 = 14,375 cents, or 143,750 mills. The decimal point is always understood as following the unit figure, whether written or not; hence, to change \$100 to cents, write it thus, \$100.; to move the decimal point two places to the right, it is necessary to annex two ciphers, thus, 10000; in other words, \$100 = 10,000 cents.

Moving the decimal point two places to the right is evidently the same thing as multiplying by 100, since it changes the unit figure from the first order to the third order. Thus, in 143.75, 3 is a figure of the first order; but, in 14375., 3 is a figure of the third order; and, since all the other figures have also been advanced two orders, the number has been multiplied by 100.

46. To change cents to dollars, move the decimal point *two* places to the *left*; or, to change mills to dollars, move the decimal point *three* places to the left. Thus, to change 143,750 mills to dollars, move the decimal point (understood to follow the 0) three places to the left, obtaining $\$143.750 = \143.75 . Similarly, 14,375 cents = $\$143.75$, and 10,000 cents = $\$100.00$.

ALIQUOT PARTS.

47. An **aliquot part** of a number is a number that will divide it without a remainder. For example, 15 is an aliquot part of 60, because 15 is an exact divisor of 60. For the same reason, 5, 6, 10, 12, etc. are also aliquot parts of 60.

48. About the only case of any importance to the business man is that concerning the aliquot parts of 100, which are given in the following table:

$2\frac{1}{2} = \frac{1}{40}$	$12\frac{1}{2} = \frac{1}{8}$	$50 = \frac{1}{2}$
$3\frac{1}{3} = \frac{1}{30}$	$16\frac{2}{3} = \frac{1}{6}$	$62\frac{1}{2} = \frac{5}{8}$
$4 = \frac{1}{25}$	$20 = \frac{1}{5}$	$66\frac{2}{3} = \frac{2}{3}$
$5 = \frac{1}{20}$	$25 = \frac{1}{4}$	$75 = \frac{3}{4}$
$6\frac{1}{4} = \frac{1}{16}$	$33\frac{1}{3} = \frac{1}{3}$	$87\frac{1}{2} = \frac{7}{8}$
$10 = \frac{1}{10}$	$37\frac{1}{2} = \frac{3}{8}$	

The aliquot parts given in the above table should be carefully memorized; in many cases calculations may be shortened by using them. Thus, in order to multiply any number by one of the numbers in the above table:

49. Rule.—*Move the decimal point of the multiplicand two places to the right, and divide the multiplicand by the denominator of the fraction opposite the multiplier in the table. Then multiply the result by the numerator of the fraction.*

EXAMPLE.—Multiply 478.4 by 25.

SOLUTION.—Applying the rule, the fraction opposite 25 is $\frac{1}{4}$. Hence, $478.4 \times 25 = 47,840 \div 4 \times 1 = 11,960$. Ans.

The result may be proved to be true by actual multiplication.

50. The reasoning on which the rule is based is this: The last example required the multiplication of 478.4 by 25.

But 25 is $\frac{1}{4}$ of 100; that is, $25 = \frac{100}{4}$. Hence, in multiplying by 25, $\frac{100}{4}$ can be used as a multiplier, and the operation becomes $478.4 \times \frac{100}{4} = \frac{47840}{4} = 11,960$. Since, in order to multiply by 100, it is necessary only to move the decimal point two places to the right, the correctness of the rule is evident.

EXAMPLE.—Multiply (a) 50.64 by $16\frac{2}{3}$; (b) 1,894 by $37\frac{1}{2}$.

SOLUTION.—(a) Since $16\frac{2}{3}$ is $\frac{1}{3}$ of 100, $50.64 \times 16\frac{2}{3} = \frac{5064}{3} = 844$. Ans.

(b) Since $37\frac{1}{2} = \frac{3}{8}$ of 100, $1,894 \times 37\frac{1}{2} = \frac{189400}{8} \times 3 = 23,675 \times 3 = 71,025$. Ans.

51. It matters not where the decimal point is placed in the number denoting the aliquot part, the principle can still be applied with a slight modification. Thus, suppose it is required to multiply 72 by 625. Now, $62\frac{1}{2}$, or 62.5, is $\frac{5}{8}$ of 100; that is, $62.5 = 100 \times \frac{5}{8} = \frac{500}{8}$. It is an axiom in mathematics that if equals be multiplied or divided by equals, the result will be equal; that is, if $4 = 4$, and both 4's be multiplied or divided by the same number, the results will be equal. Thus, multiplying by 10, $40 = 40$; dividing by 10, $.4 = .4$. Hence, if in the expression $62.5 = \frac{500}{8}$, both numbers are multiplied by 10, the result is $625 = \frac{5000}{8}$, or $625 = 1,000 \times \frac{5}{8}$. Therefore, to multiply 72 by 625, move the decimal point three places to the right, divide by 8 and multiply by 5. (It makes no difference whether we divide by the denominator or multiply by the numerator first.) Then, $72 \times 625 = \frac{72000}{8} \times 5 = 45,000$. Had it been required to multiply 72 by .0625, we note that $62.5 = 100 \times \frac{5}{8}$, and that moving the decimal point in 62.5 three places to the left will give .0625. Hence, moving the decimal point in the other number (the 100) three places to the left, we have .0625 = $.1 \times \frac{5}{8} = \frac{.5}{8}$; whence, $72 \times .0625 = \frac{72}{8} \times .5 = 4.5$.

To multiply any number by 5, multiply by 10 and divide by 2.

52. To divide by one of the aliquot parts of 100, simply reverse the rule. Thus:

Rule.—*Move the decimal point two places to the left, multiply by the denominator of the equivalent fraction in the table, and divide by the numerator.*

EXAMPLE 1.—Divide 1,844 by $16\frac{2}{3}$.

SOLUTION.—Since $16\frac{2}{3} = 100 \times \frac{1}{6}$, $1,844 \div 16\frac{2}{3} = 1,844 \times \frac{6}{100} = 110.64$.
Ans. Or, applying the rule, $1,844 \div 16\frac{2}{3} = 18.44 \times 6 \div 1 = 110.64$.
Ans.

EXAMPLE 2.—Divide 71,025 by 37.5.

SOLUTION.—Applying the rule, $71,025 \div 37.5 = 710.25 \times 8 \div 3 = 5,682 \div 3 = 1,894$. **Ans.**

53. To divide by a number having all the figures of the aliquot part, but with the decimal point in a different place, proceed in the same manner as in Art. 52. Thus, to divide 45,000 by 625, we have $62.5 = 100 \times \frac{5}{8}$; hence, $625 = 1,000 \times \frac{5}{8} = \frac{5,000}{8}$, and $45,000 \div 625 = 45,000 \div \frac{5,000}{8} = 45,000 \times \frac{8}{5,000} = 72$. Or, $45,000 \times \frac{8}{5,000} = 45,000 \times \frac{1}{1,000} \times \frac{8}{5} = 45 \times \frac{8}{5} = 72$. **Ans.**

54. The student will find the principle of aliquot parts extremely convenient for accurate and rapid work. Such numbers as $12\frac{1}{2}$, $16\frac{2}{3}$, 25, $33\frac{1}{3}$, $37\frac{1}{2}$, $62\frac{1}{2}$, 75, and $87\frac{1}{2}$ are of very frequent occurrence in business accounts, and the method can be readily employed in such cases. If these numbers are given as $.12\frac{1}{2}$, $.16\frac{2}{3}$, etc., as is usually the case, the example becomes even easier, as they are then equivalent to $\frac{1}{8}$, $\frac{1}{6}$, etc.

EXAMPLE.—What will be the cost of 48 yards of carpeting at $\$1.33\frac{1}{3}$ per yard?

SOLUTION.—Since $.33\frac{1}{3} = \frac{1}{3}$, $\$1.33\frac{1}{3} = 1\frac{1}{3}$, and $48 \times 1\frac{1}{3} = \64 . **Ans.**

$$\begin{array}{r} 48 \\ 1\frac{1}{3} \\ \hline 16 \\ 48 \\ \hline \$64 \end{array}$$

EXAMPLES FOR PRACTICE.

55. Multiply:

(a) 5,427 by 25.	Ans. {	(a) 135,675.
(b) 6,301 by $12\frac{1}{2}$.		(b) 78,762.5.
(c) 42,078 by .0375.		(c) 1,577.925.
(d) 750 by $6.6\frac{2}{3}$.		(d) 5,000.
(e) 89.14 by 8,750.		(e) 779,975.

Divide:

(f) 542.7 by 75.	Ans. {	(f) 7.236.
(g) 90,309 by 125.		(g) 722.472.
(h) 3.1416 by $66\frac{2}{3}$.		(h) .047124.
(i) 20,412 by 50.		(i) 408.24.
(j) 1,729 by 875.		(j) 1.976.

- Find the cost of 12 dozen hats at $\$4.12\frac{1}{2}$ per dozen. Ans. $\$49.50$.
- Find the cost of 24 boxes of note paper at $16\frac{2}{3}$ cents per box.
Ans. $\$4$.
- Find the cost of 75 books at 25 cents each. Ans. $\$18.75$.
- Find the cost of 30.19 hundredweight of bran at $62\frac{1}{2}$ cents per hundredweight.
Ans. $\$18.86\frac{7}{8}$.
- Find the cost of 36 pairs of shoes at $\$2.25$ per pair. Ans. $\$81$.
- Find the cost of 87 pounds of sugar at 5 cents per pound.
Ans. $\$4.35$.

ARITHMETIC.

(PART 4.)

COMPOUND NUMBERS.

1. Numbers may be expressed according to a *uniform* or a *varying scale*. By **scale** is meant the relation of a unit of one order to the unit of the next higher or lower order. When the relation is the same for any two consecutive orders, the scale is said to be **uniform**; otherwise, it is **varying**. For example, the scale by which numbers are expressed in the Arabic notation is a uniform scale, since a unit of any order is 10 times as great as the unit of the next lower order; for 100 is 10 times 10, and 10 is 10 times 1, etc. The Arabic notation, the metric system, and United States money are the leading examples of the application of a uniform scale. All other numbers in commercial use in English-speaking countries require the use of a varying scale. Thus, to express 4 yards 2 feet 7 inches, it is necessary to write the words *yards*, *feet*, and *inches*, or their abbreviations, since 12 inches equal 1 foot, and 3 feet equal 1 yard.

2. A **simple number** is one which expresses one or more units of the same name or denomination; as, 5, 6 yards, etc.

3. A **compound number** is one which expresses units of two or more denominations of the *same kind*, the denominations increasing or decreasing according to a varying scale; as, 4 yards 2 feet 7 inches. But 4 yards and 5 ounces is not a compound number, since there is no relation between yards and ounces; that is, no number of ounces can equal a yard. Compound numbers are also frequently called **denominate numbers**.

For notice of copyright, see page immediately following the title page.

4. Compound numbers form a very important section of arithmetic. It is necessary for the student to obtain a clear idea of their use, and to be able to add, subtract, multiply, and divide them. The only real difficulty that arises is the memorizing of the tables. The best way to do this is to read them over very carefully several times, and then, after carefully studying the sections on Reduction, Addition, etc., work the examples (all of them), constantly referring to the tables for help. But, before leaving the subject to take up the next paper, he should thoroughly memorize *all* of the tables, so that when any one asks him how many square rods there are in an acre, or a similar question, he can answer instantly, without being obliged to stop and think.

5. A **measure** is a *standard unit* established by law or custom, by which the length, surface, capacity, and weight of things are estimated.

6. Measures are of six kinds, as follows:

- | | |
|----------------|---------------------|
| (1) Extension. | (4) Time. |
| (2) Weight. | (5) Angles or Arcs. |
| (3) Capacity. | (6) Money or Value. |

We shall consider them in the above order.

MEASURES OF EXTENSION.

7. Measures of extension are used in measuring lengths (distances), surfaces (areas), and solids (volumes), and are divided, accordingly, into *linear measure*, *square measure*, and *cubic measure*.

LINEAR MEASURE.

8. The standard to which all measures of extension are referred is the *yard*, which is the distance between two points on a brass bar kept at Washington. The yard is subdivided into feet and inches; and multiples of the yard are termed rods and miles. The relations between the different units are shown in the following table; the letters in *Italics* are the abbreviations of the names of the units.

LINEAR MEASURE.

TABLE I.

12 inches (<i>in.</i>)	=	1 foot	<i>ft.</i>
3 feet	=	1 yard	<i>yd.</i>
5½ yards	=	1 rod	<i>rd.</i>
320 rods	=	1 mile	<i>mi.</i>

	<i>in.</i>	<i>ft.</i>	<i>yd.</i>	<i>rd.</i>	<i>mi.</i>
	12	=	1		
	36	=	3	=	.1
	198	=	16½	=	5½ = 1
	63,360	=	5,280	=	1,760 = 320 = 1

9. The inch is usually divided into halves, quarters, eighths, and sixteenths; by civil engineers and scientists, into tenths, hundredths, thousandths, etc., and in other ways. In measuring cloth, ribbons, and other goods that are sold by the yard, the yard is divided into halves, quarters, eighths, and sixteenths.

A furlong is one-eighth of a mile, or 40 rods. The mile of 5,280 feet is a **statute mile**, so called to distinguish it from the geographical or sea mile, which equals 6,081 feet.

10. Another abbreviation frequently used for inches and feet is (") and ('). Thus, instead of writing 4 feet 6 inches as 4 ft. 6 in., it may be written 4' 6"; but when so written, it is customary to place a dash between the feet and inches; thus, 4'-6". Still another way of writing the above is 4 ft. 6".

SURVEYOR'S LINEAR MEASURE.

TABLE II.

7.92 inches (<i>in.</i>)	=	1 link.....	<i>li.</i>		
25 links.....	=	1 rod.....	<i>rd.</i>		
4 rods }	= 1 chain.....	<i>ch.</i>		
100 links }					
80 chains.....	=	1 mile.....	<i>mi.</i>		
<i>in.</i>	<i>li.</i>	<i>ft.</i>	<i>rd.</i>	<i>ch.</i>	<i>mi.</i>
7.92 =	1				
198 =	25 =	16½ =	1		
792 =	100 =	66 =	4 =	1	
63,360 =	8,000 =	5,280 =	320 =	80 =	1

11. Surveyor's linear measure is used in measuring land, roads, etc. The unit is a steel chain 66 feet long, and made of 100 links, all of equal length; therefore, the length of a link is $66 \times 12 \div 100 = 7.92$ inches. For railroad surveying and other purposes, civil engineers use a steel tape 100 feet long, the feet being divided into tenths and hundredths. In computations, the links are written as so many hundredths of a chain.

SQUARE MEASURE.

TABLE III.

144 square inches (<i>sq. in.</i>).....	=	1 square foot.....	<i>sq. ft.</i>	
9 square feet.....	=	1 square yard.....	<i>sq. yd.</i>	
$30\frac{1}{4}$ square yards.....	=	1 square rod.....	<i>sq. rd.</i>	
160 square rods.....	=	1 acre.....	<i>A.</i>	
640 acres.....	=	1 square mile	<i>sq. mi.</i>	
sq. in.	sq. ft.	sq. yd.	sq. rd.	A. sq. mi.
144 =	1			
1,296 =	9 =	1		
39,204 =	$272\frac{1}{4}$ =	$30\frac{1}{4}$ =	1	
6,272,640 =	43,560 =	4,840 =	160 =	1
4,014,489,600 =	27,878,400 =	3,097,600 =	102,400 =	640 = 1

12. Square measure is used in estimating the *area* of surfaces. In commercial use, the square yard is the largest unit employed, the square rod, acre, and square mile being used for measuring land. The unit of square measure is a *square* whose sides are equal in length to the linear unit. The units of square measure are *derived units*; that is, they depend for their value upon the values of some other units, which,




FIG. 1.

in this case, are the units of linear measure. If the large square in Fig. 1 measures 1 foot on each side, as indicated

by the dimension lines, then the space which the square covers, on a flat surface, is *1 square foot*. If horizontal and vertical lines be drawn 1 inch apart, as shown, the small squares so formed will measure 1 inch on each side; and if these small squares be counted, they will be found to number 144. Hence, there are 144 square inches in 1 square foot. In the same way, it can be shown that 1 square yard contains 9 square feet. The *acre* is the only unit that forms an exception—it cannot be expressed as an exact square of any unit. A piece of land 208.71 feet square contains almost exactly an acre.

Roofers, plasterers, and carpenters frequently call 100 square feet a **square**.

SURVEYOR'S SQUARE MEASURE.

TABLE IV.

625 square links (<i>sq. li.</i>)	= 1 square rod....	<i>sq. rd.</i>
16 square rods	= 1 square chain .	<i>sq. ch.</i>
10 square chains	= 1 acre.....	<i>A.</i>
640 acres	= 1 square mile...	<i>sq. mi.</i>
36 square miles (6 miles square)	= 1 township	<i>Tp.</i>

13. Surveyor's square measure is used only by civil engineers and surveyors. For this reason, no further remarks will be made concerning this measure.

CUBIC MEASURE.

TABLE V.

1,728 cubic inches (<i>cu. in.</i>)	= 1 cubic foot.....	<i>cu. ft.</i>
27 cubic feet	= 1 cubic yard	<i>cu. yd.</i>
128 cubic feet		= 1 cord of wood.	

cu. in.	cu. ft.	cu. yd.
1,728	= 1	
46,656	= 27	= 1

14. Cubic measure is used in measuring the volumes of solids or bodies which have length, breadth, and thickness. The units of cubic measure are also derived units, since they depend upon linear measurements for their values.

The unit of cubic measure is a cube whose edges are equal in length to the corresponding linear unit. Fig. 2 represents a cube whose sides are all 3 feet long. By dividing it into equal parts, as shown, it is readily seen that 27 small cubes,




FIG. 2.

measuring 1 foot on each edge, will be formed; hence, 1 cubic yard contains 27 cubic feet. In a similar manner, it can be shown that 1 cubic foot contains 1,728 cubic inches.

15. The **cord** is used in measuring wood. A pile of wood 8 feet long, 4 feet wide, and 4 feet high contains 1 cord, since $8 \times 4 \times 4 = 128$ cubic feet.

A **cord foot** is 1 foot in length of such a pile; that is, it is 1 foot long, 4 feet wide, and 4 feet high. The cord foot contains $1 \times 4 \times 4 = 16$ cubic feet.

16. Masons use what is termed a **perch**. A **perch** of masonry is $16\frac{1}{2}$ ft. long, $1\frac{1}{2}$ feet thick, and 1 foot high, and contains $16\frac{1}{2} \times 1\frac{1}{2} \times 1 = 24\frac{3}{4}$ cubic feet. The perch is going out of use, the cubic yard being used instead; but, when used, it is generally considered to be 25 cubic feet.

MEASURES OF WEIGHT.

AVOIRDUPOIS WEIGHT.

TABLE VI.

16 ounces (<i>oz.</i>).....	= 1 pound.....	<i>lb.</i>
100 pounds.....	= 1 hundredweight.....	<i>cwt.</i>
20 hundredweight }		
2,000 pounds.....	= 1 ton.....	<i>T.</i>

<i>oz.</i>	<i>lb.</i>	<i>cwt.</i>	<i>T.</i>
16 =	1		
1,600 =	100 =	1	
32,000 =	2,000 =	20 =	1

17. Avoirdupois weight is used in nearly all commercial transactions. The ton of 2,000 pounds is always understood, unless the *long* or *gross* ton is specified. Formerly, the long ton of 2,240 pounds was used exclusively, and is still used in Great Britain, by U. S. Custom Houses, in ocean freights, and by wholesale dealers in coal and iron, and iron ores. The **long ton table** is as follows:

LONG TON TABLE.

TABLE VII.

16 ounces (<i>oz.</i>)	= 1 pound.....	<i>lb.</i>
28 pounds.....		= 1 quarter.....	<i>qr.</i>
4 quarters		= 1 hundredweight. <i>cwt.</i>	
20 hundredweight }	= 1 ton.....	<i>T.</i>
2,240 pounds			

<i>oz.</i>	<i>lb.</i>	<i>qr.</i>	<i>cwt.</i>	<i>T.</i>
16 =	1			
448 =	28 =	1		
1,792 =	112 =	4 =	1	
35,840 =	2,240 =	80 =	20 =	1

18. Formerly, the ounce was divided into 16 parts, called drams. The dram is now seldom or never used.

TROY WEIGHT.

TABLE VIII.

24 grains (<i>gr.</i>).....	= 1 pennyweight.....	<i>pwt.</i>
20 pennyweights.....	= 1 ounce.....	<i>oz.</i>
12 ounces	= 1 pound.....	<i>lb.</i>

<i>gr.</i>	<i>pwt.</i>	<i>oz.</i>	<i>lb.</i>
24 =	1		
480 =	20 =	1	
5,760 =	240 =	12 =	1

19. Troy weight is used by jewelers, and for the weighing of gold, silver, coins, and jewels. The Troy pound contains 5,760 grains, while the avoirdupois pound contains

7,000 grains. Hence, the Troy ounce contains $5,760 \div 12 = 480$ grains, and the avoirdupois ounce, $7,000 \div 16 = 437\frac{1}{2}$ grains. The student will find it useful to remember these facts. When it is stated that an ounce of gold is worth, say, twenty dollars, the Troy ounce, which contains 480 grains, is meant.

APOTHECARIES' WEIGHT.

TABLE IX.

20 grains (<i>gr.</i>).....	= 1 scruple	<i>sc.</i> or \mathfrak{D}
3 scruples.....	= 1 dram	<i>dr.</i> or \mathfrak{Z}
8 drams.....	= 1 ounce.....	<i>oz.</i> or \mathfrak{Z}
12 ounces.....	= 1 pound	<i>lb.</i> or \mathfrak{lb}

gr.	\mathfrak{D}	\mathfrak{Z}	\mathfrak{Z}	\mathfrak{lb} .
20 =	1			
60 =	3 =	1		
480 =	24 =	8 =	1	
5,760 =	288 =	96 =	12 =	1

20. Apothecaries' weight is used by physicians and druggists in prescribing and compounding medicines not in the liquid state. When the *symbols* are used instead of the abbreviations, they are placed before the figures denoting the number of units. Thus, $\mathfrak{z}5 \mathfrak{D}2$ means 5 drams 2 scruples. The pound, ounce, and grain are the same as in Troy weight.

Drugs and medicines are sold, when in large quantities, by avoirdupois weight.

MEASURES OF CAPACITY.

LIQUID MEASURE.

TABLE X.

4 gills (<i>gi.</i>).....	= 1 pint.....	<i>pt.</i>
2 pints.....	= 1 quart.....	<i>qt.</i>
4 quarts.....	= 1 gallon.....	<i>gal.</i>
$31\frac{1}{2}$ gallons.....	= 1 barrel.....	<i>bb.</i>
2 barrels }	= 1 hogshead.....	<i>hhd.</i>
63 gallons }		

gi.	pt.	qt.	gal.	bb.	hhd.
4 =	1				
8 =	2 =	1			
32 =	8 =	4 =	1		
1,008 =	252 =	126 =	31½ =	1	
2,016 =	504 =	252 =	63 =	2 =	1

21. Liquid measure is used for measuring liquids. The standard gallon used in the United States is the *wine gallon*, so called to distinguish it from the *beer gallon*. The beer gallon was formerly used for measuring beer, milk, etc., but has now passed out of use. The wine gallon contains 231 cubic inches; the beer gallon contained 282 cubic inches. The gallon used in Great Britain is called the British imperial gallon; it contains 277.274 cubic inches. One wine gallon of water weighs 8.355 pounds, and 1 cubic foot contains 7.481 wine gallons. One British imperial gallon weighs 10 pounds. The student should carefully memorize these facts; he will find them very useful.

22. The barrel and hogshead are used in estimating the capacity of tanks, cisterns, reservoirs, etc. The gallon is the unit most commonly used when estimating in large quantities. The ordinary barrels and hogsheads used in commerce vary greatly in size, and their contents can be determined only by gauging or actual measurement.

APOTHECARIES' FLUID MEASURE.

TABLE XI.

60 minims, or drops, (℥)	= 1 fluidrachm.....	f℥.
8 fluidrachms	= 1 fluidounce	f℥.
16 fluidounces	= 1 pint.....	O.
8 pints	= 1 gallon	Cong.

23. Apothecaries' fluid measure is used in prescribing and compounding medicines. The gallon and pint are the same as the wine gallon and pint. As in apothecaries' weight, the symbols precede the numbers to which they refer. For example, Cong. 2 O. 7 f℥ 12 means 2 gallons 7 pints 12 fluidounces. *Cong.* is the abbreviation of the Latin word *congius*, gallon; *O.* is the abbreviation of the Latin word *octavius*, one-eighth.

DRY MEASURE.

TABLE XII.

2 pints (<i>pt.</i>).....	= 1 quart.....	<i>qt.</i>
8 quarts.....	= 1 peck.....	<i>pk.</i>
4 pecks.....	= 1 bushel.....	<i>bu.</i>

pt.	qt.	pk.	bu.
2	=	1	
16	=	8	= 1
64	=	32	= 4 = 1

24. Dry measure, as its name implies, is used in measuring dry articles, as fruits, vegetables, grain, etc. The unit is the so called Winchester bushel, which contains 2,150.42 cubic inches, or very nearly 9.31 wine gallons. A box 14 inches long, 12.8 inches wide, and 12 inches deep (all inside measurements) contains almost exactly 1 bushel.

25. It is becoming the custom to sell by weight many articles that would ordinarily be sold by dry measure. The number of pounds of various commodities that are taken as equivalent to one bushel, varies greatly in different states; but the Boards of Trade of the principal cities of the United States use the equivalents given in the following table:

AVOIRDUPOIS POUNDS IN A BUSHEL.

TABLE XIII.

Commodities.	Lb.	Commodities.	Lb.	Commodities.	Lb.
Barley.....	48	Corn (shelled)..	56	Potatoes.....	60
Beans.....	60	Corn (in the ear)	70	Rye.....	56
Buckwheat.....	48	Malt.....	34	Timothy Seed..	45
Clover Seed.....	60	Oats.....	32	Wheat.....	60

26. The following units are also in commercial use:

1 Quintal of fish.....	= 100 lb.
1 Barrel of flour.....	= 196 lb.
1 Barrel of pork or beef.....	= 200 lb.
1 Gallon of petroleum.....	= 6½ lb.
1 Keg of nails.....	= 100 lb.

27. **Stricken measure** means measuring the vessel even full, and striking off the surplus with a stick. Grain, seeds, berries, etc. are sold by stricken measure. The standard bushel mentioned above is a stricken bushel. The **heaped bushel** means the contents of the measuring vessel heaped up in the form of a cone. Corn in the ear, large fruits and vegetables, coal, lime, and other bulky articles, are sold by the heaped bushel. It is customary to allow 5 stricken bushels for 4 heaped ones.

In San Francisco and some other markets, produce is bought and sold by the cental, a **cental** being 100 pounds. In computing freight charges the hundredweight of 100 pounds is taken as the unit.

MEASURES OF TIME.

TABLE XIV.

60 seconds (<i>sec.</i>).....	=	1 minute.....	<i>min.</i>
60 minutes.....	=	1 hour.....	<i>hr.</i>
24 hours.....	=	1 day.....	<i>da.</i>
7 days.....	=	1 week.....	<i>wk.</i>
4 weeks.....	=	1 month.....	<i>mo.</i>
12 months.....	=	1 year.....	<i>yr.</i>
100 years.....	=	1 century.....	<i>C.</i>

sec.	min.	hr.	da.	wk.	yr.
60 =	1				
3,600 =	60 =	1			
86,400 =	1,440 =	24 =	1		
604,800 =	10,080 =	168 =	7 =	1	
31,556,930 =	525,948 =	8,765 =	365 =	52 $\frac{5}{8}$ =	1

28. The divisions of time are peculiar. The only units that may be called *natural* are the day, the lunar month, and the year, the other divisions being artificial. The time in which the earth makes one complete revolution around the sun is called a **solar year**, and it equals 365 days, 5 hours, 48 minutes, 47.5 seconds, or $365\frac{1}{4}$ days, very nearly. A **solar day** is the interval between two consecutive returns of the sun to the meridian. On account of the earth moving in an

elliptical path around the sun, the length of the solar day varies; hence, for civil purposes, the average of all the days in the year is taken as a unit. The months contain from 28 to 31 days.

In order to make the *calendar*, or *civil*, year agree as nearly as possible with the solar year, it is customary to add 1 day to the year (making 366 days) every fourth year. Years containing 366 days are called **leap years**. Every leap year is exactly divisible by 4. Thus 1896, which was a leap year, is divisible by 4 without a remainder. Any year which ends with two or more ciphers, as 1800, 1900, 2000, etc., is called a **secular year**. Since the year falls short of $365\frac{1}{4}$ days by 11 minutes and 12.5 seconds, the addition of 1 day every 4 years makes about $\frac{3}{4}$ of a day too much in a century; hence, to correct this, secular years are not leap years except when exactly divisible by 400. Thus, 1900 will not be a leap year but 2000 will. This last correction makes an error of about 1 day in 3,526 years.

29. The following is a list of months, in regular order, with the number of days which each contains:

	<i>Days.</i>		<i>Days.</i>
1. January (Jan.).....	31	7. July.....	31
2. February (Feb.).....	28	8. August (Aug.).....	31
3. March (Mar.).....	31	9. September (Sept.)...	30
4. April (Apr.).....	30	10. October (Oct.).....	31
5. May.....	31	11. November (Nov.)...	30
6. June.....	30	12. December (Dec.)...	31

In leap years, one day is added to February, giving it 29 days. The following lines will assist the student in remembering the number of days in each month:

“Thirty days hath September,
April, June, and November;
All the rest have thirty-one,
Save February, which alone
Hath but twenty-eight, in fine,
But leap year gives it twenty-nine.”

In many business transactions, the year is regarded as 360 days, or 12 months of 30 days each.

MEASURES OF ANGLES OR ARCS.

CIRCULAR MEASURE.

TABLE XV.

60 seconds (").....	= 1 minute.. .. '
60 minutes.....	= 1 degree..... °
360 degrees.....	= 1 circle..... ⊙
60" =	1'
3,600" =	60' = 1°
1,296,000" =	21,600' = 360° = 1⊙

30. A **quadrant** is one-fourth of a circle, or 90° ; a **sextant** is one-sixth of a circle, or 60° . A right angle (\perp) contains 90° . The unit of measurement is the degree, or $\frac{1}{360}$ of the circumference of a circle.

31. **Circular or angular measure** is used principally by surveyors, navigators, astronomers, and by technical men generally, for measuring angles and arcs of circles.

LONGITUDE AND TIME.

32. The earth is very nearly spherical in shape, and has a rotary movement about an imaginary line (called the axis) which is assumed to pass through the center. The two points where the axis emerges from the earth are called **poles**—one the **north pole**, the other the **south pole**. The time required for the earth to make one rotation, or complete turn, about this axis, is called one day (see Art. 28). Midway between the poles, the earth is supposed to have a circle passing around it, called the **equator**. The equator is divided into 360 equal parts called degrees (see Table XV); each degree is divided into 60 equal parts, called minutes; and each minute is again divided into 60 equal parts, called seconds. Through each point of division a circle, called a **meridian of longitude**, is supposed to pass, the meridian also passing through the poles, as shown in Fig. 3. Other circles, called **parallels of latitude**, are supposed to be drawn parallel to the equator, and between it and the poles. By means of these imaginary circles the position of any place on the surface of the earth may be determined, this will be made plain by observing where the

parallels and meridians intersect in Fig. 3. It is evident that if we know what parallel and what meridian pass through the place, the position of the place is determined by their point of intersection. The distance between the equator and either pole is divided into 90° . The **latitude** of a place is its distance from the equator, measured in degrees,




FIG. 3.

minutes, and seconds along the meridian passing through the place. The **longitude** of a place is its distance from some fixed meridian (called the **prime meridian**) in degrees, minutes, and seconds, measured along the parallel passing through the place. There are three prime meridians: that of Greenwich, that of Paris, and that of Washington, that of Greenwich being the one principally used by navigators. Longitudes reckoned east of the meridian passing through Greenwich to 180° are called **east longitudes**, and those reckoned west, **west longitudes**. Latitudes reckoned north from the equator are called **north latitudes**, and those reckoned south from the equator, **south latitudes**.

The astronomical day begins at noon, when the meridian of any place comes in direct line with the sun; but, for business and other reasons, the civil day begins twelve hours earlier, bringing what we call **noon** in the middle of the day. A little consideration of these facts will make it evident to the student that for any place situated on a meridian east of where he lives, noon will occur earlier, and for any place west of him, later, than for the place in which he is. If the longitudes of any two places are known, their difference of time, as it is called, is easily determined. For, since the earth rotates from *west* to *east* 360° in 24 hours, the sun appears to go from *east* to *west* $\frac{1}{24}$ of 360° , or 15° , in 1 hour of time. Hence, in 1 minute of time it seems to go $\frac{1}{60}$ of 15° , or $15'$, and in 1 second of time, $\frac{1}{60}$ of $15'$, or $15''$. This is shown in the following table:

- 360° in longitude correspond to 24 hours of time.
- 15° in longitude correspond to 1 hour of time.
- 15' in longitude correspond to 1 minute of time.
- 15" in longitude correspond to 1 second of time.

33. Rule.—*To find the difference of time between two places, find the difference in longitude* in ° ' ", and divide by 15; the result will be their difference in time in hours, minutes, and seconds.*

34. Rule.—*To find the difference in longitude of two places, multiply their difference in time (solar time) expressed in hours, minutes, and seconds by 15; the result will be their difference in longitude in ° ' ".*

35. In the following table is given the difference in time between some important cities and Greenwich; also, the longitudes of those cities reckoned from the prime meridian passing through Greenwich:

	hr.	min.	sec.	Longitudes.
Albany.....	4	54	59.2	73° 44' 48" W.
Ann Arbor	5	34	55.1	83° 43' 46.5" W.
Boston	4	44	15.3	71° 3' 49.5" W.
Berlin	0	53	34.9	13° 23' 43.5" E.
Calcutta	5	55	20.7	88° 50' 10.5" E.
New York	4	55	53.6	{ Columbia College. 73° 58' 24" W.
New Orleans	6	0	12.9	
Paris.....	0	9	20.9	{ U. S. Mint. 90° 3' 13.9" W.
Philadelphia.....	5	0	38.5	
Rome	0	49	54.7	2° 20' 13.5" E.
Cincinnati.....	5	37	41.3	75° 9' 37.5" W.
Chicago	5	50	26.7	12° 28' 40.5" E.
Jefferson City.....	6	8	36	84° 25' 19.5" W.
London	0	0	22.5	87° 36' 40.5" W.
City of Mexico.....	6	36	26.7	92° 9' 0" W.
Richmond.....	5	9	44	5' 37.5" W.
San Francisco.....	8	9	38.1	99° 6' 40.5" W.
St. Paul.....	6	12	20	77° 26' 0" W.
St. Louis	6	0	41.1	123° 24' 31.5" W.
Washington.....	5	8	12	93° 5' 0" W.
				90° 10' 16.5" W.
				77° 3' 0" W.

Examples relating to the above will be given later. See Arts. 82-84.

*To add, subtract, multiply, or divide compound numbers, see rules, Arts. 60, 63, 73, and 78.

MEASURES OF MONEY.

UNITED STATES MONEY.

TABLE XVI.

10 mills (<i>m.</i>).....	= 1 cent.....	<i>ct.</i>
10 cents	= 1 dime	<i>d.</i>
10 dimes.....	= 1 dollar.....	<i>\$.</i>
10 dollars.....	= 1 eagle.....	<i>E.</i>

<i>m.</i>	<i>ct.</i>	<i>d.</i>	<i>\$</i>	<i>E.</i>
10 =	1			
100 =	10 =	1		
1,000 =	100 =	10 =	1	
10,000 =	1,000 =	100 =	10 =	1

36. The unit of value is the gold dollar, which weighs 25.8 grains. Since gold and silver are so soft that they would rapidly lose in weight if circulated as money in their natural state, they are alloyed with 1 part of alloy to every 9 parts of the pure metal. In other words, a gold or silver coin contains only .9 of its weight of pure gold or silver. Since 9 parts in 10 are equivalent to 900 parts in every thousand, a gold dollar is stated to contain 25.8 grains of gold 900 *fine*, the word “fine” meaning the number of parts of the pure metal in 1,000 parts by weight of the coin or alloyed metal. In business operations, the terms dollar and cent only are used, the terms eagle and dime being merely names of coins. The mill is not coined, and is rarely used except in referring to tax rates.

37. The term **legal tender** is applied to money which may be legally offered in payment of debts. All coins are legal tender up to a certain amount, depending upon the value of the coins. By legal tender is meant that if the debtor offers to pay his obligation in legal-tender money, the creditor *must* accept it. All gold coins are legal tender for their face value to any amount, provided their weight has not diminished more than $\frac{1}{200}$. Silver dollars are also legal tender to any amount; but silver coins of lower denomination than one dollar are legal tender only for sums not exceeding \$10. Nickel and copper coins are legal tender for sums not exceeding 25 cents.

38. The legal coins of the United States are:

GOLD.

Weight in grains.

1-dollar piece,	25.8
2½-dollar piece, or {	64.5
quarter-eagle, }	
3-dollar piece,	77.4
5-dollar piece, or {	129.0
half-eagle, }	
10-dollar piece, or {	258.0
eagle, }	
20-dollar piece, or {	516.0
double-eagle, }	

SILVER.

Weight.

Standard dollar,	412½ grains.
Half-dollar, or {	192.9 grains, or 12½ grams.
50-cent piece, }	
Quarter-dollar, or {	96.45 grains, or 6¼ grams.
25-cent piece, }	
Dime, or {	38.58 grains, or 2½ grams.
10-cent piece, }	

COPPER AND NICKEL.

5-cent piece,	77.16 grains, or 5 grams.
3-cent piece,	30.00 grains.
1-cent piece,	48.00 grains.

39. United States money is expressed and read decimally. Eagles and dimes are never read; only dollars and hundredths, or dollars and cents are read. Thus, 5 eagles 4 dollars 7 dimes and 3 cents would be written \$54.73 and read “fifty-four dollars and seventy-three cents.” If there are more than two decimal places, the extra ones are read as decimal parts of a cent. Thus, \$54.7329 is read “fifty-four dollars and seventy-three and twenty-nine hundredths cents.”

When the number of cents is less than ten, a cipher must be written in the first place to the right of the decimal point. Thus, four dollars and five cents is written \$4.05.

In checks, notes, drafts, etc., to prevent forgery and mistakes, the cents are written as hundredths of a dollar in the form of a fraction. Thus, \$13.47 would be written \$13 $\frac{47}{100}$.

ENGLISH MONEY.

TABLE XVII.

4 farthings (<i>far.</i>).....	=	1 penny.....	<i>d.</i>
12 pence	=	1 shilling.....	<i>s.</i>
20 shillings.....	=	1 pound, or sovereign...	<i>£.</i>

<i>far.</i>	<i>d.</i>	<i>s.</i>	<i>£.</i>
4	=	1	
48	=	12	= 1
960	=	240	= 20 = 1

40. The unit of English money is the **pound sterling**, the value of which in United States money is \$4.8665. The fineness of English silver is .925; of the gold coins, .916 $\frac{2}{3}$. What is called sterling silver when applied to *solid* silver articles has the same fineness. Hence the name—sterling silver.

The other coins of Great Britain are the *florin* (= 2 shillings), the *crown* (= 5 shillings), the *half-crown* (= 2 $\frac{1}{2}$ shillings), and the *guinea* (= 21 shillings). The largest silver coin is the crown, and the smallest, the threepence. The shilling is worth 25 cents (24.3+ cents) in United States money. The guinea is no longer coined. The abbreviation £ is written before the number, while s. and d. follow. Thus, £25 4 s. 6 d. = 25 pounds 4 shillings 6 pence.

MISCELLANEOUS TABLES.

41. The following table is used in counting certain articles:

TABLE XVIII.

12 of anything.....	=	1 dozen.....	<i>doz.</i>
12 dozen.....	=	1 gross.....	<i>gr.</i>
12 gross.....	=	1 great gross...	<i>g. gr.</i>
20 of anything.....	=	1 score.	

units	<i>doz.</i>	<i>gr.</i>	<i>g. gr.</i>
12	=	1	
144	=	12	= 1
1,728	=	144	= 12 = 1

42. The following table is used in the paper trade:

TABLE XIX.

24 sheets.....	= 1 quire.....	<i>qr.</i>
20 quires.....	= 1 ream.....	<i>rm.</i>
2 reams.....	= 1 bundle.....	<i>bdl.</i>
5 bundles.....	= 1 bale.....	<i>B.</i>

sheets	qr.	rm.	bdl.	B.
24 =	1			
480 =	20 =	1		
960 =	40 =	2 =	1	
4,800 =	200 =	10 =	5 =	1

It is now becoming customary to consider 500 sheets as a ream, and to discard the higher denominations.

REDUCTION OF COMPOUND NUMBERS.

43. Reduction of compound numbers is the process of changing their denomination without changing their value. Reduction is divided into two cases. In one case, we reduce the number to units lower than the highest named in the number; in the other case, we reduce units of a low denomination to a higher one. The first case is called *reduction descending*, and the second, *reduction ascending*.

REDUCTION DESCENDING.

44. Reduction descending, or reducing units of a higher to those of a lower denomination, is performed by multiplication. Thus, to reduce 4 miles (4 mi.) to rods, yards, feet, and inches, successively, it is known that there are 320 rd. in 1 mi. (see Table I); hence, in 4 mi., there are evidently $4 \times 320 = 1,280$ rd. Again, since there are $5\frac{1}{2}$ yd. in 1 rd., in 1,280 rd. there are $1,280 \times 5\frac{1}{2} = 7,040$ yd. In 1 yd. there are 3 ft.; hence, in 7,040 yd., there are $7,040 \times 3$

= 21,120 ft. And, since in 1 ft. there are 12 in., in 21,120 ft., there are $21,120 \times 12 = 253,440$ in. All examples in reduction descending are performed in the same manner.

45. If more than one unit is given, reduce the highest unit to the next lower denomination mentioned, and then add the units of this next lower denomination to the result previously obtained. So proceed until the lowest denomination is reached. An example, which will serve as a model for the student, is here given:

EXAMPLE.—Reduce 5 mi. 47 rd. 3 yd. $1\frac{1}{2}$ ft. to feet.

SOLUTION.—

mi.	rd.	yd.	ft.
5	47	3	$1\frac{1}{2}$
<hr/>			
320			
<hr/>			
1600	rd.		
47			
<hr/>			
1647	rd.		
$5\frac{1}{2}$			
<hr/>			
823	$\frac{1}{2}$		
8235			
<hr/>			
9058	$\frac{1}{2}$ yd.		
3			
<hr/>			
9061	$\frac{1}{2}$ yd.		
3			
<hr/>			
		$1\frac{1}{2}$	
27183			
<hr/>			
27184	$\frac{1}{2}$ ft.		
$1\frac{1}{2}$			
<hr/>			
27186	ft.	Ans.	

EXPLANATION.—Since there are 320 rd. in 1 mi., multiplying 5 by 320 and adding 47 to the product will give the number of rods in 5 mi. 47 rd., or 1,647 rd. Since there are $5\frac{1}{2}$ yd. in 1 rd., multiplying 1,647 by $5\frac{1}{2}$ and adding 3 to the product will give the number of yards in 5 mi. 47 rd. 3 yd., or 9,061 $\frac{1}{2}$ yd. Since there are 3 ft. in 1 yd. multiplying

9,061 $\frac{1}{2}$ by 3, and adding the 1 $\frac{1}{2}$ to the product, will give the required result, or 27,186 ft. Ans.

46. Rule.—*Multiply the number of units of the highest denomination in the given compound number by the number of units of the lower denomination required to make one unit of the higher denomination, and to the product add the given number of units of the lower denomination. Proceed in this manner until the given compound number is reduced to the required denomination.*

47. In order to avoid mistakes, if any denomination be omitted between the highest and lowest denominations of the given number, represent it by a cipher.

EXAMPLE.—Reduce 40 A. 21 sq. yd. 6 sq. ft. 93 sq. in. to square inches.

SOLUTION.—

A.	sq. rd.	sq. yd.	sq. ft.	sq. in.
40	0	21	6	93
<u>160</u>				
6400	sq. rd.			
<u>30$\frac{1}{4}$</u>				
1600				
<u>192000</u>				
193600	sq. yd.			
<u>21</u>				
193621	sq. yd.			
<u>9</u>				
1742589	sq. ft.			
<u>6</u>				
1742595	sq. ft.			
<u>144</u>				
6970380				
<u>6970380</u>				
1742595				
<u>250933680</u>	sq. in.			
<u>93</u>				
250933773	sq. in.	Ans.		

The absence of any square rods is denoted by the cipher, as shown.

EXAMPLES FOR PRACTICE.

48. Reduce:

(a)	7 mi. 4 rd. 2 yd. 2 ft. to feet.	(a)	37,084 ft.
(b)	4 bu. 2 pk. 2 qt. to quarts.	(b)	146 qt.
(c)	8 lb. 4 oz. 6 pwt. 12 gr. to grains.	(c)	48,156 gr.
(d)	52 hhd. 24 gal. 1 pt. to pints.	(d)	26,401 pt.
(e)	5 \odot 16° 20' 46" to seconds.	(e)	6,538,846".
(f)	14 bu. to quarts.	(f)	448 qt.
(g)	11 T. 9 cwt. 57 lb. to pounds.	(g)	22,957 lb.
(h)	£9 13 s. 10 d. to pence.	(h)	2,326 d.
(i)	16 cd. 112 cu. ft. to cubic feet.	(i)	2,160 cu. ft.
(j)	97 sq. rd. to square feet.	(j)	26,408½ sq. ft.
(k)	4 yr. 8 mo. 1 wk. 3 da. to days.	(k)	1,578 da.
(Count 12 mo. to the year, and 4 wk. to the month.)		(l)	470½ cu. ft.
(l)	19 perches to cubic feet.	(m)	567 cu. ft.
(m)	21 cu. yd. to cubic feet.	(n)	£32,901.
(n)	Cong. 2 O. 6 f 3 10 f 3 5 to fluidrachms.	(o)	29,120 lb.
(o)	13 long tons to pounds.	(p)	10,480 gr.
(p)	℥1 3 9 3 6 3 2 to grains.	(q)	1,711 da.
(q)	Find the actual number of days in example (k).		
(Count 1 leap year and 30 days to the month.)			

REDUCTION ASCENDING.

49. Reduction ascending, or reducing units of a lower to those of a higher denomination, is performed by division. Thus, to reduce 253,440 in. to feet, we must evidently divide by 12, since there are 12 in. in 1 ft. That is, $253,440 \text{ in.} = 253,440 \div 12 = 21,120 \text{ ft.}$ To reduce this last number to yards, we divide by 3; or, $21,120 \text{ ft.} = 21,120 \div 3 = 7,040 \text{ yd.}$ Continuing the process, $7,040 \text{ yd.} = 7,040 \div 5\frac{1}{2} = 1,280 \text{ rd.} = 1,280 \div 320 = 4 \text{ mi.}$ It will be noticed that this is the reverse of the reduction of 4 mi. to inches, as in Art. 44.

50. If, in reducing a number, as in the last article, to a higher denomination there is a remainder, reserve it and divide the quotient obtained by the division by the number of units required to make one unit of the next higher denomination. Or, carry the division farther by annexing ciphers to the remainder, thus obtaining a decimal part of the next higher unit.

EXAMPLE.—Reduce 27,186 feet to miles, rods, etc.

SOLUTION.—Instead of giving all the work of division, we shall use the short method of division to express the various steps. This will save space and make the work plainer.

$$\begin{array}{r}
 3 \overline{) 27186} \text{ ft.} \\
 5 \frac{1}{2} \overline{) 9062} \text{ yd.} \\
 320 \overline{) 1647} \text{ rd.} + 3 \frac{1}{2} \text{ yd.} \qquad 3 \frac{1}{2} \text{ yd.} = 3 \text{ yd. } 1 \frac{1}{2} \text{ ft.} \\
 \qquad \qquad \qquad 5 \text{ mi.} + 47 \text{ rd.}
 \end{array}$$

Hence, 27,186 ft. = 5 mi. 47 rd. 3 yd. $1 \frac{1}{2}$ ft. Ans. (See Art. 45.)

EXPLANATION.—Since there are 3 ft. in 1 yd., divide 27,186 by 3 and obtain 9,062 yd. Dividing this by $5 \frac{1}{2}$ to reduce yards to rods, the result is, 1,647 rd. and $3 \frac{1}{2}$ yd. remaining. Write as shown. Dividing 1,647 rd. by 320, the number of rods in a mile, the result is 5 mi. and 47 rd. remaining. Hence, 27,186 ft. = 5 mi. 47 rd. $3 \frac{1}{2}$ yd. But $\frac{1}{2}$ yd. = $\frac{1}{2} \times 3$ = $1 \frac{1}{2}$ ft.; consequently, instead of the above, 5 mi. 47 rd. 3 yd. $1 \frac{1}{2}$ ft. may be written.

51. When dividing a whole number by a mixed number, as in the above example, where 9,062 was divided by $5 \frac{1}{2}$, a simple method is the following: *Multiply both dividend and divisor by the denominator of the fraction, and then divide the new dividend by the new divisor.* This will make the divisor a whole number and avoid decimals. In the above case, the denominator of the fraction was 2; $5 \frac{1}{2} \times 2 = 11$, and $9,062 \times 2 = 18,124$. Then, $18,124 \div 11 = 1,647 + 7$ remainder. This remainder, however, is 2 times too large; since, when the dividend was multiplied by 2, any remainder that might occur in the division was also multiplied by 2. Therefore, the true remainder is $7 \div 2 = 3 \frac{1}{2}$, as may be proved by dividing 9,062 by 5.5. That this method of division

is correct may be easily shown. Thus, $9,062 \div 5 \frac{1}{2} = \frac{9,062}{5 \frac{1}{2}}$,

which corresponds exactly to a fraction having a mixed number for a denominator. Since multiplying both numerator and denominator by the same number does not alter the *value* of the fraction, it follows that the method is correct.

52. Instead of retaining the lower units, the preceding number may be reduced to miles and decimals of a mile, as in the following example:

EXAMPLE.—Reduce 27,186 feet to miles and decimals of a mile.

SOLUTION.—The process is essentially the same as the preceding.

$$\begin{array}{r}
 3 \overline{) 27186 \text{ ft.}} \\
 5 \frac{1}{2} \overline{) 9062} \\
 11 \overline{) 18124} \\
 320 \overline{) 1647.63 +} \\
 \hline
 5.14886 + \text{ mi. Ans.}
 \end{array}$$

EXPLANATION.—The work should be evident from what has preceded. Before dividing by $5\frac{1}{2}$ we multiply both dividend and divisor by 2. (See Art. 51.) When obtaining the decimal it is not necessary to remember that the remainder 7 is $\frac{7}{2}$ yd. We simply annex a cipher to the 7 and continue the division. This is evidently correct; for $\frac{\frac{7}{2}}{5\frac{1}{2}}$ is the same as $\frac{7}{11}$. The quotient contains the figures 63 repeated indefinitely; and, when dividing by 320, we bring down first a 6 and next a 3, etc. instead of ciphers.

53. Rule.—*Divide the number of units of the denomination given by the number of units of that denomination that are required to make one unit of the next higher denomination. The remainder (if any) will be of the same denomination, but the quotient will be of the next higher denomination. Divide this quotient by the number of units of its denomination that are required to make one unit of the next higher denomination. Continue thus until the required denomination is reached. If it is desired to obtain a decimal fraction of the required denomination, instead of a series of remainders of lower denomination, proceed as explained in Art. 52.*

54. The rule will be illustrated by two examples.

EXAMPLE.—Reduce 250,933,773 sq. in. to higher denominations.

SOLUTION.—

$$\begin{array}{r}
 144 \overline{) 250933773} \text{ sq. in.} \\
 9 \overline{) 1742595} \text{ sq. ft.} + 93 \text{ sq. in.} \\
 30\frac{1}{4} \overline{) 193621} \text{ sq. yd.} + 6 \text{ sq. ft.} \\
 121 \overline{) 774484} \\
 160 \overline{) 6400} \text{ sq. rd.} + \frac{3}{4} \text{ sq. yd.} = 21 \text{ sq. yd.} \\
 40 \text{ A. } 21 \text{ sq. yd. } 6 \text{ sq. ft. } 93 \text{ sq. in.} \quad \text{Ans.}
 \end{array}$$

EXPLANATION.—Multiplying the third divisor and the third dividend by 4 to get rid of the fraction, the remainder, after division, is 84; that is, it is $\frac{84}{4}$ sq. yd. = 21 sq. yd. The remainder of the work should be clear from the preceding explanations.

EXAMPLE.—Reduce f 32,901 to gallons.

SOLUTION.—Understanding by the wording of the example that gallons and decimals of a gallon are required, the solution is as follows:

$$\begin{array}{r}
 8 \overline{) f 32901} \\
 16 \overline{) f 3362625} \\
 8 \overline{) O. 226640625} \\
 \text{Cong. } 2.8330078125, \text{ say Cong. } 2.833. \quad \text{Ans.}
 \end{array}$$

EXAMPLES FOR PRACTICE.

55. Reduce all answers to the “Examples for Practice,” in Art. 48, to units of higher denomination. Also solve the following, reducing as required, and expressing the result in decimals, as in Arts. 52 and 54 (second example).

Reduce the following:

(a) 875 pt. to gallons.	Ans. {	(a) 109.375 gal.
(b) 10,000 pt. to bushels.		(b) 156.25 bu.
(c) 147,368 cu. in. to cubic yards.		(c) 3.1586+ cu. yd.
(d) 10,000 gr. to Troy pounds.		(d) 1.7361+ lb.
(e) 8,375 d. to pounds.		(e) £34.8958+.
(f) 28,140 sq. yd. to acres.		(f) 5.814+ A.
(g) 49,175 in. to miles.		(g) 0.776+ m.
(h) 380,421" to degrees.		(h) 105.6725°.

56. In solving examples (a) to (h), Art. 55, the table of equivalents, which accompanies every table of measures,

will be found very useful. Thus, in solving (*g*), for instance, it will be seen, by referring to Table I (lower half), that 1 mi. contains 63,360 in. Hence, (*g*) may be solved by simply dividing 49,175 by 63,360. Similarly, to solve (*f*) we find, by Table III, that 1 A. contains 4,840 sq. yd.; hence, divide 28,140 sq. yd. by 4,840. The student should practise both methods.

ADDITION OF COMPOUND NUMBERS.

57. Addition of compound numbers is similar in every respect to addition of whole numbers or of decimals, so far as the principles involved are concerned. The points of difference arise from the use of a varying scale of notation instead of a uniform scale of 10. An example will serve to show the process.

EXAMPLE.—Find the sum of 4 T. 3 cwt. 46 lb. 12 oz.; 8 cwt. 12 lb. 13 oz.; 2 T. 12 cwt. 50 lb. 13 oz.; 1 T. 27 lb. 4 oz.

SOLUTION.—	T.	cwt.	lb.	oz.
	4	3	46	12
		8	12	13
	2	12	50	13
	1		27	4
	7	23	135	42
or	8 T.	4 cwt.	37 lb.	10 oz. Ans.

EXPLANATION.—Write the units of the same denomination in the same column, as shown, with the abbreviation of the name of the unit at the head of each column, and decreasing in order from left to right. Beginning with the right-hand column, the sum of the numbers in that column is 42, i. e., 42 oz. The sum of the numbers in the second column is 135 lb.; in the third column, 23 cwt.; in the fourth column, 7 T. Now, since 42 oz. are more than 1 lb., reduce the 42 oz. to pounds and ounces, obtaining 2 lb. 10 oz. Reserve the 10 oz., add the 2 lb. to the 135 lb. in the second column, obtaining 137 lb.; this reduced to hundredweight and pounds gives 1 cwt. 37 lb. The 1 cwt. added to the 23 cwt. in the next column gives 24 cwt., or 1 T. 4 cwt. Finally, 7 T. + 1 T. = 8 T. Hence, the sum is 8 T. 4 cwt. 37 lb. 10 oz.

58. That the process just described is the same in all respects as the addition of simple numbers will be manifest after a little consideration. Thus, suppose that we represent *thousands* by *thds.*, *hundreds* by *h.*, *tens* by *t.*, and *units* by *u.*; then the addition of 2,046, 812, 2,151, and 1,707 might be performed as follows:

thds.	h.	t.	u.
2		4	6
	8	1	2
2	1	5	1
1	7		7
<hr/>			
5	16	10	16
or 6 thds.	7 h.	1 t.	6 u., which equals 6,716.

It is easily seen that the same principles govern both cases.

59. Instead of writing the sum of each column separately and then reducing, as in the preceding example (Art. 57), it is customary to add the right-hand column, and if the sum contains more units than are required to make one unit of the next higher denomination, to reduce it to the next higher denomination, placing the remainder (if any) under the right-hand column and carrying the quotient to the next column. The student will recognize this as corresponding exactly to the ordinary process of addition.

EXAMPLE.—What is the sum of 2 rd. 3 yd. 2 ft. 5 in.; 6 rd. 1 ft. 10 in.; 17 rd. 1 yd. 11 in.; 1 rd. 4 yd. 1 ft.?

SOLUTION.—	rd.	yd.	ft.	in.
	2	3	2	5
	6		1	10
	17	1		11
	1	4	1	
<hr/>				
	27	4½	0	2
or	27 rd.	4 yd.	1 ft.	8 in. Ans.

EXPLANATION.—The sum of the units in the first column is 26 in., or 2 ft. 2 in. Writing the 2 in. under the right-hand column, and carrying the 2 ft. to the next column, the result is 2 (carried) + 1 + 1 + 2 = 6 ft. = 2 yd. 0 ft. Carrying the 2 yd. to the third column, the sum is 10 yd. = 1 rd. 4½ yd. Carrying the 1 rd. to the fourth column, the sum is 27 rd.

Now, to avoid fractions, the $\frac{1}{2}$ yd. is reduced to feet and inches, giving 1 ft. 6 in., which added to the 0 ft. and 2 in. gives for the answer 27 rd. 4 yd. 1 ft. 8 in.

60. Rule.—Place the numbers in vertical columns so that like denominations are under each other. Begin at the right-hand column, and add. If the sum contains more units than are necessary to make one unit of the next higher denomination, reduce the sum to the next higher denomination, placing the remainder under the column added, and carrying the unit (or units) of the next higher denomination so obtained to the second column. Continue in this manner until the required denomination is reached. Should fractions of a unit be obtained, or should they occur in the numbers to be added, reduce them to units of lower denomination and add them to the sum first obtained.

EXAMPLES FOR PRACTICE.

61. Find the sum of the following:

(a) 25 lb. 7 oz. 15 pwt. 23 gr.; 17 lb. 16 pwt.; 15 lb. 4 oz. 12 pwt.; 18 lb. 16 gr.; 10 lb. 2 oz. 11 pwt. 16 gr.

(b) 9 mi. 13 rd. 4 yd. 2 ft.; 16 rd. 5 yd. 1 ft. 5 in.; 16 mi. 2 rd. 3 in.; 14 rd. 1 yd. 9 in.

(c) £16 5 s. 4 d.; £12 8 s. 9 d.; £13 14 s. 8 d.; £42 7 d.; 18 s. 6 d.

(d) 13 cwt. 46 lb. 12 oz.; 12 cwt. $9\frac{1}{2}$ lb.; $2\frac{1}{4}$ cwt. 21 $\frac{5}{8}$ lb.

(e) 4 bu. 3 pk. 6 qt. 1 pt.; 10 bu. 2 pk. 7 qt. 1 pt.; 11 bu. 3 pk. 1 qt. 1 pt.; 9 bu. 2 pk. 5 qt. 1 pt.

(f) 10 yr. 8 mo. 5 wk. 3 da.; 42 yr. 6 mo. 7 da.; 7 yr. 5 mo. 18 wk. 4 da.; 17 yr. 17 da.

(g) 14 sq. yd. 8 sq. ft. 19 sq. in.; 105 sq. yd. 16 sq. ft. 240 sq. in.; 42 sq. yd. 28 sq. ft. 165 sq. in.

(h) 16 gal. 3 qt. 1 pt.; 45 gal. 2 qt.; 17 gal. 1 qt. 1 pt.; 4 gal. 3 qt.; 15 gal. 1 pt.; 24 gal. 3 qt. 1 pt.

(i) 16 hr. 43 min. 48 sec.; 3 hr. 12 min. 40 sec.; 1 hr. 49 min. 13 sec.; 5 hr. 19 sec.

Ans. {	(a)	86 lb. 3 oz. 16 pwt. 7 gr.
	(b)	25 mi. 47 rd. 1 ft. 5 in.
	(c)	£85 7 s. 10 d.
	(d)	1 T. 8 cwt. 2 lb. 14 oz.
	(e)	37 bu. 5 qt.
	(f)	78 yr. 1 mo. 3 wk. 3 da.
	(g)	5 sq. rd. 15 sq. yd. 7 sq. ft. 100 sq. in.
	(h)	124 gal. 2 qt.
	(i)	26 hr. 46 min.

SUBTRACTION OF COMPOUND NUMBERS.

62. The operation of subtraction is the same in principle for compound numbers as for simple numbers, the difference being due wholly to the varying scales.

EXAMPLE.—From 21 rd. 2 yd. 2 ft. $6\frac{1}{2}$ in. take 9 rd. 4 yd. $10\frac{1}{4}$ in.

SOLUTION.—	rd.	yd.	ft.	in.
	21	2	2	$6\frac{1}{2}$
	9	4		$10\frac{1}{4}$
	11	$3\frac{1}{2}$	1	$8\frac{1}{4}$

or 11 rd. 3 yd. 2 ft. $14\frac{1}{4}$ in. = 11 rd. 4 yd. $2\frac{1}{4}$ in. Ans.

EXPLANATION.—Writing the numbers as for addition, with units of like denomination under each other, we begin with the right-hand column and subtract. Since $10\frac{1}{4}$ inches cannot be subtracted from $6\frac{1}{2}$ inches, 1 foot (= 12 inches) is borrowed from the column of feet, reduced to inches, and added to the inches in the minuend, giving $18\frac{1}{2}$ inches. Then, $18\frac{1}{2}$ in. — $10\frac{1}{4}$ in. = $8\frac{1}{4}$ in. Since 1 foot was borrowed from the 2 feet, only 1 foot remains, and, as there are no feet in the subtrahend, the 1 foot is brought down in the remainder. As 4 yards cannot be taken from 2 yards, 1 rod is borrowed from the rod column, reduced to yards, and added to the 2 yards, giving $7\frac{1}{2}$ yards; then, $7\frac{1}{2}$ yd. — 4 yd. = $3\frac{1}{2}$ yd. Finally, 20 rd. — 9 rd. = 11 rd., and the remainder is 11 rd. $3\frac{1}{2}$ yd. 1 ft. $8\frac{1}{4}$ in. Reducing the $\frac{1}{2}$ yd., the remainder becomes 11 rd. 3 yd. 2 ft. $14\frac{1}{4}$ in.; or, since $14\frac{1}{4}$ in. = 1 ft. $2\frac{1}{4}$ in., and 2 ft. + 1 ft. = 3 ft. = 1 yd., the remainder is 11 rd. 4 yd. $2\frac{1}{4}$ in.

63. Rule. —Place the less quantity under the greater quantity, with units of like denomination under each other. Beginning at the right, subtract successively the units in the subtrahend in each denomination from those above, and place the several remainders beneath, as in simple subtraction. If the units of any denomination in the minuend are fewer than units of the same denomination in the subtrahend, borrow one unit from the next higher denomination in the minuend, reduce it to the next lower denomination, and add it to the proper number in the minuend; then subtract as before. Reduce fractional results in the remainder if there are any.

64. EXAMPLE.—From lb4 31 take lb1 35 32 16 gr.

SOLUTION.—	lb	3	3	3	gr.
	4	0	0	1	0
	1	5	0	2	16
	2	6	7	1	4 Ans.

EXPLANATION.—Since 16 grains cannot be taken from 0 grain, 31 is borrowed from the second column. 31 = 20 gr., and 20 gr. — 16 gr. = 4 gr. As 32 cannot be taken from 30, and there are no drams or ounces, lb1 is borrowed from the fifth column. lb1 = 311 57 33; hence, subtracting 32 from 33, 50 from 57, 35 from 311, and lb1 from lb3, the remainder, or answer, is lb2 36 37 31 4 gr.

65. The only case of subtraction that need cause any trouble is the finding of the difference between two dates. If great exactness is not required, put down the year, the number of the month, and the day of the month in the case of both minuend and subtrahend. Then, counting 30 days to the month, subtract as above.

EXAMPLE.—How many years, months, and days between September 28, 1868, and June 15, 1891?

SOLUTION.—	yr.	mo.	da.
	1891	6	15
	1868	9	28
	22	8	17 Ans.

EXPLANATION.—June of the minuend is the 6th month, and September of the subtrahend is the 9th month. Writing the minuend and subtrahend as shown, we subtract as above. The result is 22 years, 8 months, 17 days. Ans.

66. Had it been required to find the exact number of days between the two given dates, the above method would not give the correct result.

67. The following method is employed by most banks and by the United States government:

From Sept. 28, 1868, to Sept. 28, 1890 =

From Sept. 28, 1890, to June 15, 1891, in days is

Sept. Oct. Nov. Dec. Jan. Feb. Mar. Apr. May June

2 + 31 + 30 + 31 + 31 + 28 + 31 + 30 + 31 + 15 =

Ans. $\left\{ \begin{array}{l} 22 \text{ yr.} \\ 260 \text{ da.} \end{array} \right.$

EXPLANATION.—The exact whole number of years between the dates is first found; it equals 22 years. The remaining days are then found as shown.

68. The following table will be of great assistance in determining the actual number of days between two dates. The table gives the number of days between the same dates of any two months. Thus, to find the number of days between Mar. 12 and Sept. 12 of any year, we find opposite Mar. in the left-hand column and in the column headed Sept. the number 184, the required number of days. Had it been required to find the number of days between Mar. 12 and

TABLE XX.

	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
Jan.	365	31	59	90	120	151	181	212	243	273	304	334
Feb.	334	365	28	59	89	120	150	181	212	242	273	303
Mar.	306	337	365	31	61	92	122	153	184	214	245	275
Apr.	275	306	334	365	30	61	91	122	153	183	214	244
May.	245	276	304	335	365	31	61	92	123	153	184	214
June.	214	245	273	304	335	365	30	61	92	122	153	183
July.	184	215	243	274	304	335	365	31	62	92	123	153
Aug.	153	184	212	243	273	304	334	365	31	61	92	122
Sept.	122	153	181	212	242	273	303	334	365	30	61	91
Oct.	92	123	151	182	212	243	273	304	335	365	31	61
Nov.	61	92	120	151	181	212	242	273	304	334	365	30
Dec.	31	62	90	121	151	182	212	243	274	304	335	365

Sept. 25, we should have found the number of days between Mar. 12 and Sept. 12, or 184 days; then subtracting 12 from 25, the difference, 13, must be added to 184, obtaining 197 days, the number of days between Mar. 12 and Sept. 25. Had it been required to find the number of days between

Sept. 25 and Mar. 12, we should find opposite Sept., and in the column headed Mar., 181; then subtracting 12 from 25, we subtract the difference from 181, because 181 days is the number of days between Sept. 25 and Mar. 25, instead of Mar. 12, which occurs 13 days earlier. Hence, there are $181 - 13 = 168$ days between Sept. 25 and Mar. 12. Had Mar. 12 occurred in a leap year, there would have been one day more, or 169 days between the two dates, on account of Feb. 29.

The table will also be useful in those cases where a certain number of days is to be added to a given date. Thus, to find the date of 90 days after Feb. 18, we see, on referring to the table, that 89 days after Feb. 18 is May 18; hence, 90 days after Feb. 18 is May 19, or, if it is a leap year, May 18. Again, 127 days after Feb. 19 is June 26; because, referring to the table, 120 days after Feb. 19 is June 19, and $127 - 120 + 19 = 26$.

If it is desired to subtract a certain number of days from a given date, the process is simply reversed. To find, for example, the date 120 days previous to Sept. 21, we look down the column headed Sept. and find opposite May the number 123; hence, from May 21 to Sept. 21 is 123 days, and therefore from May 24 to Sept. 21 is 120 days.

EXAMPLES FOR PRACTICE.

69. Solve the following examples:

- (a) From £10 6 s. 4 d. take £8 15 s. 3 d.
- (b) From 125 lb. 8 oz. 14 pwt. 18 gr. take 96 lb. 9 oz. 10 pwt. 4 gr.
- (c) From 16 yr. 8 mo. 10 da. take 12 yr. 5 mo. 8 da.
- (d) From 126 hhd. 27 gal. take 104 hhd. 14 gal. 1 qt. 1 pt.
- (e) Find the exact number of days between Sept. 20, 1895, and Mar. 17, 1897, inclusive.
- (f) From 65 T. 14 cwt. 64 lb. 10 oz. take 16 T. 11 cwt. 14 oz.
- (g) From 148 sq. yd. 16 sq. ft. 102 sq. in. take 132 sq. yd. 136 sq. in.
- (h) Subtract 28 bu. 2 pk. 5 qt. 1 pt. from 100 bu.
- (i) Subtract 3 mi. 27 rd. 11 yd. 4 ft. 10 in. from 14 mi. 34 rd. 16 yd. 13 ft. 11 in.
- (j) Subtract $27^{\circ} 19' 47''$ from $126^{\circ} 37' 23''$.

(*k*) Referring to Art. 35, find difference of longitude between Boston and San Francisco.

(*l*) Find difference of longitude between Albany and Calcutta.

Answers.—(*a*) £1 11s. 1d.; (*b*) 28 lb. 11 oz. 4 pwt. 14 gr.; (*c*) 4 yr. 3 mo. 2 da.; (*d*) 22 hhd. 12 gal. 2 qt. 1 pt.; (*e*) 545 da.; (*f*) 49 T. 3 cwt. 63 lb. 12 oz.; (*g*) 16 sq. yd. 15 sq. ft. 110 sq. in.; (*h*) 71 bu. 1 pk. 2 qt. 1 pt.; (*i*) 11 mi. 8 rd. 2 yd. 1 ft. 7 in.; (*j*) $99^{\circ} 17' 36''$; (*k*) $51^{\circ} 20' 42''$; (*l*) $162^{\circ} 34' 58.5''$.

MULTIPLICATION OF COMPOUND NUMBERS.

70. The multiplication of compound numbers is similar in all respects to multiplication of simple numbers. The process will be illustrated by an example.

EXAMPLE.—A merchant divided his syrup into 12 equal parts, each containing 2 gal. 2 qt. $1\frac{1}{2}$ pt.; how much did he have altogether?

SOLUTION.—He evidently had 12 times 2 gal. 2 qt. $1\frac{1}{2}$ pt., or

gal.	qt.	pt.	
2	2	$1\frac{1}{2}$	
		12	
24	24	18 = 32 gal. 1 qt.	Ans.

EXPLANATION.—Multiplying the units of each denomination by 12, and reducing the units of each denomination of the products to higher denominations, the result is 32 gal. 1 qt.

71. Such examples are usually solved as follows:

gal.	qt.	pt.	
2	2	$1\frac{1}{2}$	
		12	
32	1	0	Ans.

EXPLANATION.— $1\frac{1}{2}$ pt. $\times 12 = 18$ pt. = 9 qt.; reserve this, and add to the quarts product. 2 qt. $\times 12 + 9$ qt. = 33 qt. = 8 gal. 1 qt. Write the 1 qt. and reserve the 8 gal. 2 gal. $\times 12 + 8$ gal. = 32 gal. Hence, the answer is 32 gal. 1 qt.

72. When the multiplier contains a fraction, it is usually easier to reduce the multiplicand to the *lowest* denomination before multiplying, and then reduce the product to higher denominations. In any case, the method used in Art. 70 is to be preferred to that given in Art. 71, when the multiplier contains a fraction. All three methods will be applied to an example to illustrate the point.

EXAMPLE.—Multiply 7 lb. 5 oz. 13 pwt. 15 gr. by $5\frac{1}{2}$.

SOLUTION.—*First Method*—

	lb.	oz.	pwt.	gr.	
	7	5	13	15	
				$5\frac{1}{2}$	
	$38\frac{1}{2}$	$27\frac{1}{2}$	$71\frac{1}{2}$	$82\frac{1}{2}$	
or	38	33	81	$94\frac{1}{2}$	
or	41 lb.	1 oz.	4 pwt.	$22\frac{1}{2}$ gr.	Ans.

Second Method—

	lb.	oz.	pwt.	gr.	
	7	5	13	15	
				$5\frac{1}{2}$	
	$40\frac{1}{2}$	$6\frac{1}{2}$	$14\frac{1}{2}$	$10\frac{1}{2}$	
or	40	12	24	$22\frac{1}{2}$	
or	41 lb.	1 oz.	4 pwt.	$22\frac{1}{2}$ gr.	Ans.

Third Method— 7 lb. 5 oz. 13 pwt. 15 gr. = 43,047 gr. (if the lowest denomination given had not been grains, we should still have reduced to grains). Hence, $43,047 \text{ gr.} \times 5.5 = 236,758.5 \text{ gr.} = 41 \text{ lb. } 1 \text{ oz. } 4 \text{ pwt. } 22\frac{1}{2} \text{ gr.}$ Ans.

73. Rule.—Multiply the units of the lowest denomination by the multiplier and reduce the product to the next higher denomination. Multiply the units of the next higher denomination by the multiplier, and add to the product the result obtained by the first operation. So continue with the remaining units. The last result, together with the various remainders, is the entire product. Should the entire product contain fractions, reduce the fractions of a unit to lower denominations, as in Art. 72.

Or, reduce the multiplicand to its lowest denomination; perform the multiplication, and then reduce the product to higher denominations.

EXAMPLES FOR PRACTICE.

74. Solve the following:

- Multiply £17 10 s. 8 d. by 7; by 9; by 15.
- How many cords of wood in 12 loads, each load containing 2 cd. 108 cu. ft.?
- Find the weight of 2 dozen silver spoons, each spoon weighing 1 oz. 13 pwt. What would they cost at 6 cents per pennyweight?
- If 15 men perform a certain piece of work in 3 da. 16 hr. 52 min., how long would it take one man to perform the work?

- (e) Multiply 3 T. 15 cwt. 90 lb. by 5.
 (f) Multiply 4 hhd. 3 gal. 1 qt. 1 pt. by 12.
 (g) At \$2.16 per gallon what would be the cost of Cong. 2 O. 6 f 3 10
 of a certain drug?
 (h) What would be the cost of 5 bu. 3 pk. 6 qt. of potatoes at
 48 cents per bushel?
 (i) Multiply 6 A. 114 sq. rd. 19 sq. yd. 53 sq. ft. by 13.

$$\text{Ans. } \left\{ \begin{array}{l} (a) \left\{ \begin{array}{l} £122 \text{ 14 s. 8 d.} \\ £157 \text{ 16 s.} \\ £263. \end{array} \right. \\ (b) \quad 34 \text{ cd. 16 cu. ft.} \\ (c) \left\{ \begin{array}{l} 3 \text{ lb. 3 oz. 12 pwt.} \\ \$47.52. \end{array} \right. \\ (d) \quad 55 \text{ da. 13 hr.} \\ (e) \quad 18 \text{ T. 19 cwt. 50 lb.} \\ (f) \quad 48 \text{ hhd. 1 bbl. 9 gal.} \\ (g) \quad \$6.11. \\ (h) \quad \$2.85. \\ (i) \quad 87 \text{ A. 52 sq. rd. 21 sq. yd. } \frac{1}{2} \text{ sq. ft.} \end{array} \right.$$

DIVISION OF COMPOUND NUMBERS.

75. There are two cases of division of compound numbers. In the first case, the divisor is an abstract number; in the second case, the divisor is itself a compound number. When the divisor is an abstract number, the division may be conveniently performed as in the following examples, Arts. 76-78, inclusive.

76. EXAMPLE.—Divide 48 lb. 11 oz. 6 pwt. by 8.

SOLUTION.—	lb.	oz.	pwt.	gr.	
	8) 48	11	6	0	
	6 lb.	1 oz.	8 pwt.	6 gr.	Ans.

EXPLANATION.—After placing the quantities as above, proceed as follows: 8 is contained in 48 six times without a remainder. 8 is contained in 11 oz. once with 3 oz. remaining. $3 \times 20 = 60$; $60 \div 6 = 66$ pwt.; $66 \text{ pwt.} \div 8 = 8 \text{ pwt.}$ and 2 pwt. remaining; $2 \times 24 \text{ gr.} = 48 \text{ gr.}$; $48 \text{ gr.} \div 8 = 6 \text{ gr.}$ Therefore, the entire quotient is 6 lb. 1 oz. 8 pwt. 6 gr. **Ans.**

EXAMPLE.—A silversmith melted up 2 lb. 8 oz. 10 pwt. of silver, which he made into 6 soup ladles; what was the weight of each?

SOLUTION.—

	lb.	oz.	pwt.	
6)	2	8	10	
		5 oz.	8 pwt. 8 gr.	Ans.

EXPLANATION.—Since we cannot divide 2 lb. by 6, we reduce them to ounces. 2 lb. = 24 oz., and 24 oz. + 8 oz. = 32 oz.; 32 oz. ÷ 6 = 5 oz. and 2 oz. over. 2 oz. = 40 pwt. 40 pwt. + 10 pwt. = 50 pwt., and 50 pwt. ÷ 6 = 8 pwt. and 2 pwt. over. 2 pwt. = 48 gr., and 48 gr. ÷ 6 = 8 gr. Hence, each ladle weighs 5 oz. 8 pwt. 8 gr. Ans.

77. EXAMPLE.—Divide 820 rd. 4 yd. 2 ft. by 112.

SOLUTION.—

	rd.
112)	820 (7 rd.
	36 rd.
	5 $\frac{1}{2}$
	198 yd.
	4
112)	202 yd. (1 yd.
	90 yd.
	3
	270 ft.
	2
112)	272 ft. (2 ft.
	48 ft.
	12
112)	576 in. (5 $\frac{1}{112}$ = 5 $\frac{1}{7}$ in.
	16 in.

EXPLANATION.—We divide as in long division, using the short method. The first quotient is 7 rd. with a remainder of 36 rd., which = 198 yd. 198 yd. + 4 yd. = 202 yd.; 202 yd. ÷ 112 = 1 yd. with a remainder of 90 yd., which = 270 ft. 270 ft. + 2 ft. = 272 ft.; 272 ft. ÷ 112 = 2 ft. with a remainder of 48 ft., which = 576 in. 576 in. ÷ 112 = 5 $\frac{1}{7}$ in.

If desired, $\frac{1}{7}$ in. may be reduced to a decimal in the manner already explained, = .1428+ in. The common fractional form is, however, better than the decimal form, since if the quotient be multiplied by the divisor the result will then be *exactly* the same as the dividend.

78. Rule.—*Find how many times the divisor is contained in the first or highest denomination of the dividend. Reduce the remainder (if any) to the next lower denomination, and add to it the number in the dividend expressing that denomination. Divide this new dividend by the divisor. The quotient will be the next denomination in the quotient required. Continue in this manner until the lowest denomination is reached. The successive quotients will constitute the entire quotient.*

EXAMPLES FOR PRACTICE.

79. Divide:

- (a) 376 mi. 276 rd. by 22; (b) 1,137 bu. 3 pk. 4 qt. 1 pt. by 10;
 (c) 84 cwt. 48 lb. 49 oz. by 16; (d) 78 sq. yd. 18 sq. ft. 41 sq. in. by 18;
 (e) 148 mi. 64 rd. 24 yd. by 12; (f) 100 T. 16 cwt. 18 lb. 11 oz. by 15;
 (g) 36 lb. 18 oz. 18 pwt. 14 gr. by 8; (h) 112 mi. 48 rd. by 100.

Ans. { (a) 17 mi. 41 rd. 3 yd. 1 ft. 6 in.
 (b) 113 bu. 3 pk. 1 qt. $\frac{1}{2}$ pt.
 (c) 5 cwt. 28 lb. $3\frac{1}{8}$ oz.
 (d) 4 sq. yd. 4 sq. ft. $2\frac{5}{18}$ sq. in.
 (e) 12 mi. 112 rd. 2 yd.
 (f) 6 T. 14 cwt. 41 lb. $3\frac{1}{8}$ oz.
 (g) 4 lb. 8 oz. 7 pwt. $7\frac{3}{4}$ gr.
 (h) 1 mi. 38 rd. 4 yd. 2 ft. 6.24 in.

80. When the divisor is a compound number, the easiest and best way to perform the division is to reduce both numbers to the lowest denomination given in either the dividend or divisor; then divide as in whole numbers.

81. EXAMPLE.—How many bottles, each holding 1 qt. $\frac{1}{2}$ pt., can be filled from a cask holding 21 gal. 3 qt.?

SOLUTION.—In 1 qt. $\frac{1}{2}$ pt. there are $2\frac{1}{2}$ pt.; in 21 gal. 3 qt. there are 174 pt. Then, $174 \text{ pt.} \div 2\frac{1}{2} \text{ pt.} = 69$ bottles and $1\frac{1}{2}$ pt. left over. Ans.

LONGITUDE AND TIME—(Continued.)

82. We are now prepared to find the difference of time, or the difference of longitude, between two places. For this purpose we use the rules given in Arts. 33 and 34.

EXAMPLE.—What is the difference of time between New York and Chicago?

SOLUTION.—In Art. 35 the longitude of New York is stated to be $73^{\circ} 58' 24''$ W., and of Chicago $87^{\circ} 36' 40\frac{1}{2}''$ W. Applying the rule given in Art. 33,

$$\begin{array}{r} 87^{\circ} \quad 36' \quad 40\frac{1}{2}'' \text{ W.} \\ 73^{\circ} \quad 58' \quad 24'' \text{ W.} \\ \hline 13^{\circ} \quad 38' \quad 16\frac{1}{2}'' \text{ W.} \end{array}$$

Dividing $13^{\circ} 38' 16\frac{1}{2}''$ by 15 the result is

$$\begin{array}{r} 15 \overline{) 13^{\circ} \quad 38' \quad 16.5''} \\ \hline \quad 54 \text{ min. } 33.1 \text{ sec.} \end{array}$$

EXAMPLE.—Find the difference of time between Albany and Rome.

SOLUTION.—Applying rule, Art. 33, difference of longitude equals

$$\begin{array}{r} 73^{\circ} \quad 44' \quad 48'' \text{ W.} \\ 12^{\circ} \quad 28' \quad 40.5'' \text{ E.} \\ \hline 86^{\circ} \quad 13' \quad 28.5'' \end{array} \quad \begin{array}{r} 15 \overline{) 86^{\circ} \quad 13' \quad 28.5''} \\ \hline \quad 5 \text{ hr. } 44 \text{ min. } 53.9 \text{ sec.} \end{array} \quad \text{Ans.}$$

We must evidently *add* to find the difference, since Rome is *east* of Greenwich, or the prime meridian, and Albany is *west*. Were both places on the *same* side, both east or both west, we should subtract.

83. The longitude of a place is determined by means of a very accurate watch, called a *chronometer*, and by observation of the sun or stars. The watch is set for Greenwich time, and an observation of the sun is taken for the place whose longitude it is desired to find. By aid of suitable instruments it can be determined when it is exactly noon at any place, and by looking at the watch, the difference of time between noon and the time indicated by the watch will be the difference of time between the place at which the observation is taken and Greenwich. If the watch appears to be *slow*, the longitude is *east*; if *fast*, it is *west*. Knowing the difference of time, the longitude is easily found by the rule given in Art. 34.

84. EXAMPLE.—A watch set to Greenwich time appeared to be 6 hr. 10 min. 41 sec. fast at a certain place. What was the longitude of the place?

SOLUTION.—Applying rule, Art. 34,

$$\begin{array}{r} 6 \text{ hr. } 10 \text{ min. } 41 \text{ sec.} \\ \quad \quad \quad 15 \\ \hline 92^{\circ} \quad 40' \quad 15'' \end{array}$$

Since the watch appeared fast, the longitude was $92^{\circ} 40' 15''$ W.

EXAMPLES FOR PRACTICE.

85. Find the difference of time between:

(a) London and City of Mexico. Ans. (a) 6 hr. 36 min. $4\frac{1}{8}$ sec.

(b) Paris and Philadelphia. Ans. (b) 5 hr. 9 min. $59\frac{1}{2}$ sec.

(c) Richmond, Va., and San Francisco. Ans. (c) 2 hr. 59 min. $54\frac{1}{10}$ sec.

(d) Boston and Ann Arbor. Ans. (d) 50 min. $39\frac{1}{2}$ sec.

(e) London and Calcutta. Ans. (e) 5 hr. 55 min. $43\frac{1}{2}$ sec.

Find the longitude when the watch is apparently

(f) Fast 7 hr. 43 min. 11 sec.	Ans. {	(f) $115^{\circ} 47' 45''$ W.
(g) Slow 1 hr. 0 min. 49 sec.		(g) $15^{\circ} 12' 15''$ E.
(h) Slow 4 hr. 37 min. 6 sec.		(h) $69^{\circ} 16' 30''$ E.
(i) Fast 8 hr. 19 min. 24 sec.		(i) $124^{\circ} 51'$ W.

The student should verify the table of times given in the table,

Art. 35.

ARITHMETIC.

(PART 5.)

THE METRIC SYSTEM.

1. In the metric system, a uniform scale of 10 is used throughout, as in the ordinary scale of numbers and in United States money. The name is derived from the meter (from the Greek word *metron*, a measure), the unit from which all the other units are derived. The use of the metric system was made legal in the United States in 1866, but has not yet been made compulsory; it is used by scientists throughout the world.

2. The **meter** is very nearly one ten-millionth part of the distance from the equator to the pole, and has been officially declared by the United States Government to equal 39.37 inches, which corresponds very nearly to the distance above mentioned.

3. The metric system has three principal units, the only ones we shall consider, which are: the **meter** (pronounced meeter), the unit of length; the **liter** (pronounced leeter), the unit of capacity; and the **gram**, the unit of weight. Each of the units has its multiples and subdivisions.

4. The names of the denominations higher than the leading unit are obtained by prefixing to the name of the unit the Greek names *dek'a*, *hek'to*, *kil'o*, and *myr'ia*. Thus, taking the meter as the unit, we write

For notice of copyright, see page immediately following the title page.

Dek'a me'ter, 10 meters, deka meaning 10;
 Hek'to me'ter, 100 meters, hekto meaning 100;
 Kil'o me'ter, 1,000 meters, kilo meaning 1,000;
 Myr'ia me'ter, 10,000 meters, myria meaning 10,000.

5. The names of the denominations lower than the leading unit are obtained by prefixing to the name of the unit the Latin names *dec'i*, *cent'i*, and *mil'li*. Thus,

Dec'i me'ter, $\frac{1}{10}$ meter, deci meaning $\frac{1}{10}$;
 Cent'i me'ter, $\frac{1}{100}$ meter, centi meaning $\frac{1}{100}$;
 Mil'li me'ter, $\frac{1}{1000}$ meter, milli meaning $\frac{1}{1000}$.

The prefixes and their meanings, as given in this and the preceding article, should be carefully committed to memory.

MEASURES OF EXTENSION.

MEASURES OF LENGTH.

TABLE I.

10 millimeters (<i>mm.</i>)	= 1 centimeter....	<i>cm.</i>	= .3937 in.
10 centimeters	= 1 decimeter.....	<i>dm.</i>	= 3.937 in.
10 decimeters.....	= 1 meter.....	<i>m.</i>	= 3.28 ft.
10 meters.....	= 1 dekameter....	<i>Dm.</i>	= 32.8 ft.
10 dekameters.....	= 1 hektometer...	<i>Hm.</i>	= 328.09 ft.
10 hektometers.....	= 1 kilometer.....	<i>Km.</i>	= .62137 mi.
10 kilometers.....	= 1 myriameter...	<i>Mm.</i>	= 6.2137 mi.

It will be noticed that the abbreviations of the names of the units of the higher denominations begin with a *capital* letter, and those of the lower denominations, with a small letter. A decimeter divided into centimeters and millimeters is shown in the figure below.



6. The decimeter, dekameter, hektometer, and myriameter are rarely used. The meter is used for those measurements that would ordinarily be made in feet and yards; the centimeter and millimeter for those ordinarily made in inches and hundredths of an inch, and the kilometer for long distances, such as we ordinarily express in miles.

7. The *approximate* length of the meter is 40 inches, or, more closely, $39\frac{3}{8}$ inches (39.4 inches is a closer approximation). When great exactness is not required, 40 inches is near enough. Hence, 1 decimeter equals $40 \times \frac{1}{10} = 4$ inches; 1 centimeter = .4 inch, and 1 millimeter = .04 inch. The length of 1 kilometer = $\frac{5}{8}$ mile, approximately.

8. Since meters, centimeters, and millimeters have a decimal scale like dollars, cents, and mills, they may be read in a similar way. Thus, 41.457 meters may be read as 41 and 457-thousandths meters, or as 41 meters 45 centimeters 7 millimeters. It might also be read 41 meters 45 and 7-tenths centimeters, or 41 meters 457 millimeters.

9. To express metric numbers decimally in terms of a given unit:

EXAMPLE.—Express 4 Km. 3 Hm. 1 m., 5 cm. and 9 mm. in meters.

SOLUTION.—We write the meters in units place, at the left of the decimal point; then, writing the other units in order, supplying the missing denominations (if any) with ciphers, we have 4301.059 meters.

Ans.

Had it been required to express the above in kilometers, the result would have been 4.301059 Km.

10. Rule.—*Write the number of given units; then, the numbers of the higher denominations on the left, as integers, and those of the lower denominations on the right, as decimals, supplying any missing denomination with a cipher.* .

11. To reduce a metric number to higher or lower denominations, all that is necessary is to move the decimal point. Thus, 74.1026 Km. = 741.026 Hm. = 7,410.26 Dm. = 74,102.6 m. = 741,026 dm. = 7,410,260 cm. = 74,102,600 mm. Also, to reduce 97,452 cm. to kilometers, write 97,452 cm. Now, beginning with the decimal point (which, of course, follows the 2), count centi, deci, meter, deka, hekto, kilo, placing the decimal point after the last-named unit, and supplying any missing ones with ciphers. The result is 0.97452 Km.

EXAMPLES FOR PRACTICE.

12. Solve the following:

- (a) Reduce 25.7 Km. to meters.
 (b) Reduce 43.4 m. to millimeters.
 (c) Reduce 4,823.6 m. to hektometers.
 (d) Reduce 48,639 cm. to meters.
 (e) Reduce 738.4 Dm. to centimeters.

Read the following:

- (f) 14.5 m.
 (g) 47.3 Dm.
 (h) 568 Hm.
 (i) 434.5 Km.
 (j) 27.4 mm.
 (k) 92.76 cm.

Answers.—(a) 25,700 m.; (b) 43,400 mm.; (c) 48.236 Hm.; (d) 486.39 m.; (e) 738,400 cm.; (f) 14 and 5-tenths meters; (g) 47 and 3-tenths dekameters; (h) 568 hektometers; (i) 434 and 5-tenths kilometers; (j) 27 and 4-tenths millimeters; (k) 92 and 76-hundredths centimeters.

SQUARE MEASURE.

TABLE II.

100 square millimeters (<i>sq. mm.</i> or mm^2 .) =	1 square centimeter .. <i>sq. cm.</i> or cm^2 .
100 square centimeters.... =	1 square decimeter ... <i>sq. dm.</i> or dm^2 .
100 square decimeters..... =	1 square meter <i>sq. m.</i> or m^2 .
	or centare..... <i>ca.</i>
100 square meters {	1 square dekameter <i>sq. Dm.</i> or Dm^2 .
(100 <i>centares</i>) { =	or are..... <i>A.</i>
100 square dekameters {	1 square hektometer <i>sq. Hm.</i> or Hm^2 .
(100 <i>ares</i>) { .. =	or hektare <i>Ha.</i>
100 square hektometers {	1 square kilometer.... <i>sq. Km.</i> or Km^2 .
(100 <i>hektares</i>) { .. =	

COMMON EQUIVALENTS.

1 sq. cm. =	0.1550 sq. in.
1 sq. dm. =	0.1076 sq. ft.
1 sq. m. =	1.1960 sq. yd. = 10.7637 sq. ft.
1 are =	3.954 sq. rd.
1 hektare =	2.471 A.
1 sq. Km. =	0.3861 sq. mi.

13. In square measure, the scale is 100 (10×10); hence, in reducing units of any denomination to a lower or higher denomination, the decimal point must be moved two places for each denomination. Thus, to reduce 42.09872 sq. m. to square centimeters, begin at the decimal point, point off two places to the right and say square decimeters, then two more places and say square centimeters, obtaining 420,987.2 sq. cm. Had square millimeters been desired, it would have been necessary to annex a cipher; thus, 42.09872 sq. m. = 42,098,720 sq. mm. Reduction to higher denominations is performed in the same manner, moving the decimal point to the left. Thus, 42,098,720 mm². = 0.4209872 ares.

14. The square meter is used in measuring floors, ceilings, and other ordinary surfaces; the are and hektare in measuring land, and the square kilometer in measuring states and territories.

EXAMPLES FOR PRACTICE.

15. Solve the following:

- (a) Write 78.29 ares as centares; also as hektares.
- (b) Write 9 m². as square decimeters; also as square centimeters.
- (c) In 3,246 ca. how many ares?
- (d) Express 7,041.6 sq. dm. in ares.

Answers.—(a) 7,829 ca. or .7829 Ha.; (b) 900 dm². or 90,000 cm².; (c) 32.46 A.; (d) .70416 A.

CUBIC MEASURE.

TABLE III.

1,000 cubic millimeters (<i>cu. mm.</i> or <i>mm</i> ³ .) =	1 cubic centimeter.... <i>cu. cm.</i> or <i>cm</i> ³ .
1,000 cubic centimeters..... =	1 cubic decimeter.... <i>cu. dm.</i> or <i>dm</i> ³ .
1,000 cubic decimeters..... =	1 cubic meter..... <i>cu. m.</i> or <i>m</i> ³ .

COMMON EQUIVALENTS.

1 cu. cm. = .06102 cu. in.

1 cu. dm. = 61.023 cu. in.

1 cu. m. = 61,023.4 cu. in. = 35.3145 cu. ft. = 1.308 cu. yd.

In measuring wood, the cubic meter is called a *stere*.

16. Units higher than the cubic meter are not used, except in denoting the volume of planets.

In cubic measure, the scale is 1,000 ($10 \times 10 \times 10$); hence, to reduce units from one denomination to another, apply the method given in Art. **13**, moving the decimal point three places each time, instead of two places, as in square measure.

MEASURES OF CAPACITY.

TABLE IV.

10 mil'li li'ters (<i>ml.</i>)	= 1 cen'ti li'ter	<i>cl.</i>
10 centiliters	= 1 dec'i li'ter	<i>dl.</i>
10 deciliters	= 1 li'ter	<i>l.</i>
10 liters	= 1 dek'a li'ter	<i>Dl.</i>
10 dekaliters	= 1 hek'to li'ter	<i>Hl.</i>
10 hektoliters	= 1 kil'o li'ter	<i>Kl.</i>
10 kiloliters	= 1 myr'ia li'ter	<i>Ml.</i>

COMMON EQUIVALENTS.

1 liter	= 61.023 cu. in.
1 liter	= 1.0567 liquid quarts.
1 liter	= 0.9078 dry quarts.
1 hektoliter	= 3.53144 cu. ft.
1 hektoliter	= 26.417 gallons.
1 hektoliter	= 2.8378 bushels.

17. The **liter** is equal in volume to 1 cubic decimeter, i. e., to a cube whose edges measure 1 decimeter on a side. The liter is the principal unit in measures of capacity, and is used for both *dry* and *liquid* measure; it is very nearly equal to a liquid quart.

18. One milliliter is equal in volume to 1 cubic centimeter, since $1 \text{ cu. cm.} = \frac{1}{1000} \text{ cu. dm.} = \frac{1}{1000} \text{ liter} = 1 \text{ milliliter.}$

The centiliter is a little more than $\frac{1}{12}$ gill; it is used for measuring small quantities of liquids, as medicines. The liter is used for the same purposes as the quart, and the hektoliter for the same purposes as the gallon and the bushel.

The units are reduced from one denomination to another in the same way as measures of length. See Art. **11**.

EXAMPLES FOR PRACTICE.

19. Solve the following:

- (a) Express 8.53 l. as centiliters; as deciliters.
 (b) Express 4.64 Kl. as liters; as hektoliters.
 (c) How many deciliters in 8 liters? In 9.35 liters?
 (d) How many liters in 6.358 cl.?
 (e) In 8,500 liters how many kiloliters?

Answers.—(a) 853 cl. or 85.3 dl.; (b) 4,640 l. or 46.4 Hl.; (c) 80 dl.; 93.5 dl.; (d) .06358 l.; (e) 8.5 Kl.

MEASURES OF WEIGHT.

TABLE V.

10 milligrams (<i>mg.</i>)..	=	1 centigram	<i>cg.</i>
10 centigrams	=	1 decigram	<i>dg.</i>
10 decigrams	=	1 gram	<i>g.</i>
10 grams	=	1 dekagram.....	<i>Dg.</i>
10 dekagrams.....	=	1 hektogram.....	<i>Hg.</i>
10 hektograms.....	=	1 kilogram, or kilo...	<i>Kg.</i> or <i>K.</i>
10 kilograms.....	=	1 myriagram	<i>Mg.</i>
100 myriagrams.....	=	1 tonneau, or ton	<i>T.</i>

COMMON EQUIVALENTS.

1 gram	=	$\left\{ \begin{array}{l} 1 \text{ cu. cm., or} \\ 1 \text{ ml. of water.} \end{array} \right.$
1 kilogram . . .	=	$\left\{ \begin{array}{l} 1 \text{ cu. dm., or} \\ 1 \text{ liter of water.} \end{array} \right.$
1 metric ton. =	$\left\{ \begin{array}{l} 1 \text{ cu. m., or} \\ 1 \text{ kiloliter of water.} \end{array} \right.$	
1 gram	=	15.432 gr. Troy.
1 gram	=	0.03527 oz. avoirdupois.
1 kilogram . .	=	2.2046 lb. avoirdupois.
1 metric ton. =	=	1.1023 tons of 2,000 lb.

20. The gram is the principal unit of weight; it is the weight of 1 cubic centimeter of pure distilled water at its temperature of maximum density, or 39.2° Fahrenheit. The gram is used in weighing gold, silver, letters (for postage), and in mixing medicines.

The kilogram is generally called the *kilo*, and is used for the same purposes as the pound avoirdupois. The tonneau

(usually called the *metric ton*) is nearly equal in weight to the long ton of 2,240 pounds.

21. Referring to Art. 38, § 4, it will be noticed that the 5-cent piece (nickel) weighs 5 grams, that the half-dollar weighs $12\frac{1}{2}$ grams, etc.

22. The units of weight most commonly used are the milligram (in chemical analysis), the gram, the kilo, and the ton. It will be noticed that 1,000 mg. = 1 g., 1,000 g. = 1 K., and 1,000 K. = 1 ton. The milligram is, approximately, equal to $\frac{1}{65}$ of a grain; the gram, to $\frac{1}{28}$ oz. avoirdupois; the kilo, to $2\frac{1}{5}$ pounds; and the metric ton, to $1\frac{1}{10}$ (one-half of $2\frac{1}{5}$) short tons. Unless precise equivalents are desired, the values here given are accurate enough for all practical purposes. It should be firmly kept in mind that the weight of 1 liter of water is 1 kilogram, and that 1 liter of water will fill a space of 1 cubic decimeter.

OPERATIONS WITH METRIC UNITS.

23. The rules for adding, subtracting, multiplying, and dividing metric numbers are the same as for the corresponding operations on decimals. Be sure, however, that all numbers are expressed in the same units.

EXAMPLE.—What is the sum of 45.68 Dm., 63.4 Hm., and 6,845 cm.?

SOLUTION.—Reducing all the numbers to the same unit, say meters, and adding as in decimals, the sum is 6,865.25 m.

$$\begin{array}{r} 45.68 \\ 63.40 \\ \underline{68.45} \\ 6865.25 \text{ m.} \end{array} \quad \text{Ans.}$$

EXAMPLE.—From 5.462 kilos take 7 Hg. 4 g. 9 cg.

SOLUTION.—Expressing both numbers in kilos, and subtracting, the result is 4.75791 Kg.

$$\begin{array}{r} 5.462 \\ \underline{.70409} \\ 4.75791 \text{ Kg.} \end{array} \quad \text{Ans.}$$

EXAMPLES FOR PRACTICE.

24. Solve the following:

(a) What is the difference between 8.5 Kg. and 976 grams ?

Ans. 7.524 Kg.

(b) How much silk is contained in $12\frac{1}{2}$ pieces, if each piece contains 48.75 m. ?

Ans. 609.375 m.

(c) If 735 kilos of flour are equally distributed among 35 persons, how many kilos will each person receive ?

Ans. 21 Kg.

(d) In the last example, how many pounds did each person receive, counting $2\frac{1}{2}$ pounds to a kilo ?

Ans. 46.2 lb.

(e) Add 74 Hl., 147.2 l., 5,006.3 cl., and 6.5421 Kl., expressing the result in liters.

Ans. 14,139.363 l.

(f) What is the weight in pounds of 197,862 cl. of water at 39.2° Fahrenheit ?

Ans. 4,353 lb., nearly.

FORMULAS.

25. A formula is an abridged statement of a general rule, in which symbols are used.The symbols used are the letters of the alphabet, which represent numbers, and the signs $+$, $-$, \times , \div , $\sqrt{}$, etc., which have the same meaning as in arithmetic.

To illustrate, let the following example be taken: If a person exchanges 10 books, worth \$3 per volume, for cloth at \$2 per yard, how many yards will he obtain? A rule for solving this example, and all others like it, may be stated as follows: Multiply the number of books by the price per volume, and divide the product by the price of the cloth. The result will be the number of yards of cloth.

A more concise way of stating the rule is by using letters. Thus,

Let A = number of books;
 B = price per volume;
 C = price of the cloth;
 D = number of yards of cloth.

Then, according to the rule,

$$\frac{\text{number of books} \times \text{price per volume}}{\text{price of cloth}} = \text{number of yards of}$$

cloth, or $\frac{A \times B}{C} = D.$

26. This last expression is a formula; the letters A , B , C , and D stand for the numbers given in the particular example to which it is applied; and the sign of multiplication (\times), and the horizontal dividing line of the fraction, which indicates division, show what operations must be performed upon the numbers to produce the answer D . In the example in question, $A = 10$, the number of books; $B = 3$, the price per volume; $C = 2$, the price of the cloth. Hence, writing for A , B , and C their values, 10, 3, and 2; D , the number of yards $= \frac{10 \times 3}{2} = 15$. Ans.

In modern technical works the rules for solving examples are commonly given by formulas, and it is important to understand how to use them. Having become accustomed to them, they will be found more convenient than rules written out in words.

27. *The multiplication sign, \times , is generally omitted in formulas, multiplication being indicated by simply writing the letters or expressions together.* Thus, the formula $\frac{A \times B}{C} = D$,

given above, would ordinarily be written $\frac{A B}{C} = D$. The expression $4ab$ means the same as $4 \times a \times b$. Evidently, the sign cannot be omitted between *two figures*, as addition, instead of multiplication, would be indicated. Thus, 32 means $30 + 2$, not 3×2 .

28. Formulas are usually written with the letter whose value is to be obtained standing alone at the left of the sign of equality. *To apply a formula, therefore, we have simply to substitute the given values for the letters on the right of the sign of equality and then perform the operations indicated by the signs.*

EXAMPLE.—What is the value of v , in $v = \frac{a + bc}{d}$ when $a = 5$, $b = 10$, $c = 4$, and $d = 20$?

SOLUTION.—Writing for a , b , c , and d their values,

$$v = \frac{5 + 10 \times 4}{20} = \frac{45}{20} = 2\frac{1}{4}. \text{ Ans.}$$

EXAMPLE.—What is the value of D , if $D = \frac{Pc}{6a}$, and $P = 5$, $c = 300$, and $a = 10$?

SOLUTION.—Substituting the values of the letters,

$$D = \frac{5 \times 300}{6 \times 10} = 25. \text{ Ans.}$$

EXAMPLE.—The letters having the same values as before, what does x equal in the formula $x = \frac{c}{2Pa}$?

SOLUTION.—Substituting, $x = \frac{300}{2 \times 5 \times 10} = \frac{300}{100} = 3. \text{ Ans.}$

EXAMPLE.—When $A = 10$, $B = 8$, $C = 5$, and $D = 4$, what is the value of E in the following:

$$(a) E = \frac{BCD}{A\left(2 + \frac{D}{C}\right)} \quad (b) E = \frac{A - \frac{3}{4}D + \frac{4B}{A+C}}{A - \frac{2B}{A+22}}$$

SOLUTION.—(a) Substituting,

$$E = \frac{8 \times 5 \times 4}{10\left(2 + \frac{4}{5}\right)}.$$

To simplify the denominator, notice that $2 + \frac{4}{5}$ is equivalent to the mixed number $2\frac{4}{5}$; hence, $10\left(2 + \frac{4}{5}\right) = 10 \times 2\frac{4}{5} = 10 \times \frac{14}{5} = \frac{140}{5}$.

$$\text{Therefore,} \quad E = \frac{8 \times 5 \times 4}{\frac{140}{5}} = \frac{160 \times 5}{140} = 5\frac{5}{7}. \text{ Ans.}$$

(b) Substituting the values of the letters,

$$E = \frac{10 - \frac{3}{4} \times 4 + \frac{4 \times 8}{10+5}}{10 - \frac{2 \times 8}{10+22}} = \frac{10 - 3 + \frac{32}{15}}{10 - \frac{16}{32}} = \frac{9\frac{2}{15}}{9\frac{1}{2}} = \frac{\frac{137}{15}}{\frac{19}{2}} = \frac{274}{285}. \text{ Ans.}$$

EXAMPLES FOR PRACTICE.

29. Find the numerical values of x in the following formulas, when $a = 9$, $b = 8$, $c = 2$, $d = 10$, and $e = 3$:

$$(a) x = \frac{d+ce}{bd-40}. \quad \text{Ans. } x = \frac{2}{5}.$$

$$(b) x = \frac{\frac{2}{3}(a+e)}{ce}. \quad \text{Ans. } x = 1\frac{1}{3}.$$

$$(c) x = \frac{ad}{2c} + abc. \quad \text{Ans. } x = 166.5.$$

$$(d) x = \frac{ae d}{bc} + 4\frac{1}{8}. \quad \text{Ans. } x = 21.$$

INVOLUTION.

30. If a product consists of equal factors, it is called a **power** of one of those equal factors, and one of the equal factors is called a **root** of the product. The power and the root are named according to the number of equal factors in the product. Thus, 3×3 , or 9, is the *second power*, or **square**, of 3; $3 \times 3 \times 3$, or 27, is the *third power*, or **cube**, of 3; $3 \times 3 \times 3 \times 3$, or 81, is the **fourth power** of 3. Also, 3 is the **second root**, or **square root**, of 9; 3 is the **third root**, or **cube root**, of 27; 3 is the **fourth root** of 81.

31. For the sake of brevity,

3×3 is written 3^2 , and read **three square**,
or *three exponent two*;

$3 \times 3 \times 3$ is written 3^3 , and read **three cube**,
or *three exponent three*;

$3 \times 3 \times 3 \times 3$ is written 3^4 , and read **three fourth**,
or *three exponent four*;

and so on.

A number written above and to the right of another number, to show how often the latter number is used as a factor, is called an **exponent**. Thus, in 3^{12} , the number 12 is the exponent, and shows that 3 is to be used as a factor twelve times; so that 3^{12} is a contraction for

$$3 \times 3 \times 3 \times 3 \times 3 \times 3 \times 3 \times 3 \times 3 \times 3 \times 3 \times 3.$$

In an expression like 3^6 , the exponent 6 shows how often 3 is used as a factor. Hence, if the exponent of a number is unity, the number is used once as a factor; thus, $3^1 = 3$, $4^1 = 4$, $5^1 = 5$.

32. If the side of a square contains 5 inches, the area of the square contains 5×5 , or 5^2 , square inches. If the edge of a cube contains 5 inches, the volume of the cube contains

$5 \times 5 \times 5$, or 5^3 , cubic inches. It is for this reason that 5^2 and 5^3 are called the square and cube of 5, respectively.

33. To find any power of a number:

EXAMPLE 1.—What is the third power, or cube, of 35?

SOLUTION.—

$$35 \times 35 \times 35$$

$$\text{or} \quad \begin{array}{r} 35 \\ 35 \\ \hline \end{array}$$

$$\begin{array}{r} 175 \\ \hline \end{array}$$

$$\begin{array}{r} 105 \\ \hline \end{array}$$

$$\begin{array}{r} 1225 \\ \hline \end{array}$$

$$\begin{array}{r} 35 \\ \hline \end{array}$$

$$\begin{array}{r} 6125 \\ \hline \end{array}$$

$$\begin{array}{r} 3675 \\ \hline \end{array}$$

$$\text{cube} = 42875 \quad \text{Ans.}$$

EXAMPLE 2.—What is the fourth power of 15?

SOLUTION.—

$$15 \times 15 \times 15 \times 15$$

$$\text{or} \quad \begin{array}{r} 15 \\ 15 \\ \hline \end{array}$$

$$\begin{array}{r} 15 \\ \hline \end{array}$$

$$\begin{array}{r} 75 \\ \hline \end{array}$$

$$\begin{array}{r} 15 \\ \hline \end{array}$$

$$\begin{array}{r} 225 \\ \hline \end{array}$$

$$\begin{array}{r} 15 \\ \hline \end{array}$$

$$\begin{array}{r} 1125 \\ \hline \end{array}$$

$$\begin{array}{r} 225 \\ \hline \end{array}$$

$$\begin{array}{r} 3375 \\ \hline \end{array}$$

$$\begin{array}{r} 15 \\ \hline \end{array}$$

$$\begin{array}{r} 16875 \\ \hline \end{array}$$

$$\begin{array}{r} 3375 \\ \hline \end{array}$$

$$\text{fourth power} = 50625 \quad \text{Ans.}$$

EXAMPLE 3.— $1.2^3 =$ what?

SOLUTION.—

$$1.2 \times 1.2 \times 1.2$$

$$\text{or} \quad \begin{array}{r} 1.2 \\ 1.2 \\ \hline \end{array}$$

$$\begin{array}{r} 1.2 \\ \hline \end{array}$$

$$\begin{array}{r} 1.44 \\ \hline \end{array}$$

$$\begin{array}{r} 1.2 \\ \hline \end{array}$$

$$\begin{array}{r} 2.88 \\ \hline \end{array}$$

$$\begin{array}{r} 1.44 \\ \hline \end{array}$$

$$\text{cube} = 1.728 \quad \text{Ans.}$$

EXAMPLE 4.—What is the third power, or cube, of $\frac{3}{8}$?

SOLUTION.— $\left(\frac{3}{8}\right)^3 = \frac{3}{8} \times \frac{3}{8} \times \frac{3}{8} = \frac{3^3}{8^3} = \frac{3 \times 3 \times 3}{8 \times 8 \times 8} = \frac{27}{512}$. Ans.

34. Rule.—I. *To raise a whole number or a decimal to any power, use it as a factor as many times as there are units in the exponent.*

II. *To raise a fraction to any power, raise both the numerator and denominator to the power indicated by the exponent.*

EXAMPLES FOR PRACTICE.

Raise the following to the powers indicated:

(a) 85^3 .	Ans. {	(a) 7,225.
(b) $\left(\frac{1\frac{2}{3}}{8}\right)^3$.		(b) $\frac{1\frac{4}{8}}{512}$.
(c) 6.5^3 .		(c) 42.25.
(d) 14^3 .		(d) 38,416.
(e) $\left(\frac{3}{4}\right)^3$.		(e) $\frac{27}{64}$.
(f) $\left(\frac{5}{6}\right)^3$.		(f) $\frac{125}{216}$.
(g) $\left(\frac{7}{2}\right)^3$.		(g) $\frac{343}{8}$.
(h) 1.4^3 .		(h) 5.37824.

ARITHMETIC.

(PART 6.)

MENSURATION.

1. Mensuration treats of the measurement of lines, angles, surfaces, and solids.

LINES AND ANGLES.

2. A straight line is one that does not change its direction throughout its whole length—it is the shortest distance between two points.



FIG. 1.

To distinguish one straight line from another, two of its points are designated by letters. The line shown in Fig. 1 would be called the line *AB*.

3. A curved line changes its direction at every point. (Fig. 2.)




FIG. 2.

4. Parallel lines are equally distant from each other at all points. (Fig. 3.)



FIG. 3.

5. A line is perpendicular to another when it meets that line so as not to incline towards it on either side. (Fig. 4.)



FIG. 4.

6. A horizontal line is a line parallel to the horizon or water level. (Fig. 5.)

7. A vertical line is a line perpendicular to a horizontal line; consequently, it has the direction of a plumb-line. (Fig. 5.)



FIG. 5.

For notice of copyright, see page immediately following the title page.

8. An **angle** is the amount of divergence between two lines that intersect, or meet; the point of meeting is called the **vertex** of the angle. Thus, in Fig. 6, the two lines form an angle whose vertex is at B . Angles are distinguished by naming the vertex and a point on each line. Thus, in Fig. 6, the angle formed by the lines AB and CB is called the angle ABC , or the angle CBA ; the letter at the vertex is always placed at the middle. When an angle stands alone so that it cannot be mistaken for any other angle, only the vertex letter need be used. Thus, the angle referred to might be designated simply as the angle B .




FIG. 6.

9. A **right angle** is one of the angles formed by the intersection of two lines which are perpendicular to each other. In Fig. 7, the line AB is perpendicular to the line CD ; therefore, the angles ABC and ABD are right angles.



FIG. 7.

10. An **acute angle** is less than a right angle. The angle ABC , Fig. 8, is an acute angle.



FIG. 8.



FIG. 9.

11. An **obtuse angle** is greater than a right angle. The angle ABD , Fig. 9, is an obtuse angle.

QUADRILATERALS.

12. A **plane figure** is any part of a plane, or flat, surface, bounded by straight or curved lines.

13. A **quadrilateral** is a plane figure bounded by four straight lines.

14. A **parallelogram** is a quadrilateral whose opposite sides are parallel.

There are four kinds of parallelograms: the **rectangle**, the **square**, the **rhomboid**, and the **rhombus**.




FIG. 10.

15. A **rectangle** is a parallelogram whose angles are all right angles. (Fig. 10.)



FIG. 11.

16. A **square** is a rectangle whose sides are all of the same length. (Fig. 11.)




FIG. 12.

17. A **rhomboid** is a parallelogram whose opposite sides are equal, and whose angles are not right angles. (Fig. 12.)



FIG. 13.

18. A **rhombus** is a rhomboid having equal sides. (Fig. 13.)




FIG. 14.

19. A **trapezoid** is a quadrilateral having only two of its sides parallel. (Fig. 14.)

20. The **altitude** of a parallelogram or trapezoid is the perpendicular distance between the parallel sides. The length of the dotted lines in Figs. 12, 13, and 14 is the altitude.

21. The **base** of a quadrilateral is the side on which it is supposed to stand. Any side may be taken as the base.

22. The **area** of a plane figure is the number of square units contained in its surface. The square unit may be a square inch, square foot, square yard, square meter, etc., as is most convenient.

23. The area of a parallelogram is equal to the product of the base and the altitude. This can be shown readily in

the case of the rectangle. Suppose, for example, the leaf of a book is 6 inches wide and 9 inches long (Fig. 15). It is a




FIG. 15.

rectangle with a base of 9 inches and an altitude of 6 inches. Suppose the base to be divided into 9 equal parts, each 1 inch in length, and assume lines to be drawn through each point of division, parallel to the short sides of the rectangle. In a similar

manner, suppose the altitude, or short side, to be divided into 6 equal parts, each 1 inch long, and through these points of division let lines be drawn parallel to the base. The rectangle is divided by these two sets of lines into little squares, as shown in Fig. 15. The area of one of the small squares is 1 square inch, since each of its sides is 1 inch in length. There are 9 of the squares in each horizontal row, and there are 6 rows. Hence, the total number of the little squares is $6 \times 9 = 54$, and the area of the surface is 54 square inches.

24. Rule.—*To find the area of a rectangle, multiply the base by the altitude.*

25. In ordinary language, the base and altitude of a rectangular surface are spoken of as length and breadth; the area of the surface is obtained by multiplying together the length and breadth. In applying the above rule, care must be taken that the base and altitude, or length and breadth, are reduced to the same kind of units. For example, if the base is given in feet and the altitude in inches, they cannot be multiplied together unless both are feet or both inches. This principle is of great importance, and holds good throughout the subject of Mensuration.

It must not be understood from the foregoing that *feet can be multiplied by feet or inches by inches*. In multiplication the multiplier is *always abstract*. In Fig. 15 there are 9 square inches in 1 row, and 6 times as many in 6 rows.

The operation in reality is $9 \text{ sq. in.} \times 6 = 54 \text{ sq. in.}$, or $6 \text{ sq. in.} \times 9 = 54 \text{ sq. in.}$

26. EXAMPLE.—What is the area of a floor 16 feet long and $13\frac{1}{2}$ feet wide?

SOLUTION.—The base is 16 feet and the altitude is $13\frac{1}{2}$ feet.

Area = base \times altitude = $16 \times 13\frac{1}{2} = 216 \text{ sq. ft.}$ Ans.

27. The area of any parallelogram is equivalent to the area of a rectangle of the same base and altitude. In Fig. 16, the plane figure $ABDC$ is a rhomboid. Suppose the corner ACE is cut off, as shown, and placed at the other end in the position BDF . If the cutting line AE is perpendicular to the base CD , the new figure $ABFE$ is a rectangle. It is plain that the base and altitude of the rectangle are the same as the base and altitude of the rhomboid, and that the areas of the two figures are the same.




FIG. 16.

28. To find the area of any parallelogram, multiply the base by the altitude.

EXAMPLE.—A piece of cloth 1 yard wide is “cut on the bias,” that is, it has the shape shown in Fig. 16. If the length of the strip is 8 feet, what is its area?

SOLUTION.—The altitude is 1 yd. = 3 ft., and the base is 8 ft. Hence,

Area = base \times altitude = $8 \times 3 = 24 \text{ sq. ft.}$ Ans.

29. Rule.—To find the area of a trapezoid, multiply one-half the sum of the parallel sides by the altitude.

30. The reason for this rule will appear from an examination of Fig. 17. If E and F be




FIG. 17.

the middle points of the sides that are not parallel, and if $AE3$ and $BF2$ be cut off below by $4-3$ and $1-2$, perpendicular to AB , and placed above, as shown, we have a rectangle whose area is equal to $EF \times HI$. But EF is as much less than AB as it is greater than DC . In other words,

EF = half the sum of the parallel sides of the trapezoid.

$$\text{Hence, area of trapezoid} = \frac{DC + AB}{2} \times HI.$$

EXAMPLE.—A piece of land has the form of a trapezoid. The parallel sides are, respectively, 40 rd. and 56 rd. long, and the perpendicular distance between them is 35 rods. How many acres are contained in the piece?

$$\text{SOLUTION.}—\text{One-half the sum of the parallel sides} = \frac{40 + 56}{2} = 48 \text{ rd.}$$

$$\text{Area} = 48 \times 35 = 1,680 \text{ sq. rd.} = \frac{1,680}{160} = 10.5 \text{ acres. Ans.}$$

31. The perimeter of a quadrilateral is the sum of the lengths of its four sides.

EXAMPLE.—A room is 23 ft. long and 18 ft. wide. What is its perimeter?

$$\text{SOLUTION.}—\text{Perimeter} = 23 + 23 + 18 + 18 = 23 \times 2 + 18 \times 2 = 82 \text{ ft.}$$

Ans.

PLASTERING, PAINTING, AND KALSOMINING.

32. Plastering, painting, and kalsomining are usually estimated by the square yard. Allowances for doors, windows, etc. are not regulated by any established usage. Sometimes no deduction is made for them, sometimes one-half their extent is deducted; but this is a matter usually specified in the contract.

33. EXAMPLE.—At 22 cents per square yard, what will it cost to plaster a room 65 ft. long, 22 ft. wide, and 15 ft. high; deducting in full for 8 doors 4 ft. 6 in. wide and 11 ft. 6 in. high; 10 windows 3 ft. 6 in. wide and 8 ft. high; and a baseboard 6½ in. high extending around the room?

$$\text{SOLUTION.}—\text{Perimeter of the room} = 65 \times 2 + 22 \times 2 = 174 \text{ ft.}$$

$$\text{Area of walls} \dots\dots\dots = 174 \times 15 = 2,610 \text{ sq. ft.}$$

$$\text{Area of ceiling} \dots\dots\dots = 65 \times 22 = 1,430 \text{ sq. ft.}$$

$$\text{Total} \dots\dots\dots = 4,040 \text{ sq. ft.}$$

$$\text{Area of doors} \dots\dots\dots = 4\frac{1}{2} \times 11\frac{1}{2} \times 8 = 414 \text{ sq. ft.}$$

$$\text{Area of windows} \dots\dots\dots = 3\frac{1}{2} \times 8 \times 10 = 280 \text{ sq. ft.}$$

$$\text{Area of baseboard} = (\text{perimeter less the width}$$

$$\text{of 8 doors}) \times \frac{6\frac{1}{2}}{12} = (174 - 4\frac{1}{2} \times 8) \times \frac{6\frac{1}{2}}{12} = 74\frac{1}{4} \text{ sq. ft.}$$

$$\text{Total, after reduction} \dots\dots\dots = 3,271\frac{1}{4} \text{ sq. ft.}$$

$$\text{Area in square yards} \dots\dots\dots = 3,271\frac{1}{4} \div 9 = 363\frac{1}{8} \text{ sq. yd.}$$

$$\text{Cost} \dots\dots\dots = \$.22 \times 363\frac{1}{8} = \$79.96. \text{ Ans.}$$

34. Rule.—*Multiply the perimeter of the room by the height of the ceiling for the area of the walls. To this add the area of the ceiling, and from the sum make such deductions as are specified. Reduce the results to square yards, and multiply the price per square yard by the number denoting the area in square yards.*

EXAMPLES FOR PRACTICE.

35. Solve the following examples:

1. What will it cost to plaster a room 24 ft. by 30 ft., the ceiling being 9 ft. 6 in. high, at 25 cents a square yard, if no deductions are made for openings? Ans. \$48.50.

2. At 12 cents per square yard, what will it cost to paint the walls and ceiling of a hall 60 ft. long, 45 ft. wide, and 15 ft. high, deducting one-half for 4 doors, 11 ft. high and 8 ft. wide, and 8 windows, 9 ft. high and 4 ft. wide? Ans. \$73.73.

3. What must be paid, at 5 cents per square yard, for kalsomining 3 rooms, each having a ceiling 8 ft. 9 in. high, and the following dimensions, respectively: 18 ft. by 20 ft., 21 ft. by 27 ft., and 24 ft. by 30 ft., there being no deductions? Ans. \$22.76.

PAPERING.

36. Wall paper as made in the United States is 18 inches ($\frac{1}{2}$ yard) wide, and is sold in *single rolls* and *double rolls*; a single roll is 8 yards long, and a double roll is 16 yards long. When cutting the paper, paper hangers divide the rolls into strips of sufficient length to reach from the baseboard to a short distance (say 6 inches) above the lower edge of the border. There is always considerable waste in cutting, owing to the matching of the figures forming the design, and the fact that there is a part of a strip left over after cutting up the roll. The parts of strips thus left over are used for the surface above doors, and above and below windows, and other irregular places. Although double rolls are usually counted as two single rolls, there is a choice between them in certain cases. Thus, suppose the strips were required to be 9 feet (3 yards) long; only 2 strips could be cut from a single roll, or 4 strips from 2 single rolls, while 5 strips could be cut from a double roll. The length of a roll of border is the same as the length of a roll of paper.

37. On account of the waste in cutting, the varying sizes and shapes of rooms, the number of windows, doors, etc., it is difficult to estimate exactly the number of rolls required. We give herewith two rules, both of which are used in practice:

Rule I.—*From the perimeter of the room subtract the widths of openings (windows and doors), and reduce the result to half-yards; the number of half-yards so obtained will be the total number of strips required. Find the number of strips that can be cut from a roll and divide the first result by the second; the quotient will be the number of rolls required.*

Rule II.—*Divide the number of half-yards in the perimeter of the room by the number of strips that can be cut from a roll; the quotient will be the number of rolls required.*

38. If computed by the first rule, the number of rolls obtained may be too small, and if computed by the second rule, too large. But, since paper dealers will usually take back all rolls that are intact, the second rule will generally give the best results, as it will prevent the loss of time required to send to the dealer for extra rolls, in case they are required.

EXAMPLE.—Find how much paper will be needed to cover the walls and ceiling of a room 15 ft. by 20 ft., the border for both walls and ceiling to be 18 inches wide. The baseboard is 8 inches high, and the height of walls from floor to ceiling is 9 feet.

SOLUTION.—Since the widths of the openings are not specified, it will be necessary to use rule II.

Perimeter of room = $2 \times 15 + 2 \times 20 = 70$ ft. = $23\frac{1}{3}$ yd. = $46\frac{2}{3}$ half-yards, or 47 strips. Assuming that the strips extend the height of the baseboard above the bottom edge of the border, the length of a strip is (since 18 in. = $1\frac{1}{2}$ ft.) $9 - 1\frac{1}{2} = 7\frac{1}{2}$ ft. = $2\frac{1}{2}$ yd. Hence, the number of strips in a single roll is $8 \div 2\frac{1}{2} = 3$ strips, and the number of rolls required is $47 \div 3 = 15\frac{2}{3}$, or 16 rolls.

In papering the ceiling, the direction in which the strips are to run must be considered. If the strips run lengthwise of the room, the distance between the edges of the border is $20 - 2 \times 1\frac{1}{2} = 17$ ft., and the length of the strips must be at least 18 ft., or 6 yd. long; hence, but one strip can be cut from a single roll, and but two from a double roll. The width of the room in half-yards is $(15 \div 3) \times 2 = 10$; hence, allowing for the border, 9 strips, or 9 single rolls will be required.

If the strips run crosswise of the room, the length of a strip between the edges of the border will be $15 - 2 \times 1\frac{1}{2} = 12$ ft., and the length of

a strip must be at least 13 ft., or $4\frac{1}{3}$ yd.; hence, 1 strip may be obtained from a single roll, or $16 \div 4\frac{1}{3} = 3$ strips from a double roll. The length of the room in half-yards is $(20 \div 3) \times 2 = 13\frac{1}{3}$; hence, allowing the paper to extend 6 in. beyond the inner edge of the border at both ends of the room, 12 strips will be required. The number of double rolls required will be $12 \div 3 = 4$ double rolls. Consequently, there is less waste, in this case, when the paper runs crosswise than when it runs lengthwise.

Since the perimeter of the room is 70 ft., or $23\frac{1}{3}$ yd., $23\frac{1}{3} \div 8 = 3$ single rolls of border for the walls, and the same amount for the ceiling will be required. Therefore, 16 single rolls of paper are required for the walls, 4 double rolls for the ceiling, 3 single rolls of border for the walls, and 3 single rolls for the ceiling. Ans.

CARPETING.

39. Carpet is made of various widths. Ingrain carpet is usually 36 inches, or 1 yard wide; Brussels carpet is 27 inches, or $\frac{3}{4}$ yard wide. Carpet borders are $22\frac{1}{2}$ inches, or $\frac{5}{8}$ yard wide. A linear yard of ingrain carpet contains a square yard, and a linear yard of Brussels carpet contains $\frac{3}{4}$ of a square yard. If no allowance is made for cutting and matching the strips of carpet, the number of linear yards of carpet required for a room is found by dividing the area of the room in square yards by the area of a linear yard of the carpet.

EXAMPLE.—How many yards of Brussels carpet are required to cover a floor 36 ft. long and 21 ft. wide, making no allowance for cutting and matching?

SOLUTION.—Area of floor = $36 \times 21 = 756$ sq. ft. = $\frac{756}{9} = 84$ sq. yd.

A linear yard of Brussels carpet has an area of $\frac{3}{4}$ sq. yd. Hence, the number of linear yards required is $84 \div \frac{3}{4} = 112$ yd. Ans.

40. In practice, there is usually considerable loss due to cutting and matching. To find the number of yards required for a room, when allowance is made for loss, the width of the room is divided by the width of a single strip. The quotient is the number of strips required, supposing them to run lengthwise of the room. The number of strips multiplied by the length in yards of a single strip, making allowance for the loss required for matching, is the number of linear yards required.

EXAMPLE.—How many yards of Brussels carpet are required to cover a room 23 ft. long and 15 ft. wide, making an allowance of 1 ft. on each strip for matching? The carpet is supposed to run lengthwise.

SOLUTION.—Width of room = 15 ft. = 180 in. Width of carpet = 27 in. Number of strips = $180 \div 27 = 6\frac{2}{3}$. Hence, 7 strips must be used, the excess, 9 in., being cut off or turned under. Allowing 1 foot for matching, length of strip = $23 + 1 = 24$ ft. = 8 yd. Number of linear yards required = $7 \times 8 = 56$ yd. Ans.

41. The number of linear yards of carpet border required for a room is equal to the perimeter of the room in yards.

EXAMPLE.—How many yards of border are required in carpeting a room 42 ft. long and $26\frac{1}{2}$ ft. wide?

SOLUTION.—Perimeter of room = $42 \times 2 + 26\frac{1}{2} \times 2 = 137$ ft. = $\frac{137}{3}$ = $45\frac{2}{3}$ yd. Ans.

BOARD MEASURE.

42. In measuring lumber, the unit is the **board foot**, which is a board 1 foot long, 1 foot wide, and 1 inch (or less) thick. One board foot is equal to $\frac{1}{12}$ of a cubic foot. Hence, to find the number of board feet in any piece of lumber:

Rule.—*Multiply the length in feet by the breadth in feet, and this product by the thickness in inches, if it be more than one inch; or, otherwise, multiply the length in feet by the breadth in inches, and this product by the thickness in inches, and then divide by 12.*

EXAMPLE.—How many board feet are contained in a joist 18 feet long, 14 inches wide, and 12 inches thick?

SOLUTION.— $\frac{18 \times 14 \times 12}{12} = 252$ board feet. Ans.

43. Lumber is sold by the thousand (M) feet, the term foot being always used instead of the longer term, board foot. Hence, to find the cost, divide the number of feet by 1,000, and multiply by the cost per M.

EXAMPLE.—What will be the cost of 19 boards, 14 feet long, 15 inches wide, and $1\frac{1}{2}$ inches thick, at \$23.50 per M?

SOLUTION.—Number of thousand feet = $\frac{19 \times 14 \times 15 \times 1\frac{1}{2}}{12 \times 1,000} = .498\frac{3}{4}$.
Hence, $.498\frac{3}{4} \times 23.50 = \11.72 . Ans.

44. When expressing the size of anything that is rectangular, it is customary to write the dimensions and connect them by the sign of multiplication. Thus, to express the size of a room that is 12 feet long and 10 feet wide, it would be written $12' \times 10'$, and read *12 feet by 10 feet*. In such cases the abbreviations (') and (") are generally used instead of feet and inches. If three dimensions are to be expressed, all three are connected by the cross (read *by*), the length being written first, then the breadth, and, lastly, the thickness or height. Thus, a room 18 feet long, 14 feet wide, and 10 feet high would be expressed as a room $18' \times 14' \times 10'$. Hence, the joist in the example, Art. 42, would be expressed as $18' \times 14" \times 12"$.

45. Shingles are sold in bundles of 250 ($\frac{1}{4}$ M). The lengths of all shingles in bundle are the same (usually 12", 14", or 16"), but the width varies. The *average* width, however, is generally 4", the width of all bundles being alike. When laying shingles, 4" are usually exposed to the weather, the remaining portions being concealed by the other shingles. Hence, to find the number of shingles required to cover a roof:

46. Rule.—*Compute the total area of the roof in square inches, and divide this area by the product of the average width of the shingle and the length that is exposed to the weather.*

EXAMPLE.—What would it cost to shingle a roof, each side measuring $40' \times 16'$, if the shingles cost \$4.50 per M?

SOLUTION.—Since the size of the exposed portion is not stated, it will be assumed as $4" \times 4"$. Then, for one side, $\frac{40 \times 16 \times 144}{4 \times 4} = 5,760$ shingles will be required, and for both sides, $5,760 \times 2 = 11,520$ shingles. Therefore, the cost will be $11.52 \times 4.50 = \$51.84$. Ans.

We multiply by 144 in order to reduce the square feet (40×16) to square inches. Allowance should also be made for waste.

47. If the exposed portion is $4" \times 4"$, it will take 9 shingles for each square foot; hence, in such cases it is only necessary to find the total area in square feet and multiply by

9 to find the number of shingles. Thus, in the last example, the total area in square feet is $40 \times 16 \times 2 = 1,280$ sq. ft., and $1,280 \times 9 = 11,520$ shingles, the same result as before.

EXAMPLES FOR PRACTICE.

48. Solve the following:

1. How many shingles are required for a roof which measures $45' \times 17'$ on one side and $45' \times 24'$ on the other side, the exposed portion of the shingles being $4'' \times 5''$? Ans. 13,284 shingles.

2. (a) How many thousand feet of lumber are contained in a pile having 42 layers of boards 16 feet long, the width of the layers being 11 feet, and the thickness of the boards, 1 inch? (b) What would be its cost at \$18.75 per M. Ans. $\begin{cases} (a) & 7.392 \text{ M.} \\ (b) & \$138.60. \end{cases}$

3. What is the area in square feet of a parallelogram whose base is $58\frac{1}{4}''$ and altitude is $23\frac{5}{8}''$? Ans. $9.5566+$ sq. ft.

4. How many square yards of oilcloth will cover a floor $15' \times 13\frac{1}{2}'$? Ans. $22\frac{1}{2}$ sq. yd.

5. If Brussels carpet costs 95 cents per yard, what will be the cost of carpeting a room $13\frac{1}{2}' \times 18'$, allowing 1 ft. on each strip for waste in matching? Ans. \$36.10.

6. How many sheets of tin $20'' \times 14''$ are required to cover a roof $56' \times 30'$? Ans. 864 sheets.

7. At 18 cents per square yard, what will be the cost of plastering the ceiling and walls of a room 23 ft. long, 16 ft. wide, and 12 ft. high, making allowance for 3 doors, 3 ft. 6 in. wide by 7 ft. 6 in. high, 5 windows, 3 ft. 6 in. wide by 5 ft. 4 in. high, and a baseboard 8 in. high? Ans. \$21.74.

8. At \$2.50 per square yard, what is the cost of paving a street $\frac{1}{2}$ mile long and 60 feet wide? Ans. \$44,000.

9. How many double rolls of paper and border are required to cover the walls of the room of example 7, assuming that the border, which is 18 in. wide, extends the height of the baseboard over the paper? Use rule I, Art. 37. Ans. $\begin{cases} 9 \text{ rolls for walls.} \\ 2 \text{ rolls for border.} \end{cases}$

10. How many board feet in a stick of timber $27' \times 9'' \times 8''$? Ans. 162 ft.

11. How many single rolls of paper would be required to paper the ceiling of the room of example 7, assuming that there is no border, and that the paper overlaps on the walls at least 2 in.? Ans. 11 rolls.

THE TRIANGLE.

49. A triangle is a plane figure having three sides.



FIG. 18.

50. An isosceles triangle is one having two of its sides equal, as in Fig. 18.



FIG. 19.

51. An equilateral triangle is one having all of its sides equal. (Fig. 19.)



FIG. 20.

52. A scalene triangle is one having no two of its sides equal. (Fig. 20.)



FIG. 21.

53. A right-angled triangle is any triangle having one right angle. The side opposite the right angle is called the **hypotenuse**. (Fig. 21.) A right-angled triangle may be isosceles or scalene.

54. The **altitude** of any triangle is a line drawn from the vertex of the angle opposite the base perpendicular to the base, or to the base extended. In Figs. 22 and 23 the vertical dotted line AB is the altitude of the triangle.




FIG. 22.




FIG. 23.

The **perimeter** of a triangle is the sum of the lengths of the three sides.

55. If in any parallelogram a straight line, called the **diagonal**, is drawn, connecting two opposite corners, the parallelogram is divided into two equal triangles, as DAB and DCB , Fig. 24. The area of each triangle, therefore, is equal to one-half the area of the parallelogram, or to one-half the product of the base and the altitude. Any side of a triangle may be taken as the base.




FIG. 24.

56. Rule.—To find the area of a triangle, multiply the base by the altitude and divide the product by 2.

EXAMPLE.—The base of a triangle is 36 inches long and its altitude is $20\frac{1}{2}$ inches. What is the area of the triangle?

$$\text{SOLUTION.}—\text{Area} = \frac{\text{base} \times \text{altitude}}{2} = \frac{36 \times 20\frac{1}{2}}{2} = 369 \text{ sq. in. Ans.}$$

THE CIRCLE.

57. A **circle** is a figure bounded by a curved line, called the **circumference**, every point of which is equally distant from a point within, called the **center**. (Fig. 25.) The circumference of a circle is also called its **periphery**.




FIG. 25.

NOTE.—When a surface is bounded by straight lines, the length of the bounding line is called the *perimeter*; when the bounding line is a curve, the length of the curve is called the *periphery*. Thus, we speak of the perimeter of a polygon, and the periphery of a circle.

58. The **diameter** of a circle is a straight line passing through the center and terminated at both ends by the circumference. (See AB , Fig. 26.)




FIG. 26.

59. The **radius** of a circle is a straight line drawn from the center to the circumference. It is equal in length to one-half the diameter. The plural of radius is **radii**, and we say that all radii of a circle are equal. (OA , Fig. 27, is a radius.)




FIG. 27.

60. If a circle is divided by a diameter, each half is called a **semicircle**, and each half-circumference is called a **semi-circumference**.

61. It has been found that the length of the circumference of any circle divided by the length of the diameter gives a constant number. This number is very nearly 3.1416; it is generally denoted by the Greek letter π (pronounced *pī*).

62. Rule.—*To find the circumference of a circle, multiply the diameter by 3.1416.*

Let C = circumference of circle;
 D = diameter of circle;
 R = radius of circle;
 π = 3.1416.

The above rule may be expressed by the formula,

$$C = \pi D = 3.1416 D.$$

EXAMPLE.—If a car wheel is 36 inches in diameter, what is its circumference?

SOLUTION.— $C = 3.1416 D = 3.1416 \times 36 = 113.0976$ in. Ans.

63. Rule.—*To find the diameter of a circle, divide the circumference by 3.1416.*

Formula: $D = \frac{C}{\pi} = \frac{C}{3.1416}.$

EXAMPLE.—The circumference of a tree is 10 feet 4 inches; what is the diameter?

SOLUTION.— 10 ft. 4 in = 124 in. Using the formula,

$$D = \frac{124}{3.1416} = 39.47 \text{ in. Ans.}$$

64. Rule.—*To find the area of a circle, multiply the square of the radius by 3.1416, or multiply the square of the diameter by .7854.*

Formulas: $A = \pi R^2 = 3.1416 R^2,$
 $A = \frac{1}{4} \pi D^2 = .7854 D^2,$

in which A denotes the area of the circle.

EXAMPLE.—If the diameter of a circular piston is 14 inches, what is its area?

SOLUTION.—The radius is one-half the diameter (Art. 59), or 7 in.

Hence, $A = 3.1416 \times 7^2 = 3.1416 \times 49 = 153.9384$ sq. in.

or, $A = .7854 \times 14^2 = .7854 \times 196 = 153.9384$ sq. in. Ans.

EXAMPLES FOR PRACTICE.

65. Solve the following examples:

1. Find (a) the circumference and (b) the area of a circle 34 feet in diameter.

$$\text{Ans. } \begin{cases} (a) & 106.814 \text{ ft.} \\ (b) & 907.92 \text{ sq. ft.} \end{cases}$$

2. What is the area of a circle 4 feet $6\frac{1}{2}$ inches in diameter?

$$\text{Ans. } 2,332.834 \text{ sq. in.}$$

3. (a) What must be the diameter, in rods, of a circular race-track 1 mile in length? (b) What is the area of the field enclosed?

$$\text{Ans. } \begin{cases} (a) & 101.859 \text{ rd.} \\ (b) & 50.93 \text{ A.} \end{cases}$$

4. Find (a) the circumference and (b) the area of a locomotive driving wheel, the diameter of which is 5 feet $6\frac{1}{2}$ inches.

$$\text{Ans. } \begin{cases} (a) & 208.916 \text{ in.} \\ (b) & 3,473.235 \text{ sq. in.} \end{cases}$$

THE PRISM AND CYLINDER.

66. A solid, or body, has three dimensions: length, breadth, and thickness. The sides that enclose it are called its faces, and the intersections of the sides are called the edges.

67. A prism is a solid whose ends are equal and parallel plane figures, and whose sides are parallelograms. Prisms take their names from the form of their bases. Thus, a triangular prism is one having a triangle for its base.



FIG. 28.

68. A parallelepipedon is a prism whose bases (ends) are parallelograms. (Fig. 28.)




FIG. 29.

69. A cube is a prism whose faces are equal squares. (Fig. 29.) All the faces of a cube are equal. A cube is also a parallelepipedon.

70. A **cylinder** is a body of uniform diameter throughout its entire length, whose ends are equal parallel circles. (Fig. 30.)




FIG. 30.

71. The **altitude** of a prism, or of a cylinder, is the perpendicular distance between its bases.

72. A **right prism** is one whose sides are perpendicular to the bases.

73. A **right cylinder** is one in which the line joining the centers of the two circular bases is perpendicular to those bases.

74. In the case of plane figures, we have had to do with perimeters and areas. In the case of solids, we have to do with the areas of their outside surfaces, and with their contents or volumes.

75. The **entire surface** of any solid is the area of the whole outside of the solid.

76. The **convex surface** of a solid is the same as the entire surface, except that in the case of prisms and cylinders the areas of the ends are not included.

77. Rule.—*To find the convex surface of a prism or cylinder, multiply the perimeter of the base by the altitude.*

EXAMPLE.—A block of marble is 24 inches long and its ends are 9 inches square; what is the area of its convex surface?

SOLUTION.— $9 \times 4 = 36$ in. = the perimeter of the base; $36 \times 24 = 864$ sq. in., the convex area. Ans.

78. To find the entire area of the outside surface, add the areas of the two ends to the convex area. Thus, in the last example, the area of the two ends $= 9 \times 9 \times 2 = 162$ square inches; $864 + 162 = 1,026$ square inches.

EXAMPLE.—(a) What is the convex surface of a cylindrical tank with flat ends 23 feet long and 4 feet 6 inches in diameter? (b) What is the entire surface?

SOLUTION.—Perimeter of end = $4\frac{1}{2} \times 3.1416 = 14.137$ ft.

(a) Convex surface = $14.137 \times 23 = 325.151$ sq. ft. Ans.

Area of one end = $.7854 \times (4\frac{1}{2})^2 = 15.904$ sq. ft.

(b) Entire surface = $325.151 + 2 \times 15.904 = 356.959$ sq. ft. Ans.

79. The volume of a solid is the quantity of space it occupies. As shown in *Arith-*




FIG. 31

metic, Part 4, the measuring unit is a cube whose edges are equal in length to a linear unit; it may be a cubic inch, cubic foot, cubic yard, or cubic meter. Fig. 31 represents a rectangular prism 4 feet long, 3 feet wide, and 2 feet thick. Dividing the prism by lines, as shown, it is seen that there are four equal slices, each of which is made up of $2 \times 3 = 6$ cubes. In all, there are $4 \times 2 \times 3 = 24$ cubes, each con-

taining 1 cubic foot; that is, the volume of the prism is 24 cubic feet. It is seen that the number of cubes in each horizontal layer is just equal to the number of square feet in the base; and the number of layers is equal to the number of feet in the altitude. The same reasoning holds true for a prism with triangular base, or for a cylinder.

80. Rule.—To find the volume of a prism or cylinder, multiply the area of the base by the altitude.

In applying this rule, all dimensions must have the same unit.

EXAMPLE 1.—A packing box is $4\frac{1}{2}$ feet long, 4 feet wide, and $3\frac{1}{4}$ feet deep; what is its volume?

SOLUTION.—Area of base = $4\frac{1}{2} \times 4 = 18$ sq. ft. Altitude = $3\frac{1}{4}$ ft. Volume, or cubical contents = $18 \times 3\frac{1}{4} = 58\frac{1}{2}$ cu. ft. Ans.

EXAMPLE 2.—(a) How many cubic feet of water will a circular cistern contain that is 8 feet in diameter and 10 feet deep? (b) How many gallons will the cistern hold?

SOLUTION.—(a) The problem is to find the volume of a cylinder whose altitude is 10 ft., and whose bases are 8 ft. in diameter.

$$\text{Area of base} = .7854 \times 8^2 = 50.265 \text{ sq. ft.}$$

$$\text{Volume} = 50.265 \times 10 = 502.65 \text{ cu. ft. Ans.}$$

(b) According to *Arithmetic*, Part 4, 1 gal. contains 231 cu. in.

Hence, the cistern can hold $\frac{502.65 \times 1,728}{231} = 3,760$ gal., very nearly. Ans.

81. The dimensions of a rectangular solid are spoken of as length, breadth, and thickness. According to Art. 79, the volume of the solid is the product of these three dimensions.

EXAMPLE.—A brick is 8 inches long, 4 inches wide, and 2 inches thick; what is its volume?

SOLUTION.—Volume = length \times breadth \times thickness = $8 \times 4 \times 2 = 64$ cu. in. Ans.

MASONRY.

82. In estimating the cubical contents of stone walls, the perch of $24\frac{3}{4}$ cubic feet is used. As stated in *Arithmetic*, Part 4, the perch is often assumed to be 25 cubic feet.

83. Rule.—To find the number of perches of masonry in a wall, divide the volume of the wall in cubic feet by $24\frac{3}{4}$.

EXAMPLE.—How many perches in a wall 8 rods long, $4\frac{1}{2}$ feet high, and 2 feet thick?

SOLUTION.—Length of wall = $8 \times 16\frac{1}{2} = 132$ ft. Cubical contents of wall = $132 \times 4\frac{1}{2} \times 2 = 1,188$ cu. ft. Number of perches = $1,188 \div 24\frac{3}{4} = 48$. Ans.

84. In estimating the contents of stone foundations for buildings, the length of the wall is measured on the outside,




FIG. 32.

thus counting each corner twice. This is illustrated in Fig. 32. If a wall 2 feet thick measures 12 feet by 20 feet on the outside, and we assume that the corners are parts of the longer sides, we have two walls each 20 feet long, and two walls each 8 feet long.

The actual length is, therefore, $2 \times 20 + 2 \times 8 = 56$ feet.

The length estimated on the outside is $2 \times 20 + 2 \times 12 = 64$ feet. To find the actual length of such a wall, subtract four times the thickness of the wall from the length measured on the outside. Thus, in the above case, actual length = $64 - 4 \times 2 = 56$ feet.

Usually, masons make no allowance for windows or doors in estimating their work. In estimating the quantity of stone required for the wall such allowance should be made.

EXAMPLE.—(a) How many perches of stone are required to build the walls of a church 60 feet long by 32 feet wide, the walls being 24 feet high and $2\frac{1}{4}$ feet thick? There are 8 windows, each 5 feet wide and 11 feet high, and 2 doors, each 6 feet wide and 9 feet high.
(b) What is the cost of laying the walls at \$3.50 per perch?

SOLUTION.—

$$\text{Length of wall (outside)} = 2 \times 60 + 2 \times 32 = 184.$$

$$\text{Actual length} = 184 - 4 \times 2\frac{1}{4} = 175 \text{ ft.}$$

$$\text{Actual cubical contents} = 175 \times 24 \times 2\frac{1}{4} = 9,450 \text{ cu. ft.}$$

$$\text{Allowance for windows} = 5 \times 11 \times 2\frac{1}{4} \times 8 = 990 \text{ cu. ft.}$$

$$\text{Allowance for doors} = 6 \times 9 \times 2\frac{1}{4} \times 2 = 243 \text{ cu. ft.}$$

$$\text{Net contents} = 9,450 - (990 + 243) = 8,217 \text{ cu. ft.}$$

$$(a) \text{ Perches required for wall} = 8,217 \div 24\frac{3}{4} = 332. \text{ Ans.}$$

(b) Since in estimating the cost of the work, no allowance is made for corners, doors, and windows.

$$\text{Cubical contents} = 184 \times 24 \times 2\frac{1}{4} = 9,936 \text{ cu. ft.}$$

$$\text{Perches of stonework} = 9,936 \div 24\frac{3}{4} = 401\frac{5}{11}.$$

$$\text{Cost of laying walls} = 401\frac{5}{11} \times \$3.50 = \$1,405.09. \text{ Ans.}$$

85. In **brickwork**, the unit of measurement is one thousand (M) bricks. The dimensions of an ordinary brick are 8 in. \times 4 in. \times 2 in. In some localities, they are made smaller; in others, larger. To allow for mortar, $\frac{1}{4}$ inch is added to the length and to the thickness in making calculations. On this assumption, the ordinary brick with its mortar has a volume of $8\frac{1}{4} \times 4 \times 2\frac{1}{4} = 74\frac{1}{4}$ cubic inches. Since a cubic foot contains 1,728 cubic inches, it takes $1,728 \div 74\frac{1}{4} = 23\frac{3}{11}$ bricks to make a cubic foot of wall.

86. Rule.—To find the number of ordinary bricks in a wall, multiply its volume in cubic feet by $23\frac{3}{11}$.

EXAMPLE.—How many bricks are required in a wall 80 feet long, $16\frac{1}{2}$ feet high, and 4 feet thick?

SOLUTION.—

Volume of wall = $80 \times 16\frac{1}{2} \times 4 = 5,280$ cu. ft.

Number of bricks = $5,280 \times 23\frac{3}{11} = 122,880$ or 122.88 M. Ans.

87. In estimating the cost of brickwork, it is customary in most localities to use the outside, or gross, length of the wall, and to allow for doors and windows. The practice, however, is not uniform, and in some cases no allowance is made for corners or openings.

EXAMPLE.—What will be the cost of erecting the walls of a building 64 feet long and 40 feet wide, the wall being 36 feet high and 3 bricks (= 1 ft.) thick? Allowance is to be made for 40 windows, each 6 ft. \times 2 ft. 9 in., and 8 doors, each 8 ft. \times 3 ft. 6 in. The bricks cost \$5.75 per M, and the laying costs \$1.40 per M, based on outside length of walls.

SOLUTION.—Outside length of wall = $64 \times 2 + 40 \times 2 = 208$ ft.

Net length of wall = $208 - 4 \times 1 = 204$ ft.

Contents of wall = $204 \times 36 \times 1 = 7,344$ cu. ft.

Deduction for windows = $6 \times 2\frac{3}{4} \times 1 \times 40 = 660$ cu. ft.

Deduction for doors = $8 \times 3\frac{1}{2} \times 1 \times 8 = 224$ cu. ft.

Net contents of wall = $7,344 - (660 + 224) = 6,460$ cu. ft.

Number of bricks = $6,460 \times 23\frac{3}{11} = 150,342 = 150.342$ M.

Cost of bricks = $150.342 \times \$5.75 = \864.47 .

Cost of laying = $\{[208 \times 36 \times 1 - (660 + 224)] \times 23\frac{3}{11} \div 1,000\} \times 1.40 = \215.17 .

Total cost of erecting walls = $\$864.47 + \$215.17 = \$1,079.64$. Ans.

EXAMPLES FOR PRACTICE.

88. Solve the following examples:

1. Find the cost of building a stone wall around a rectangular yard 160 feet long and 108 feet wide. The wall is 9 feet high and 2 feet 6 inches thick, and the price of laying is \$2.25 per perch.

Ans. \$1,096.36.

2. How many thousand bricks are required for a house 18 feet wide, 38 feet long, and 32 feet high, walls 3 bricks thick, making allowance for 3 doors, each 3 ft. 4 in. \times 7 ft. 6 in., and 16 windows, each 3 ft. by 6 ft.?

Ans. 71.983 M.

3. Philadelphia bricks are $8\frac{1}{4}$ in. \times $4\frac{1}{8}$ in. \times $2\frac{3}{8}$ in. Allowing $\frac{1}{4}$ inch on length and thickness for mortar, how many of these bricks are required to make a cubic foot?

Ans. $18\frac{3}{4}$, nearly

BINS, CISTERNS, ETC.

89. It is frequently necessary to estimate the capacity of a bin, box, or vessel, in bushels, barrels, or gallons. The volume of the bin or vessel in cubic feet or cubic inches is divided by the number of cubic feet or cubic inches in a bushel, barrel, or gallon, as the case may be.

EXAMPLE.—How many bushels of wheat can be put into a bin 35 feet long, 6 feet wide, and 8 feet high?

SOLUTION.—Cubical contents of the bin = $35 \times 6 \times 8 = 1,680$ cu. ft.
 $= 1,680 \times 1,728 = 2,903,040$ cu. in. One bushel contains 2,150.42 cu. in.
 (See *Arithmetic*, Part 4.) Number of bushels = $2,903,040 \div 2,150.42$
 $= 1,350$ bu., nearly. Ans.

90. For convenience of reference the following table of capacities is given:

TABLE I.—DRY MEASURE.

1 heaped bushel	= 2,747.71 cu. in. = 1.59 cu. ft., nearly.
1 stricken bushel	= 2,150.42 cu. in. = 1.25 cu. ft., nearly.
1 peck	= 537.6 cu. in.
1 quart	= 67.2 cu. in.
1 pint	= 33.6 cu. in.

LIQUID MEASURE.

1 hogshead	= 8.422 cu. ft.
1 barrel . .	= 4.211 cu. ft.
1 gallon . .	= 231 cu. in.
1 quart . .	= 57.75 cu. in.
1 pint . .	= 28.875 cu. in.

91. Rule.—*To find the capacity of a bin or other vessel in dry measure or in liquid measure, divide the volume of the bin or vessel in cubic inches by the number of cubic inches in the unit of measure.*

EXAMPLE 1.—How many liquid quarts are contained in a rectangular pail 8 in. \times 5 in. \times 4 in.?

SOLUTION.—Volume of pail = $8 \times 5 \times 4 = 160$ cu. in. In 1 liq. qt. there are 57.75 cu. in. Hence, the capacity of the pail is $160 \div 57.75 = 2.77$ qt. Ans.

EXAMPLE 2.—How many gallons in a milk can 16 inches in diameter and 30 inches high?

SOLUTION.—Volume of can = area of base \times altitude = $.7854 \times 16^2 \times 30 = 6,031.8$ cu. in. A gallon contains 231 cu. in. Number of gallons = $6,031.8 \div 231 = 26.11$ gal. Ans.

92. The following table of *approximate* capacities is very convenient in rough calculations:

TABLE II.

1 cu. ft. =	.63 of a heaped bushel.
1 cu. ft. =	.8 of a stricken bushel.
1 cu. ft. =	7.5 liquid gallons.
1 cu. ft. =	$\frac{19}{80}$ of a barrel.

The following short rules are approximate, but the results are sufficiently accurate for all practical purposes.

93. Rule.—*To find the capacity of a bin in heaped bushels, multiply the volume in cubic feet by .63.*

94. Rule.—*To find the capacity of a bin in stricken bushels, multiply the volume in cubic feet by .8.*

EXAMPLE.—(a) How many stricken bushels in a bin 18 ft. \times 13 ft. \times 7 ft.? (b) How many heaped bushels in the same bin?

SOLUTION.—Volume = $18 \times 13 \times 7 = 1,638$ cu. ft.

(a) Stricken bushels = $1,638 \times .8 = 1,310.4$ bu. Ans.

(b) Heaped bushels = $1,638 \times .63 = 1,031.94$ bu. Ans.

95. Rule.—*To find the number of gallons in a cistern or other vessel, multiply the volume in cubic feet by 7.5.*

96. Rule.—*To find the number of barrels in a cistern, multiply the volume in cubic feet by $\frac{19}{80}$.*

EXAMPLE.—A rectangular cistern 9 feet 6 inches long, 6 feet wide, and 4 feet deep contains (a) how many gallons? (b) how many barrels?

SOLUTION.—Volume of cistern = $9\frac{1}{2} \times 6 \times 4 = 228$ cu. ft.

(a) $228 \times 7\frac{1}{2} = 1,710$ gal. Ans.

(b) $228 \times \frac{19}{80} = 54.15$ bbl. Ans.

97. Rule.—*To find the number of gallons in a cylindrical vessel, multiply the square of the diameter in inches by the height in inches, and that product by .0034.*

EXAMPLE.—An oil tank 7 feet 6 inches long and 24 inches in diameter contains how many gallons?

SOLUTION.—7 ft. 6 in. = 90 in. Capacity = $24^2 \times 90 \times .0034 = 176\frac{1}{4}$ gal. Ans.

EXAMPLES FOR PRACTICE.

98. Solve the following examples by the exact methods:

1. A wagon body is 14 feet long, 4 feet wide, and 24 inches deep; how many bushels of shelled corn will it hold? Ans. 90 bu.

2. A rectangular can is 30 in. \times 16 in. \times $11\frac{1}{2}$ in.; how many more liquid quarts than dry quarts will it hold? Ans. 13.44 liq. qt.

3. How many barrels are contained in a cylindrical cistern 9 feet deep and 8 feet 6 inches in diameter? Ans. 121.28 bbl.

4. A tin cup is 4 inches in diameter and $5\frac{1}{2}$ inches deep; (a) how many liquid pints will it hold? (b) how many dry pints?

Ans. $\begin{cases} (a) & 2.394 \text{ pt.} \\ (b) & 2.057 \text{ pt.} \end{cases}$

5. How many dry pecks can be put into a hogshead?

Ans. 27.07 pk.

Solve the following examples by the approximate rules:

6. A box that holds exactly 14 stricken bushels will hold how many liquid gallons? Ans. 131.25 gal.

7. How many bushels of wheat in a bin 21 ft. \times $6\frac{1}{2}$ ft. \times $4\frac{1}{2}$ ft.?

Ans. 491.4 bu.

8. How many barrels are contained in a cistern 11 feet 4 inches deep and 7 feet 6 inches in diameter? Ans. 118.91 bbl.

9. How many heaped bushels of potatoes are contained in a bin 30 ft. \times 18 ft. \times $7\frac{1}{2}$ ft.?

Ans. 2,551.5 bu.

10. How many gallons of water can be pumped into a cylindrical stand pipe 12 feet in diameter and 80 feet high? Ans. 67,859 gal.

COAL AND HAY

99. A ton (2,000 lb.) of Lehigh coal, egg size, measures $34\frac{1}{2}$ cubic feet in the bin.

A ton of Schuylkill coal, egg size, measures 35 cubic feet.

A ton of pink gray and red ash coal, egg size, measures 36 cubic feet.

A ton of Wyoming coal, egg size, measures 31 cubic feet.

The bulk of a ton of hay is dependent upon the pressure to which it is subjected. Roughly speaking, a ton of hay lying

unpressed measures 500 cubic feet; when in a small stack, 400 cubic feet; and in mows compressed with grain, or in well settled stacks, 300 cubic feet.

EXAMPLES FOR PRACTICE.

100. 1. How many tons of hay are contained in a well compressed mow 30 ft. \times 18 ft. \times 15 ft.? Ans. 27 T.

2. How many tons of Lehigh coal will fill a bin 17 feet long, 13 feet wide, and 8 feet high? Ans. 51.2 T.

3. How many tons of Wyoming coal will fill a car 32 feet long, $6\frac{1}{2}$ feet wide, and 4 feet deep? Ans. 26.84 T.

ARITHMETIC.

(PART 7.)

PERCENTAGE.

DEFINITIONS AND PRINCIPLES.

1. In certain operations pertaining to business, it is very convenient to regard the quantity on which we are to operate as being divided into 100 equal parts; thus, instead of using the ordinary fractions $\frac{1}{4}$, $\frac{3}{5}$, $\frac{2}{7}$, we use the equivalent fractions $\frac{25}{100}$, $\frac{60}{100}$, $\frac{28\frac{4}{7}}{100}$, or their equivalent decimals, .25, .60, .28 $\frac{4}{7}$.

This practice is a very convenient one in all computations involving United States money, because, since \$1 equals 100 cents, it is easier to comprehend what part of the whole $\frac{35}{100}$ is than some other equivalent fraction, as $\frac{49}{140}$; it is also much easier to compute with fractions whose denominators are 100 than it is to compute with fractions whose denominators are composed of other figures.

2. **Percentage** is a term applied to those arithmetical operations in which the number or quantity to be operated upon is supposed to be divided into 100 equal parts.

3. The term **per cent.** means *by the hundred*. Thus, 8 per cent. of a number means 8 hundredths, i. e., $\frac{8}{100}$, or .08, of that number; 8 per cent. of 250 is $250 \times \frac{8}{100}$, or $250 \times .08 = 20$; 47 per cent. of 75 bushels is $75 \times \frac{47}{100} = 75 \times .47 = 35.25$ bushels. The statement that the population of a city has increased 22 per cent. in a given time, say from 1880 to 1890, is equivalent to saying that the increase is 22 in every hundred, that is, for every 100 in 1880, there are 22 more, or 122, in 1890.

For notice of copyright, see page immediately following the title page.

4. The **sign** of per cent. is %, and is read *per cent.* Thus, 6% is read six per cent.; $12\frac{1}{2}\%$ is read twelve and one-half per cent., etc.

5. When expressing the per cent. of a number to use in calculations, it is customary to express it decimally instead of fractionally. Thus, instead of expressing 6%, 25%, and 43% as $\frac{6}{100}$, $\frac{25}{100}$, and $\frac{43}{100}$, it is usual to express them as .06, .25, and .43.

6. The following table will show how many per cent. can be expressed either as a decimal or as a fraction:

Per Cent.	Decimal.	Fraction.	Per Cent.	Decimal.	Fraction.
1%01	$\frac{1}{100}$	$\frac{1}{4}\%$0025	$\frac{1}{100}$ OR $\frac{1}{400}$
2%02	$\frac{2}{100}$ OR $\frac{1}{50}$	$\frac{1}{2}\%$005	$\frac{1}{100}$ OR $\frac{1}{200}$
5%05	$\frac{5}{100}$ OR $\frac{1}{20}$	$1\frac{1}{2}\%$015	$\frac{1}{100}$ OR $\frac{3}{200}$
10%10	$\frac{10}{100}$ OR $\frac{1}{10}$	$6\frac{1}{4}\%$06 $\frac{1}{4}$	$\frac{61}{100}$ OR $\frac{1}{16}$
25%25	$\frac{25}{100}$ OR $\frac{1}{4}$	$8\frac{1}{3}\%$08 $\frac{1}{3}$	$\frac{81}{100}$ OR $\frac{1}{12}$
50%50	$\frac{50}{100}$ OR $\frac{1}{2}$	$12\frac{1}{2}\%$125	$\frac{121}{100}$ OR $\frac{1}{8}$
75%75	$\frac{75}{100}$ OR $\frac{3}{4}$	$16\frac{2}{3}\%$16 $\frac{2}{3}$	$\frac{162}{100}$ OR $\frac{1}{6}$
100%	1.00	$\frac{100}{100}$ OR 1	$33\frac{1}{3}\%$33 $\frac{1}{3}$	$\frac{331}{100}$ OR $\frac{1}{3}$
125%	1.25	$\frac{125}{100}$ OR $1\frac{1}{4}$	$37\frac{1}{2}\%$37 $\frac{1}{2}$	$\frac{371}{100}$ OR $\frac{3}{8}$
150%	1.50	$\frac{150}{100}$ OR $1\frac{1}{2}$	$62\frac{1}{2}\%$625	$\frac{621}{100}$ OR $\frac{5}{8}$
500%	5.00	$\frac{500}{100}$ OR 5	$87\frac{1}{2}\%$875	$\frac{871}{100}$ OR $\frac{7}{8}$

7. The names of the different terms used in percentage are: the *base*, the *rate* or *rate per cent.*, the *percentage*, the *amount*, and the *difference*.

8. The **base** is the number or quantity which is supposed to be divided into 100 equal parts.

9. The **rate per cent.** is that number of the 100 equal parts into which the base is supposed to be divided, that is taken or considered. The **rate** is the number of hundredths of the base, that is taken or considered. The distinction between the rate per cent. and the rate is this: the *rate per cent.* is always 100 times the *rate*. Thus, 7% of 125 and .07

of 125 amount in the end to the same thing; the former, 7, is the *rate per cent.*—the *number* of hundredths of 125 intended; the latter, .07, is the *rate*, the *part* of 125 that is to be found; 7% is used in *speech*, .07 is the form used in *computation*. So, also, $12\frac{1}{2}\% = .125$, $\frac{1}{2}\% = .005$, $1\frac{3}{4}\% = .0175$.

10. The **percentage** is the result obtained by multiplying the base by the rate. Thus, 7% of 125 = $125 \times .07 = 8.75$, the percentage.

11. The **amount** is the sum of the base and the percentage.

12. The **difference** is the remainder obtained when the percentage is subtracted from the base.

13. The terms amount and difference are ordinarily used when there is an increase or a decrease in the base. For example, suppose the population of a village is 1,500 and it increases 25 per cent. This means that for every 100 of the original 1,500 there is an increase of 25, or a total increase of $15 \times 25 = 375$. This increase added to the original population gives the *amount*, or the population after the increase. If the population had decreased 375, the final population would have been $1,500 - 375 = 1,125$, and this would be the *difference*. The original population, 1,500, is the base on which the percentage is computed; the 25 is the rate per cent., and the increase or decrease, 375, is the percentage. If the base increases, the final value is the amount, and if it decreases, its final value is the difference.

BASE, RATE, AND PERCENTAGE.

14. Rule.—*To find the percentage, multiply the base by the rate.*

EXAMPLE.—A farmer raised 650 bushels of wheat and sold 64% of it. How many bushels did he sell?

SOLUTION.—The base is 650 bu. Out of every 100 bu. raised 64 were sold; that is, the number of bushels sold was $\frac{64}{100}$ or .64 of the number raised.

$650 \times .64 = 416$ bu., the percentage. **Ans.**

15. Rule.—*To find the rate, divide the percentage by the base.*

EXAMPLE 1.—Bought 300 bushels of apples and sold 228 bushels; what per cent. of the number of bushels bought was sold?

SOLUTION.—Here 300 is the base and 228 is the percentage; hence, applying rule,

$$\text{rate} = 228 \div 300 = .76 = 76\%. \text{ Ans.}$$

EXAMPLE 2.—What per cent. of 875 is 25?

SOLUTION.—Here 875 is the base, and 25 is the percentage; hence, applying rule,

$$25 \div 875 = .02\frac{2}{7} = 2\frac{2}{7}\%. \text{ Ans.}$$

PROOF.— $875 \times .02\frac{2}{7} = 25$.

16. Rule.—*To find the base when the percentage and rate are given, divide the percentage by the rate.*

EXAMPLE.—Bought a certain number of bushels of apples and sold 76% of them; if I sold 228 bushels, how many bushels did I buy?

SOLUTION.—Here 228 is the percentage, and .76 is the rate; hence, applying the rule,

$$228 \div .76 = 300 \text{ bu.} \text{ Ans.}$$

EXAMPLES FOR PRACTICE.

17. What is

(a) 36% of 1,762?

(b) 19% of \$89?

(c) 47% of 2,400 bushels?

(d) 113% of \$1,640?

$$\text{Ans.} \left\{ \begin{array}{ll} (a) & 634.32. \\ (b) & \$16.91. \\ (c) & 1,128 \text{ bu.} \\ (d) & \$1,853.20. \end{array} \right.$$

What per cent. of

(e) 360 is 90?

(f) \$900 is \$360?

(g) 125 is 25?

(h) 150 is 750?

(i) 280 horses is 112 horses?

(j) 400 is 200?

(k) 47 is 94?

(l) 500 days is 250 days?

(m) 42 is 6% of what number?

(n) 126 is $31\frac{1}{2}\%$ of what number?

(o) 198 is 36% of what number?

$$\text{Ans.} \left\{ \begin{array}{ll} (e) & 25\%. \\ (f) & 40\%. \\ (g) & 20\%. \\ (h) & 500\%. \\ (i) & 40\%. \\ (j) & 50\%. \\ (k) & 200\%. \\ (l) & 50\%. \end{array} \right. \quad \text{Ans.} \left\{ \begin{array}{ll} (m) & 700. \\ (n) & 400. \\ (o) & 550. \end{array} \right.$$

AMOUNT AND DIFFERENCE.

18. To find the relations existing between the amount or difference, and the base and rate, let us consider an example.

EXAMPLE.—In a factory where 2,100 men are employed, the force is increased 8%; how many new men are employed, and how many men are at work after the increase?

SOLUTION.— 8% of 2,100 = $2,100 \times .08 = 168$ men = number of new men employed. Ans. The total number of men after the force is increased is $2,100 + 168 = 2,268$ men. Ans.

19. Rule.—*To find the amount, the base and rate being given, multiply the base by 1 plus the rate.*

EXAMPLE.—The population of a city in 1880 was 43,000, and it increased 65% in the next ten years; what was its population in 1890?

SOLUTION.—In this case, 43,000 is the base, .65 is the rate, and the required population in 1890 is the amount. Applying the rule,

$$\text{amount} = 43,000 \times (1 + .65) = 43,000 \times 1.65 = 70,950. \text{ Ans.}$$

20. Rule.—*To find the difference, the base and rate being given, multiply the base by 1 minus the rate.*

EXAMPLE.—A speculator invested \$26,500 in a business enterprise, and lost 16% of his investment; how much had he left?

SOLUTION.—The original capital, \$26,500, is the base, and .16 is the rate. Since the capital is diminished, the portion of it remaining is the difference. Applying the rule,

$$\text{difference} = \$26,500 \times (1 - .16) = \$26,500 \times .84 = \$22,260. \text{ Ans.}$$

21. Rule.—*To find the base, the amount and rate being given, divide the amount by 1 plus the rate.*

EXAMPLE.—In 1895, the population of a village was 4,130, which was 18% more than the population in 1890; what was the population in 1890?

SOLUTION.—The unknown population, in 1890, is the base, upon which the 18% is computed. The final population in 1895 is the amount, since it is an increase. Applying the rule,

$$\text{base} = 4,130 \div (1 + .18) = 4,130 \div 1.18 = 3,500. \text{ Ans.}$$

22. Rule.—*To find the base, the difference and rate being given, divide the difference by 1 minus the rate.*

EXAMPLE.—A speculator lost 34% of an investment in stocks and had \$10,560 remaining; what was the original investment?

SOLUTION.—The original investment, on which the 34% is computed, is the base. Since there has been a loss, or decrease, the remaining \$10,560 is the difference. Applying the rule,

$$\text{base} = \$10,560 \div (1 - .34) = \$10,560 \div .66 = \$16,000. \text{ Ans.}$$

23. The difficulty that the student is most likely to experience in percentage is the identification of the terms or elements. When an example is given, he must first determine from it which is the base, the percentage, the amount, etc. The rate is always recognized by the words *per cent.* or by the sign %. The base is the most important element, and it can be identified by referring to the rate. The student asks himself: "Of what number do I wish to find the percentage?" The answer to this question is the base. The percentage is always a number of the same kind as the base. If, from the statement of the problem, it is seen that the base increases or decreases, the percentage is the increase or decrease, and the final value obtained, when the base has been increased or decreased by the percentage, is the amount or the difference. To be able to recognize the elements immediately requires much practice. As an exercise, several examples are given.

24. EXAMPLE 1.—Fifteen tons of iron are obtained from 282 tons of ore; what per cent. of the ore is iron?

SOLUTION.—Here the statement of the example shows that the rate is what is required. From the phrase, "what per cent. of the ore," we see that the ore is the thing of which a per cent. is taken. Therefore, the 282 T. must be the base. 15 T. is a number of the same kind as the base, and is the part of the base corresponding to the rate. It is, therefore, the percentage.

$$\text{Rate} = \text{percentage} \div \text{base} = 15 \div 282 = .05319 = 5.319\%. \text{ Ans.}$$

EXAMPLE 2.—Out of a cargo of oranges, 8% spoiled and 4,600 boxes remained. How many boxes were in the cargo? How many boxes spoiled?

SOLUTION.—The rate is .08; .08 of what? The number of boxes in the cargo. Therefore, the base is the original number of boxes and the less number of boxes must be the difference. The number of boxes spoiled is the percentage.

$$\begin{aligned}\text{Base} &= \text{difference} \div (1 - \text{rate}) \\ &= 4,600 \div (1 - .08) = 4,600 \div .92 = 5,000 \text{ boxes. Ans.}\end{aligned}$$

Percentage or number of boxes spoiled = $5,000 \times .08 = 400$ boxes. Ans.

EXAMPLE 3.—A farmer lost 63 sheep, which was 18% of his flock; how many had he left?

SOLUTION.—The rate is .18. The number of sheep in the flock must be the base, since it is the number on which the 18% is computed. The decrease, or number of sheep lost, is the percentage, and the number remaining is the difference.

$$\begin{aligned}\text{Base} &= \text{percentage} \div \text{rate} \\ &= 63 \div .18 = 350 \text{ sheep} = \text{number originally in the flock.}\end{aligned}$$

Difference = base - percentage = $350 - 63 = 287$ sheep left. Ans.

EXAMPLES FOR PRACTICE.

25. Solve the following:

- | | | |
|--|--------|-------------------------|
| (a) What is $12\frac{1}{2}\%$ of \$900? | Ans. { | (a) \$112.50. |
| (b) What is $\frac{4}{5}\%$ of 627? | | (b) 5.016. |
| (c) What is $33\frac{1}{3}\%$ of 54? | | (c) 18. |
| (d) 101 is $68\frac{3}{4}\%$ of what number? | | (d) $146\frac{1}{11}$. |
| (e) 784 is $83\frac{1}{3}\%$ of what number? | | (e) 940.8. |
| (f) What per cent. of 960 is 160? | | (f) $16\frac{2}{3}\%$. |
| (g) What per cent. of \$3,606 is \$450 $\frac{3}{4}$? | | (g) $12\frac{1}{2}\%$. |
| (h) What per cent. of 280 is 112? | | (h) 40%. |

1. A man's salary is \$1,800 per year and he saves \$225: (a) What per cent. of his salary does he save? (b) What per cent. of it does he spend?

$$\text{Ans. } \begin{cases} (a) & 12\frac{1}{2}\%. \\ (b) & 87\frac{1}{2}\%. \end{cases}$$

2. A man has 32% of his money invested in stocks, 18% in grain, and the remainder, which is \$7,620, in real estate; what is the total value of his property?

$$\text{Ans. } \$15,240.$$

3. If wool loses 32% of its weight in washing, how many pounds of unwashed wool are required to produce 35,360 pounds of washed wool?

$$\text{Ans. } 52,000 \text{ lb.}$$

4. In 1890, the population of a city was 85,000, which was 36% more than the population in 1880; what was the population in 1880?

$$\text{Ans. } 62,500$$

5. If gunpowder contains 75% of saltpeter, 10% of sulphur, 15% of charcoal, how much of each is there in a ton of powder?

$$\text{Ans. } \begin{cases} \text{Saltpeter,} & 1,500 \text{ lb.} \\ \text{Sulphur,} & 200 \text{ lb.} \\ \text{Charcoal,} & 300 \text{ lb.} \end{cases}$$

6. A man bequeathed to a charity 32% of his estate; to another charity he gave \$23,100, which was 23% less than the amount given to the first charity: (a) What was the value of the estate? (b) What per cent. of the estate was given to the second charity?

$$\text{Ans. } \begin{cases} (a) & \$93,750. \\ (b) & 24.64\%. \end{cases}$$

7. A man owning a ship worth \$225,000, sells one-fourth of it to A, 20% of the remainder to B, and 35% of what then remains, to C; how much each do A, B, and C pay for their shares?

$$\text{Ans. } \begin{cases} A, & \$56,250. \\ B, & \$33,750. \\ C, & \$47,250. \end{cases}$$

PROFIT AND LOSS.

26. Profit and loss treats of the gains or losses arising in business transactions.

If the price for which merchandise is sold is greater than the cost of the merchandise, the difference is *profit* or *gain*. If the selling price is less than the cost, the difference is *loss*.

27. The **gross cost** of merchandise is its first cost plus the expenses of purchase, transportation, and storage. Such expenses are commission, freight, insurance, drayage, etc.

28. The **net selling price** is the gross selling price, less all discounts and expenses of sale.

29. Computations in profit and loss are made according to the rules of percentage. The gross cost of the merchandise is the *base*, upon which the *rate* of profit or loss is computed. The profit or loss is the *percentage*. If the merchandise is sold at a profit, the net selling price is the *amount*; if at a loss, the net selling price is the *difference*.

30. Rule.—To find the profit or loss, multiply the gross cost by the rate of gain or loss. (Art. 14.)

Formula.— $\text{Profit or loss} = \text{cost} \times \text{rate}.$

EXAMPLE.—A house costing \$3,000 is sold for 22% above cost; what is the profit?

SOLUTION.—Profit = cost \times rate = \$3,000 \times .22 = \$660. Ans.

31. Rule.—*To find the rate of profit or loss, divide the difference between the selling price and gross cost by the gross cost; or divide the profit or loss by the gross cost. (Art. 15.)*

Formula.— $\text{Rate} = \text{profit or loss} \div \text{gross cost}.$

EXAMPLE.—A merchant sold for \$768 a lot of dry goods for which he paid \$900; what was the per cent. loss?

SOLUTION.— $\text{Loss} = \$900 - \$768 = \$132.$

$\text{Rate of loss} = \text{loss} \div \text{cost} = \$132 \div \$900 = .14\frac{2}{3} \text{ or } 14\frac{2}{3}\%.$ Ans.

32. Rule.—*To find the selling price, the cost and rate of gain or loss being given, multiply the cost by 1 plus the rate of gain, or by 1 minus the rate of loss.*

Formulas.—

$$\text{Selling price} = \begin{cases} \text{Cost} \times (1 + \text{rate of gain}). & (\text{Art. 19.}) \\ \text{Cost} \times (1 - \text{rate of loss}). & (\text{Art. 20.}) \end{cases}$$

EXAMPLE.—If hay is bought for \$8 per ton, and if baling and shipping costs \$5.50 per ton additional, at what price must it be sold to yield a profit of 16%?

SOLUTION.— $\text{Gross cost} = \$8 + \$5.50 = \$13.50.$

$\text{Selling price} = \text{cost} \times (1 + \text{rate}) = \$13.50 \times 1.16 = \$15.66.$ Ans.

33. Rule.—*To find the cost, the selling price and rate of gain or loss being given, divide the selling price by 1 plus the rate of gain, or by 1 minus the rate of loss.*

Formulas.—

$$\text{Cost} = \begin{cases} \text{Selling price} \div (1 + \text{rate of gain}). & (\text{Art. 21.}) \\ \text{Selling price} \div (1 - \text{rate of loss}). & (\text{Art. 22.}) \end{cases}$$

EXAMPLE.—Sold drugs for \$112 and gained 75%; what was the cost of the drugs, and what was the profit?

SOLUTION.—

$\text{Cost} = \text{Selling price} \div (1 + \text{rate}) = \$112 \div 1.75 = \$64.$ Ans.

$\text{Profit} = \$112 - \$64 = \$48.$ Ans.

EXAMPLES FOR PRACTICE.

34. What is the profit or loss

(a) If the gross cost is \$85 and the rate of gain is 32%?

(b) If the gross cost is \$837.50 and the rate of loss is 12%?

(c) If the gross cost is \$240 and the rate of gain is $16\frac{2}{3}\%$?

Ans. $\begin{cases} (a) & \$27.20. \\ (b) & \$100.50. \\ (c) & \$40.00. \end{cases}$

What is the rate of gain or loss

(d) If the gross cost is \$6.50 and selling price is \$9.10?

(e) If the gross cost is \$14.00 and selling price is \$12.50?

(f) If the gross cost is \$3,500 and profit is \$500?

Ans. $\begin{cases} (d) & 40\%. \\ (e) & 10\frac{5}{7}\%. \\ (f) & 14\frac{2}{7}\%. \end{cases}$

What is the selling price

(g) If the cost is \$945 and the rate of gain is $33\frac{1}{3}\%$?

(h) If the cost is \$3.50 and the rate of gain is $12\frac{1}{2}\%$?

(i) If the cost is \$125 and the rate of loss is 18%?

Ans. $\begin{cases} (g) & \$1,260. \\ (h) & \$3.94. \\ (i) & \$102.50. \end{cases}$

What is the cost

(j) If the selling price is \$575 and the rate of gain is 15%?

(k) If the selling price is \$28 and the rate of loss is $12\frac{1}{2}\%$?

(l) If the selling price is \$3.50 and the rate of gain is 26%?

Ans. $\begin{cases} (j) & \$500. \\ (k) & \$32. \\ (l) & \$2.77\frac{7}{8}. \end{cases}$

1. A house and lot that cost \$3,250, is sold at a profit of 12%; what is: (a) the profit? (b) the selling price?

Ans. $\begin{cases} (a) & \$390. \\ (b) & \$3,640. \end{cases}$

2. What must be the selling price of a suit of clothes that costs \$18 in order that the profit may be $33\frac{1}{3}\%$?

Ans. \$24.

3. A harvesting machine costs the hardware merchant \$90 net, and \$6 for freight and cartage; if sold for \$108, what is the gain per cent.?

Ans. $12\frac{1}{2}\%$.

4. A carload of cattle is sold for \$875, which is at a loss of 16%; what was the cost of the cattle?

Ans. \$1,041.67.

5. A sells a steam tug to B, gaining 14%, and B sells it to C for \$4,104 and gains 20%; how much did the tug cost A?

Ans. \$3,000.

6. How much must hay sell for per ton, to gain 25%, if when sold for \$8.40 per ton, there is a gain of $16\frac{2}{3}\%$?

Ans. \$9.

7. Six horses were sold at \$125 each; three of them at a profit of 25% and the others at a loss of 25%. What was the net gain or loss?

Ans. \$50 loss.

TRADE DISCOUNTS.

35. Trade discounts are reductions made by manufacturers, jobbers, or merchants from their list, or catalog, prices.

In many branches of business, manufacturers and dealers list their goods at a fixed price for each article, and allow a rate of discount on orders of a certain amount, a second discount on orders of larger amount, and perhaps a third discount on still larger orders. If it becomes necessary to raise or lower the price of the goods, the rate of discount is decreased or increased, the list price remaining the same. The system of discounts thus saves the expense of publishing a new price list every time prices change.

36. Merchandise is frequently sold at *time prices*; that is, payment is to be made in 30, 60, or 90 days after date of sale, and a certain rate of discount is allowed if payment is made at an earlier date. Business houses usually make announcements such as the following upon their bill heads: "Terms: 4 mo., or 5% 60 days;" "Terms: 60 days net; 30 days, 3% off; 10 days, 5% off." Even when no discount is stated in the terms, sellers will usually deduct the legal interest for the time remaining, if the payment is made before it becomes due. Thus, if a payment due in 3 months is made 1 month after the sale, the seller should deduct the interest for the remaining 2 months.

37. Trade discounts are computed by the rules of percentage, the list price of the goods being the base. When several discounts are allowed, the first discount is computed on the list price, the second is computed on the remainder after deducting the first discount, and so on, each remainder being regarded as a base for the computation of the next discount. The several discounts, if there are more than one, form a **discount series**.

38. Rule.—*To find the selling price, multiply the list price by the rate, and subtract the discount thus obtained from the list price. If there is a discount series, compute the second discount,*

using the first remainder as a base, and subtract the discount from the remainder. Repeat the process, using each successive remainder as a base for computing the next discount. The last remainder is the selling price.

EXAMPLE 1.—The list price of an article is \$62.50 and a discount of 40% is allowed; what is the selling price?

SOLUTION.—*First Method.*—

$$\text{Discount} = \$62.50 \times .40 = \$25.00.$$

$$\text{Selling price} = \$62.50 - \$25.00 = \$37.50. \quad \text{Ans.}$$

Second Method.—Since the list price is the base, and the selling price is the base less the percentage, i. e., the difference, the selling price may be found by applying the rule of Art. 20. Thus,

$$\text{Selling price} = \$62.50 \times (1 - .40) = \$37.50. \quad \text{Ans.}$$

EXAMPLE 2.—On a bill of goods amounting to \$720, discounts of 30%, 10%, and 5% are allowed; what is the selling price?

SOLUTION.—*First Method.*—

$$\text{First discount} = \$720 \times .30 = \$216.$$

$$\text{Remainder} = \$720 - \$216 = \$504.$$

$$\text{Second discount} = \$504 \times .10 = \$50.40.$$

$$\text{Remainder} = \$504 - \$50.40 = \$453.60.$$

$$\text{Third discount} = \$453.60 \times .05 = \$22.68.$$

$$\text{Selling price} = \$453.60 - \$22.68 = \$430.92. \quad \text{Ans.}$$

Second Method.—Regarding \$720 as divided into 100 parts, the first discount of 30% leaves $100 - 30 = 70$ parts. The second discount of 10% is computed on the remainder after the first discount has been deducted; that is, the second discount is 10% of 70 parts. Hence, the remainder after the second discount has been deducted is $70 \times (1 - .10) = 63$ parts. Similarly, the remainder after the third discount has been deducted is $63 \times (1 - .05) = 59.85$ parts, or 59.85% of \$720. Therefore,

$$\text{Selling price} = \$720 \times .5985 = \$430.92. \quad \text{Ans.}$$

Ordinarily, when applying this method, the work would be as follows:

$$\begin{aligned} & \$720 \times (1 - .30) \times (1 - .10) \times (1 - .05) \\ & = \$720 \times .70 \times .90 \times .95 = \$430.92. \quad \text{Ans.} \end{aligned}$$

39. The discounts usually allowed are aliquot parts of 100%, and the labor of computation may be shortened by using the fractions corresponding to the rates of discount.

EXAMPLE.—The gross amount of a bill of hardware is \$640, and discounts of 25%, 10%, and 5% are allowed; what is the net amount of the bill?

SOLUTION.—

$$25\% = \frac{1}{4}, 10\% = \frac{1}{10}, 5\% = \frac{1}{20}.$$

The solution is arranged as shown. To multiply \$640 by 25% or $\frac{1}{4}$, we divide by 4; then the discount \$160 is subtracted and the remainder, \$480, is divided by 10. The second discount, \$48, is subtracted, and the remainder is divided by 20. The final remainder, \$410.40, is the net amount or selling price.

4) \$ 6 4 0	
\$ 1 6 0	1st discount.
1 0) \$ 4 8 0	1st remainder.
\$ 4 8	2d discount.
2 0) \$ 4 3 2	2d remainder.
\$ 2 1 6 0	3d discount.
\$ 4 1 0 4 0	net amount. Ans.

40. When a discount series is allowed, business men usually reduce the series to an equivalent single discount; if there is a large number of sales, much labor of computation is saved by using the equivalent discount rather than the series.

41. Rule.—*To reduce a discount series to an equivalent single discount, subtract each rate of discount from 1, and multiply the remainders together. Subtract the product from 1, and the remainder will be the single discount.* (See example 2, second method, Art. 38.)

EXAMPLE 1.—What single discount on the gross price is equivalent to a discount series of 25%, 20%, and 10%?

$$\begin{aligned} \text{SOLUTION.} \quad 1 - .25 &= .75; 1 - .20 = .80; 1 - .10 = .90. \\ .75 \times .80 \times .90 &= .54. \\ 1 - .54 &= .46, \text{ or } 46\%. \text{ Ans.} \end{aligned}$$

EXAMPLE 2.—The cost of a line of goods is \$350; what must they be marked to give a profit of 20% and allow a discount of 30% on the marked price?

SOLUTION.—*First Method.*—The profit is $\$350 \times .20 = \70 ; therefore, the actual selling price is $\$350 + \$70 = \$420$. This is what remains after deducting 30% from the marked price. Since the 30% discount is computed on the marked price, that price must be the base, and the less price, \$420, obtained by subtracting the discount, is the difference. According to the rule, Art. 22, base = difference $\div (1 - \text{rate})$; hence,

$$\text{marked price} = \$420 \div (1 - .30) = \$420 \div .70 = \$600. \text{ Ans.}$$

Second Method.—Regarding the \$350 as divided into 100 parts, 20 parts must be added to this in order to gain 20%; that is, the selling price must be 120 parts, or 120% of \$350. Now, if a discount of 30% is

to be allowed from the list price and leave a remainder of 120 parts, it is evident that 120 parts is the difference, and the list price is the base. According to rule, Art. 22,

list price (base) = selling price (difference) \div (1 - rate), or

list price = $120 \div (1 - .30) = 171\frac{2}{3}$ parts, or $171\frac{2}{3}\%$.

Hence, list price = $\$350 \times 1.71\frac{2}{3} = \600 . Ans.

42. Rule.—*To find the price at which goods must be marked to insure a given profit after allowing a discount, or a discount series, add to the cost the profit required, and divide the sum by 1 minus the discount or equivalent single discount.*

EXAMPLE.—The cost of manufacturing hats is \$36 per dozen; at what price per dozen must they be marked that the manufacturer may realize $16\frac{2}{3}\%$ profit after allowing the trade discounts of 20% and $12\frac{1}{2}\%$?

SOLUTION.—*First Method.*— $16\frac{2}{3}\% = \frac{1}{6}$. Profit = $\$36 \times \frac{1}{6} = \6 ; selling price = $\$36 + \$6 = \$42$. $1 - .20 = .80$; $1 - .12\frac{1}{2} = .87\frac{1}{2}$; $.80 \times .87\frac{1}{2} = .70$. The equivalent single discount is $1 - .70 = .30$. Marked price = $\$42 \div (1 - .30) = \60 per doz. Ans.

Second Method.—Selling price expressed as per cent. = $100 + 16\frac{2}{3} = 116\frac{2}{3}$. Marked price expressed as per cent. = $116\frac{2}{3} \div (1 - .20) \times (1 - .12\frac{1}{2}) = 116\frac{2}{3} \div .70 = 166\frac{2}{3}\%$. Hence, marked price = $\$36 \times 1.66\frac{2}{3} = \60 per doz. Ans.

EXAMPLES FOR PRACTICE.

43. Reduce the following discount series to equivalent single discounts:

(a) 25% and 16%.	Ans. {	(a) 37%.
(b) 30%, 20%, and 5%.		(b) 46.8%.
(c) 60%, 10%, and 5%.		(c) 65.8%.
(d) 40%, 20%, $12\frac{1}{2}\%$, and 4%.		(d) 59.68%.

1. A musical instrument is listed at \$122 and discounts of 60% and 5% are allowed; what is the selling price? Ans. \$46.36.

2. A bill of hardware is sold at the following discounts: \$452.60 at 30% and 10%; \$216 at $33\frac{1}{3}\%$ and 5%; \$137.50 at 20%; and \$83.75 net. What is the total net amount of the bill? Ans. \$615.69.

3. A bill of goods amounting to \$836.72 was bought May 5, 1890, on the following terms: 4 months, or 5% off 30 days; how much would pay the bill June 4, 1890? Ans. \$794.88.

4. A wholesale dealer sells books at discounts of 20% and 5%; what must he mark a set of books that cost him \$24 in order to make $26\frac{2}{3}\%$ profit, after allowing discounts? Ans. \$40.

5. Plows are bought at a discount of 40% from the list price; what per cent. is gained by selling them at the list price? Ans. $66\frac{2}{3}\%$.

6. A wholesale dealer offers silks at \$3.50 per yard, subject to a discount of 20%, $12\frac{1}{2}\%$, and 10%; how many yards can be bought for \$352.80? Ans. 160.

7. A suit of clothing is marked 50% off; by selling at this price the clothier loses $12\frac{1}{2}\%$ of the cost of the suit, which was \$12. What was the marked price of the suit? Ans. \$21.

COMMISSION AND BROKERAGE.

44. **Commission**, or **brokerage**, is the sum paid an agent for transacting business for another person; as, for buying or selling merchandise or property, for collecting or investing money, etc.

45. The agent or party who transacts the business is called a **commission merchant**, or **broker**; the party for whom the business is transacted is called the **principal**. The term **broker** is applied to one who sells and buys stocks, bonds, bills of exchange, and money securities.

46. A **consignment** is a shipment of goods from one party to another; the party that ships the goods is called the **consignor** or **shipper**, and the party to whom they are shipped is called the **consignee**.

47. When goods are sold on credit, the agent charges an additional amount for guaranteeing the payment of the sale. This extra charge is termed **guaranty**.

48. The **gross proceeds** of a sale or collection is the total amount realized by the agent before deducting his commission and other expenses connected with the transaction. The **net proceeds** is the amount due the principal after the commission and all other charges have been deducted.

49. An **account sales** is a detailed statement made by the agent to his principal, showing the goods sold and the prices obtained, giving a list of the charges and expenses, and the net proceeds due the principal. The charges include freight, cartage, storage, insurance, inspection, advertising, commission, and guaranty.

50. The **prime cost** of a purchase is the sum paid by the agent for the goods or property. The **gross cost** is the prime cost plus the commission and expenses incident to the purchase.

51. An **account purchase** is a detailed statement made by the agent to his principal, showing the cost of goods or property bought, the expenses attending the purchase, and the gross cost.

52. The commission or brokerage is usually computed at a certain per cent. of the gross proceeds of a sale or the prime cost of a purchase. In some cases, however, it is computed at a certain price per unit of weight or measure; as, so much per ton, per bushel, or per barrel. Examples in commission are solved by the rules of percentage. Either the gross proceeds or prime cost is the *base*; the net proceeds is the *difference*; the gross cost is the *amount*; the commission is the *percentage*; and the rate of commission is the *rate per cent.* The remittance from the principal to the purchasing agent, including both the investment and the commission, is an *amount*. The following rules are derived directly from the principles of percentage:

53. Rule.—*To find the commission, multiply the prime cost or gross selling price by the rate of commission.*

Formula.—

Commission = cost or selling price \times rate of commission.

EXAMPLE.—A real estate agent sells a house and lot for \$4,375 and receives 2% commission; what is the commission and what are the net proceeds?

SOLUTION.—Commission = selling price \times rate = \$4,375 \times .02 = \$87.50. Ans.

Net proceeds = selling price - commission = \$4,375 - \$87.50 = \$4,287.50. Ans.

54. Rule.—*To find the prime cost or gross proceeds, the commission being given, divide the commission by the rate of commission.*

Formula.—

Prime cost or gross proceeds = commission ÷ rate of commission.

EXAMPLE.—An agent received \$319.50 commission for selling apples; if the rate of commission charged was $1\frac{1}{2}\%$, what was the selling price of the apples?

SOLUTION.—Selling price or gross proceeds = $\$319.50 \div .015$ = \$21,300. Ans.

55. Rule.—*To find the prime cost and commission, the remittance from the principal being given, subtract from the remittance the expenses of the purchase, if any, and divide the remainder by 1 plus the rate of commission. The quotient is the prime cost. Subtract the prime cost from the remainder and the difference is the commission.*

EXAMPLE.—A principal sends his agent \$21,611 with orders to buy cotton after deducting his commission and other charges: the agent paid \$124.30 for freight, \$51.70 for cartage, \$15 for insurance, and deducted his commission of 2%. (a) How much remained to invest in cotton? (b) What was his commission?

SOLUTION.—The expenses are first deducted. $\$21,611 - (\$124.30 + \$51.70 + \$15) = \$21,420$, which is the sum of the prime cost and commission. According to the rule,

(a) Prime cost = $\$21,420 \div (1 + .02) = \$21,420 \div 1.02 = \$21,000$.
Ans. (b) Commission = $\$21,420 - \$21,000 = \$420$. Ans.

NOTE.—When a charge is made for guaranty, add the per cent. of guaranty to 1 plus the rate of commission, and proceed as above.

EXAMPLES FOR PRACTICE.

56. What is the commission

(a) If the gross proceeds are \$300 and the rate of commission is $3\frac{1}{2}\%$?

(b) If the gross proceeds are \$9,375 and the rate of commission is 2%?

(c) If the prime cost is \$831.75 and the rate of commission is $1\frac{1}{2}\%$?

(d) If the prime cost is \$900 and the rate of commission is $\frac{2}{3}\%$?

Ans. $\left\{ \begin{array}{l} (a) \ \$10.50. \\ (b) \ \$187.50. \\ (c) \ \$10.40. \\ (d) \ \$6.00. \end{array} \right.$

What are the net proceeds

(e) If the gross proceeds are \$340, rate of commission 3%, and other expenses \$4.30?

(f) If the gross proceeds are \$6,375, rate of commission 4%, and other expenses \$32.50?

(g) If the gross proceeds are \$195.40, rate of commission $1\frac{1}{2}\%$, and other expenses \$7.45?

$$\text{Ans. } \begin{cases} (e) & \$325.50. \\ (f) & \$6,087.50. \\ (g) & \$185.02. \end{cases}$$

What is the prime cost if

(h) The gross cost is \$520 and the rate of commission is 4%?

(i) The gross cost is \$1,606 and the rate of commission is $\frac{3}{8}\%$?

(j) The gross cost is \$843, the rate of commission is 2%, and the expenses of buying are \$27?

$$\text{Ans. } \begin{cases} (h) & \$500. \\ (i) & \$1,600. \\ (j) & \$800. \end{cases}$$

1. An agent receives \$13 commission for selling \$650 worth of goods; what rate of commission does he charge? Ans. 2%.

2. A commission merchant sold a quantity of wool for \$4,650; he charged $2\frac{1}{2}\%$ commission, 2% guaranty, and the transportation, storage, and other expenses amounted to \$184. How much should he send his principal? Ans. \$4,256.75.

3. An agent received \$550.50 to buy potatoes after deducting all expenses; he paid \$26.50 for drayage, \$32 for barrels, and charged $2\frac{1}{2}\%$ commission for buying. How many bushels did he buy at 60 cents per bushel? Ans. 800 bu.

4. A commission merchant has consigned to him 400 barrels of flour which he sells at \$4.75 per barrel, and charges $2\frac{1}{2}\%$ commission; with the net proceeds he buys sugar at $6\frac{1}{4}$ cents a pound and charges $2\frac{1}{2}\%$ commission for buying. (a) How many pounds of sugar does he buy? (b) What is the amount of his commissions?

$$\text{Ans. } \begin{cases} (a) & 28,917\frac{1}{8} \text{ lb.} \\ (b) & \$92.68. \end{cases}$$

5. A New York agent received \$1,134 with which to purchase hats. If he charges 3% commission and 2% additional for guaranty of quality, how many dozen hats can he buy at \$13.50 per dozen? Ans. 80 doz.

6. A commission merchant sold 2,500 bushels of wheat at 64 cents a bushel and a quantity of corn at 23 cents per bushel; the rate of commission on each sale was $1\frac{3}{4}\%$, and the total commission was \$35,084. How many bushels of corn were sold? Ans. 1,760 bu.

INSURANCE.

57. Insurance is a contract by which one party, the underwriter, or Insurer, agrees, for a consideration, to make good a loss sustained by another party.

58. Insurance is of two kinds, **property insurance** and **personal insurance**. Property insurance includes *fire insurance* (indemnity for loss or damage by fire); *marine insurance* (indemnity for losses at sea); *transit insurance* (indemnity for loss of, or damage to, merchandise during transportation); *stock insurance* (indemnity for loss of live stock); and *accident insurance* (indemnity for breakage of fragile materials, as plate glass, etc.).

Personal insurance includes *life insurance*, which secures the payment of a certain amount to a specified person at the death of the party insured, or after the lapse of a specified time; *accident insurance*, which secures the payment of a certain sum in case of accident to the insured; *health insurance*, which secures the payment of a weekly sum during sickness; and insurance against the dishonesty of employees.

59. The **policy** is the written contract between the insurance company and the party insured; it contains a description of the property insured, the conditions upon which the insurance is taken, and the amount to be paid in case of loss.

60. The **premium** is the amount paid to the insurer for assuming the risk of loss or damage. The premium is a certain per cent. of the amount of insurance, as $\frac{5}{4}\%$, $\frac{3}{4}\%$. The rate of premium depends upon the nature of the risk and upon the length of time the insurance has to run. It is customary to speak of the rate of premium as the cost per \$100 of insurance; as 60 cents per \$100, \$1.20 per \$100, etc.

61. In property insurance, all computations are based on the rules of percentage. The amount of insurance is the *base*, the premium is the *percentage*, and the rate of premium is the *rate*.

ARITHMETIC.

(PART 8.)

INTEREST.

SIMPLE INTEREST.

1. Interest is money paid for the use of money belonging to another.

2. The principal is the sum for which interest is paid.

3. The rate per cent. is the per cent. of the principal that is paid for its use for a given time, usually a year.

4. The amount is the sum of the principal and interest.

5. The legal rate is the rate established by law.

6. Usury is a rate that exceeds the legal rate. The penalty for usury is, in some States, the forfeiture of all interest, in others the forfeiture of both principal and interest. In a number of States, no legal notice is taken of usury.

7. In computing interest, a year is usually regarded as consisting of 12 months of 30 days each. Interest so computed is greater than it should be, unless the time is an exact number of years.

8. The elements in interest correspond with those of ordinary percentage as follows:

The *principal* is the *base*.

The *interest* is the *percentage*.

The *product of the rate per year by the time in years* is the *rate*. Thus, if the rate per cent. per year is 4% and the time is 5 years, the rate per cent. is 20%. That is, 20% of the principal

For notice of copyright, see page immediately following the title page.

equals the interest. It is, of course, understood that fractions of a year are included in the expression "time in years."

9. From the correspondence between percentage and interest, it is obvious that all methods of computing interest depend upon the principle expressed in the following

Formula: *Interest = principal \times rate for 1 year \times time in years.*

10. As in percentage, the rate is used in computation instead of rate per cent. When no other rate per cent. is specified, 6% is to be understood.

FIRST METHOD.

EXAMPLE 1.—Find the interest of \$400 for 2 years 6 months at 5%.

SOLUTION.— 2 years 6 months = $2\frac{1}{2}$ years; $\$400 \times .05 \times 2\frac{1}{2} = \50 .
Ans.

EXAMPLE 2.—What is the interest of \$878.60 for 3 yr. 5 mo. 15 da. at 6%?

SOLUTION.— $\$878.60 \times .06 \times \frac{83}{24} = \182.81 . Ans.

EXPLANATION.—The time must first be changed to years. To do this, we begin with the days. 15 da. = $\frac{1}{2}$ mo.; $5\frac{1}{2}$ mo. = $\frac{11}{2}$ mo., or $\frac{11}{2 \times 12}$ yr. = $\frac{11}{24}$ yr.; $3\frac{11}{24}$ yr. = $\frac{83}{24}$ yr.

EXAMPLE 3.—Find the interest of \$697.23 for 2 yr. 11 mo. 24 da. at $3\frac{1}{2}\%$.

SOLUTION.— $\$697.23 \times .035 \times \frac{179}{60} = \72.80 . Ans.

EXPLANATION.— 24 da. = $\frac{4}{5}$ mo.; $11\frac{4}{5}$ mo. = $\frac{59}{5}$ mo. = $\frac{59}{5 \times 12}$ yr. = $\frac{59}{60}$ yr.; $2\frac{59}{60}$ yr. = $\frac{179}{60}$ yr. The rate per cent. being $3\frac{1}{2}\%$, the rate is $.03\frac{1}{2}$, or .035. Performing the multiplication as indicated, and pointing off the result, gives \$72.80.

11. Rule.—*Multiply the principal by the rate, and that product by the time in years. The result will be the interest required.*

SECOND METHOD.

12. A very neat method of computing interest is the following:

EXAMPLE.—What is the interest at 5% of \$248.80 for 5 yr. 9 mo. 29 da.?

SOLUTION.—

$$\begin{array}{r}
 \$ 248.80 \\
 .05 \\
 \hline
 \$ 12.4400 = \text{Interest for 1 yr.} \\
 6.2200 = \text{Interest for 5 yr.} = 1 \text{ yr.} \times 5. \\
 6.2200 = \text{Interest for 6 mo.} = 1 \text{ yr.} \div 2. \\
 3.1100 = \text{Interest for 3 mo.} = 6 \text{ mo.} \div 2. \\
 .5200 = \text{Interest for 15 da.} = 3 \text{ mo.} \div 6. \\
 .4150 = \text{Interest for 12 da.} = 6 \text{ mo.} \div 15. \\
 .0690 = \text{Interest for 2 da.} = 12 \text{ da.} \div 6. \\
 \hline
 \$ 72.5340 = \text{Interest for 5 yr. 9 mo. 29 da. Ans.}
 \end{array}$$

EXPLANATION.—We first find the interest for 1 year, and then for 5 years. Having the interest for 1 year, we take half of that, which is the interest for 6 of the 9 months. Half of the interest for 6 months is the interest for 3 months. The interest for 29 days is found by taking $\frac{1}{6}$ of 3 months' interest, which gives the interest for 15 ($\frac{1}{2}$ mo.) of the 29 days. Since 12 days = $\frac{1}{15}$ of 6 months, we divide the interest for 6 months by 15* and get 12 days' interest. Only 2 of the 29 days remain; but 2 days = $\frac{1}{6}$ of 12 days. Hence, dividing 12 days' interest by 6, we have the interest for 2 days. 5 years + 6 months + 3 months + 15 days + 12 days + 2 days = 5 yr. 9 mo. 29 da., so that the sum of these several interests = the interest required.

It will be noticed that in the foregoing, 30 days are considered equal to 1 month, or 360 days to a year.

EXAMPLE.—What is the interest of \$6,400 for 3 yr. 11 mo. 26 da., at $4\frac{1}{2}\%$?

SOLUTION.—

$$\begin{array}{r}
 \$ 6400 \\
 .045 \\
 \hline
 \$ 288.00 = \text{Interest for 1 yr.} \\
 864.00 = \text{Interest for 3 yr.} = 1 \text{ yr.} \times 3. \\
 144.00 = \text{Interest for 6 mo.} = 1 \text{ yr.} \div 2. \\
 72.00 = \text{Interest for 3 mo.} = 6 \text{ mo.} \div 2. \\
 48.00 = \text{Interest for 2 mo.} = 6 \text{ mo.} \div 3. \\
 16.00 = \text{Interest for 20 da.} = 2 \text{ mo.} \div 3. \\
 4.00 = \text{Interest for 5 da.} = 20 \text{ da.} \div 4. \\
 .80 = \text{Interest for 1 da.} = 5 \text{ da.} \div 5. \\
 \hline
 \$ 1148.80 = \text{Interest for 3 yr. 11 mo. 26 da. Ans.}
 \end{array}$$

*To divide by 15, divide by 5 and then by 3.

13. Rule.—*Find the interest at the given rate for one year, and multiply this by the number of years. Find the interest for the given months by taking suitable parts of one year's interest, and for the days, suitable parts of the interest for one or more months. The sum of these partial results will be the total interest for the given time.*

EXAMPLES FOR PRACTICE.

14. Find the interest by the first method, and prove the correctness of your work by the second method:

1. Of \$600 for 1 yr. 4 mo. 15 da. at 6%.
2. Of \$2,400 for 2 yr. 2 mo. 18 da. at 5%.
3. Of \$1,800 for 2 yr. 7 mo. 20 da. at $4\frac{1}{2}\%$.
4. Of \$1,250 for 9 mo. 25 da. at $3\frac{1}{2}\%$.
5. Of \$87.50 for 5 yr. 10 mo. 27 da. at 8%.
6. Of \$675.60 for 2 yr. 8 mo. 12 da. at $4\frac{1}{4}\%$.
7. Of \$1,388.84 for 3 yr. 7 mo. 17 da. at 4%.
8. Of \$725.50 for 7 yr. 5 mo. 23 da. at $7\frac{1}{2}\%$.
9. Of \$6,496.40 for 5 yr. 11 mo. 21 da. at 3%.
10. Of \$847.23 for 9 yr. 6 mo. 14 da. at $3\frac{3}{4}\%$.

Answers.—(1) \$49.50; (2) \$266; (3) \$213.75; (4) \$35.85+; (5) \$41.36—; (6) \$77.53—; (7) \$201.69; (8) \$407.04—; (9) \$1,164.48—; (10) \$303.06.

SIX-PER-CENT. METHOD.

15. Assuming that a year is composed of 12 months, each consisting of 30 days, it is clear that at 6% the interest of \$1 for 1 year is 6 cents, or \$.06; that for 1 month it is $\frac{1}{12}$ of \$.06, which is equal to 5 mills, or \$.005; and that for $\frac{1}{5}$ of 30 days, or 6 days, it is 1 mill, or \$.001. Or, in tabular form,

Interest of \$1 for 1 year = \$.06.

Interest of \$1 for 1 month = \$.005.

Interest of \$1 for 6 days = \$.001.

Hence, the interest of \$1 for any other time will be \$.06 for each year, \$.005 for each month, and $$.000\frac{1}{5}$ for each day. The sum of these three results will be the interest of \$1 for the given time.

EXAMPLE.—What is the interest of \$1 for 5 yr. 7 mo. 21 da. at 6%?

SOLUTION.—

$$\begin{aligned}
 \text{Interest of \$1 for 5 yr.} &= \$.06 \times 5 = \$ 30 \\
 \text{Interest of \$1 for 7 mo.} &= .005 \times 7 = .035 \\
 \text{Interest of \$1 for 21 da.} &= .000\frac{1}{8} \times 21 = .0035 \\
 \text{Interest of \$1 for 5 yr. 7 mo. 21 da. at 6\%} &= \$ 3385. \quad \text{Ans.}
 \end{aligned}$$

Now, if we know the interest of \$1, it is simply a matter of multiplication to find the interest of any other number of dollars, or of dollars and cents.

Again, if we know the interest at 6% we may obtain the interest at 1% by dividing the interest at 6% by 6; and having the interest at 1%, we may find it at 4% by multiplying the interest at 1% by 4; similarly, for any other per cent.

EXAMPLE.—What is the interest of \$654 for 3 yr. 9 mo. 28 da. at 5%?

SOLUTION.—

$$\begin{aligned}
 \text{Interest of \$1 at 6\% for 3 yr.} &= .06 \times 3 = \$ 18 \\
 \text{Interest of \$1 at 6\% for 9 mo.} &= .005 \times 9 = .045 \\
 \text{Interest of \$1 at 6\% for 28 da.} &= .000\frac{1}{8} \times 28 = .004\frac{3}{8} \\
 \text{Interest of \$1 at 6\% for 3 yr. 9 mo. 28 da.} &= \$ 229\frac{3}{8} \\
 \$ 229\frac{3}{8} \times 654 &= \$ 150.202 = \text{interest at 6\%.} \\
 \$ 150.202 \div 6 &= \$ 25.033\frac{3}{8} = \text{interest at 1\%.} \\
 \$ 25.033\frac{3}{8} \times 5 &= \$ 125.168\frac{1}{8} = \text{interest at 5\%.} \quad \text{Ans.}
 \end{aligned}$$

16. Rule.—*Find the interest of \$1 at 6% for the given time. To do this, multiply \$.06 by the number of years, \$.005 by the number of months, and \$.000 $\frac{1}{8}$ by the number of days. Multiply the sum of these results by the number of dollars in the principal, and the result will be the interest at 6%. For any other rate, divide the interest at 6% by 6, and multiply the quotient by the given rate.*

17. In practice, it is better to find the interest at other rates than 6% by adding to, or subtracting from, the result for 6% suitable parts of itself.

The following partial table will illustrate:

$$\text{Interest at 6\%} + \left\{ \begin{array}{l} \frac{1}{6} \text{ of itself} = \text{Interest at 7\%.} \\ \frac{1}{3} \text{ of itself} = \text{Interest at 8\%.} \\ \frac{1}{2} \text{ of itself} = \text{Interest at 9\%.} \\ \frac{3}{4} \text{ of itself} = \text{Interest at 7}\frac{1}{2}\%. \\ \frac{5}{6} \text{ of itself} = \text{Interest at 6}\frac{1}{2}\%. \end{array} \right.$$

$$\text{Interest at 6\%} - \begin{cases} \frac{1}{8} \text{ of itself} = \text{Interest at 5\%.} \\ \frac{1}{4} \text{ of itself} = \text{Interest at } 4\frac{1}{2}\%. \\ \frac{1}{8} \text{ of itself} = \text{Interest at 4\%.} \\ \frac{1}{8} \text{ of itself} = \text{Interest at } 5\frac{1}{8}\%. \\ \frac{1}{12} \text{ of itself} = \text{Interest at } 5\frac{1}{2}\%. \end{cases}$$

In the case of unusual rates per cent., it may be necessary to add or subtract two or more quotients.

EXAMPLE.—Suppose we have found the interest of a certain principal at 6% to be \$237.68. How shall we find the interest of the same principal at $4\frac{3}{4}\%$?

SOLUTION.—

$$\begin{array}{rcl} \$237.68 & = & \text{Interest at 6\%.} \\ 59.42 & = & \text{Interest at } 1\frac{1}{2}\% = 6\% \div 4. \\ \hline \$178.26 & = & \text{Interest at } 4\frac{1}{2}\% = 6\% - 1\frac{1}{2}\%. \\ 9.90+ & = & \text{Interest at } \frac{1}{4}\% = 1\frac{1}{2}\% \div 6. \\ \hline \$188.16 & = & \text{Interest at } 4\frac{3}{4}\% = 4\frac{1}{2}\% + \frac{1}{4}\%. \quad \text{Ans.} \end{array}$$

18. When the time for which the interest is to be computed is less than a year, it is customary to use the following method for finding the interest at 6%:

Since the interest for 1 day at 6% is \$.000 $\frac{1}{6}$ (see Art. 15), the interest for any number of days may be found by multiplying the principal by the number of days, moving the decimal point *three* places to the left, and dividing the result by 6. It is usually easier, however, to divide the number of days by 6, multiply the quotient by the principal, and move the decimal point three places to the left.

EXAMPLE.—Find the interest of \$1,215 for 86 days at 6%.

SOLUTION.— $86 \div 6 = 14\frac{1}{3}$; \$1,215 = the principal with the decimal point moved three places to the left; $\$1,215 \times 14\frac{1}{3} = \$17,415$, or \$17.42—. Ans.

When using this method, retain any fraction that may arise from dividing by 6. Thus, for 83 days, multiply by $13\frac{5}{6}$, rather than reduce the fraction to a decimal.

EXAMPLES FOR PRACTICE.

19. By the foregoing method, find the interest

1. Of \$484 for 2 yr. 5 mo. 15 da. at 3%.
2. Of \$768 for 1 yr. 9 mo. 20 da. at 4%.
3. Of \$3,825 for 3 yr. 6 mo. 24 da. at 5%.

4. Of \$9,600 for 4 yr. 7 mo. 27 da. at $3\frac{1}{2}\%$.
5. Of \$168.75 for 2 yr. 11 mo. 23 da. at $4\frac{1}{2}\%$.
6. Of \$437.50 for 5 yr. 8 mo. 18 da. at $5\frac{1}{2}\%$.
7. Of \$627.40 for 4 yr. 10 mo. 14 da. at $7\frac{1}{2}\%$.
8. Of \$969.96 for 3 yr. 9 mo. 22 da. at 7% .
9. Of \$1,237.50 for 7 yr. 2 mo. 26 da. at $2\frac{3}{4}\%$.
10. Of \$1,875.60 for 12 yr. 3 mo. 10 da. at $3\frac{3}{8}\%$.
11. Of \$784.15 for 57 da.
12. Of \$4,225 for 126 da.

Answers.—(1) \$35.695; (2) \$55.47—; (3) \$682.13—; (4) \$1,565.20; (5) \$22.63+; (6) \$137.56—; (7) \$229.26+; (8) \$258.76+; (9) \$246.35—; (10) \$844.37—; (11) \$7.45—; (12) \$88.73—.

SIXTY-DAY METHOD.

20. For 1 year, at 6%, the interest of any principal is .06 of the principal itself, and for 2 months, or 60 days, the interest is .01 of the principal. Hence,

If the decimal point of any sum be moved two places to the left, it will give the interest of that sum for 60 days at 6%.

Thus, the interest of \$3,472.75 for 60 days at 6% is \$34.73—, and of \$692 it is \$6.92.

Having the interest for 60 days, it is easy, by operations that will suggest themselves, to find the interest for any other number of days.

EXAMPLE 1.—Find the interest of \$8,368 for 99 days at 6%.

SOLUTION.—

$$\begin{array}{rcl}
 \$ 8\ 3.6\ 8 & = & \text{Interest for 60 days.} \\
 4\ 1.8\ 4 & = & \text{Interest for 30 days} = \frac{1}{2} \text{ of 60 days.} \\
 8.3\ 6\ 8 & = & \text{Interest for 6 days} = \frac{1}{10} \text{ of 60 days.} \\
 4.1\ 8\ 4 & = & \text{Interest for 3 days} = \frac{1}{2} \text{ of 6 days.} \\
 \hline
 \$ 13\ 8.0\ 7\ 2 & = & \text{Interest for 99 days. Ans.}
 \end{array}$$

EXAMPLE 2.—What is the interest at 9% of \$1,264.76 for 49 days?

SOLUTION.—

$$\begin{array}{rcl}
 \$ 1\ 2.6\ 4\ 7\ 6 & = & \text{Interest for 60 days at 6\%.} \\
 \hline
 6.3\ 2\ 3\ 8 & = & \text{Interest for 30 days} = \frac{1}{2} \text{ of 60 days.} \\
 3.1\ 6\ 1\ 9 & = & \text{Interest for 15 days} = \frac{1}{2} \text{ of 30 days.} \\
 .6\ 3\ 2\ 4 & = & \text{Interest for 3 days} = \frac{1}{10} \text{ of 30 days.} \\
 .2\ 1\ 0\ 8 & = & \text{Interest for 1 day} = \frac{1}{3} \text{ of 3 days.} \\
 \hline
 \$ 1\ 0.3\ 2\ 8\ 9 & = & \text{Interest for 49 days, at 6\%.} \\
 5.1\ 6\ 4\ 4 & = & \text{Interest for 49 days, at 3\%.} \\
 \hline
 \$ 1\ 5.4\ 9\ 3\ 3 & = & \text{Interest for 49 days, at 9\%. Ans.}
 \end{array}$$

21. Rule.—Take .01 of the principal for the interest at 6% for 60 days, and then, by the method of aliquot parts, find the interest for the given time at the rate specified.

EXAMPLES FOR PRACTICE.

22. By the sixty-day method, find the interest

1. Of \$8,000 for 87 days at 6%.
2. Of \$6,050 for 96 days at 3%.
3. Of \$875.28 for 77 days at $3\frac{1}{2}\%$.
4. Of \$1,468.80 for 123 days at 4%.
5. Of \$23,750 for 108 days at $4\frac{1}{2}\%$.
6. Of \$42,690 for 176 days at $3\frac{3}{8}\%$.
7. Of \$7,200 for 225 days at 5%.
8. Of \$468.24 for 101 days at $5\frac{1}{2}\%$.
9. Of \$6,880 for 186 days at 7%.
10. Of \$7,600 for 143 days at $7\frac{1}{2}\%$.

Answers.—(1) \$116; (2) \$48.40; (3) \$6.55+; (4) \$20.07+; (5) \$320.625; (6) \$765.26—; (7) \$225; (8) \$7.23—; (9) \$248.83—; (10) \$226.42—.

EXACT INTEREST.

23. When interest is to be computed for one or more entire years at a specified rate per year, the fact that 12 months of 30 days each are usually regarded as a year does not affect the result—it is only when months and days, or days alone, become an element of the given time, that the interest is greater than it should be. The average length of a month in an ordinary year is $30\frac{5}{12}$ days, and in a leap year it is $30\frac{1}{2}$ days. A day is not $\frac{1}{360}$ of a year, but $\frac{1}{365}$ of a common year, and $\frac{1}{366}$ of a leap year. Hence, 360 days = $\frac{360}{365}$, or $\frac{72}{73}$, of a common year, and $\frac{360}{366}$, or $\frac{60}{61}$, of a leap year. By the ordinary method of finding interest, the result is either $\frac{1}{73}$ or $\frac{1}{61}$ greater than it should be.

Thus, the interest of \$7,300 for 60 days at 6%, as found by the usual method, is \$73. In equity it is $\$7,300 \times .06 \times \frac{60}{365} = \72 . That is, each \$73 interest should be \$72.

24. The method practised by the government and by most banks is to compute the interest for the number of

entire years in a period, and then treat the remaining days as so many 365ths of a year.

EXAMPLE.—Find the exact interest of \$8,000 from Jan. 5, 1873, to July 23, 1880, at 6%.

SOLUTION.—

From Jan. 5, 1873, to Jan. 5, 1880 = 7 yr.

From Jan. 5, 1880, to July 23, 1880 =

Jan. Feb. Mar. Apr. May June July

$26 + 29 + 31 + 30 + 31 + 30 + 23 = 200$ days = $\frac{200}{365} = \frac{40}{73}$ yr.

$\$8,000 \times .06 \times 7\frac{40}{73} = \$3,622.30-$. Ans.

25. The same result is obtained by adding to the interest for 7 years the interest for 200 days less $\frac{1}{61}$ of itself, found by the usual method. Thus,

$$\$8,000 \times .06 \times 7 = \$3,360.00$$

$$\$8,000 \times .06 \times \frac{200}{365} = \$266.67$$

$$\text{Deducting } \frac{1}{61} \text{ of } \$266.67 \quad 4.37 = \underline{262.30}$$

$$\text{Exact interest for 7 yr. 200 da.} = \underline{\$3,622.30} \quad \text{Ans.}$$

EXAMPLE.—What is the exact interest of \$4,800 for 198 days of an ordinary year, at 6%?

SOLUTION.—

\$ 4 8.0 0 = Interest for 60 days.

9 6.0 0 = Interest for 120 days.

1 2.0 0 = Interest for 15 days.

2.4 0 = Interest for 3 days.

73) \$ 1 5 8.4 0 = Interest for 198 days, counting 360

2.1 7

days of the year.

\$ 1 5 6.2 3 = Exact interest for 198 days. Ans.

EXPLANATION.—The interest is first found by the usual method, and $\frac{1}{73}$ of the result deducted.

26. Rule.—Find the interest by the ordinary method for the whole number of years included in the period. Count the number of days that remain, and by the same method find the interest for the days. If the days are part of an ordinary year, diminish the interest for the days by $\frac{1}{73}$ of itself; if they are part of a leap year, diminish the interest by $\frac{1}{61}$ of itself. Add the interest for the years to that for the days, and the result will be the exact interest.

EXAMPLES FOR PRACTICE.

27. Find the exact interest

1. Of \$10,000 for 123 days at 6%.
2. Of \$12,800 for 168 days at 6%.
3. Of \$6,400 for 213 days at 5%.
4. Of \$22,800 for 2 yr. 73 da. at 4%.
5. Of \$960 for 5 yr. 300 da. at $3\frac{1}{2}\%$.
6. Of \$484.80 for 6 yr. 202 da. at $5\frac{1}{2}\%$.
7. Of \$13,000 from Jan. 17, 1897, to Nov. 29, 1897, at $4\frac{1}{2}\%$.
8. Of \$968.40 from Apr. 19, 1865, to July 1, 1896, at 3%.
9. Of \$1,234.60 from Dec. 23, 1888, to Mar. 17, 1890, at 6%.
10. Of \$43,000 from May 29, 1891, to Nov. 3, 1895, at 7%.

Answers.—(1) \$202.19+; (2) \$353.49; (3) \$186.74—; (4) \$2,006.40; (5) \$195.62—; (6) \$174.74; (7) \$506.47—; (8) \$906.41—; (9) \$91.12+; (10) \$13,342.96—.

ANNUAL INTEREST.

28. Unless otherwise specified, interest upon debts is understood to be payable annually. In case it is not so paid, it is permitted in some States to charge interest upon overdue interest. In some other States this practice is illegal. Where it is intended to charge “annual interest,” the written obligation should contain the words “interest payable annually.”

EXAMPLE.—What is the interest at 6% of \$2,400 for 6 years 6 months, interest payable annually, if no interest is paid until the end of the time?

SOLUTION.—

$$\begin{array}{rcl}
 \text{Interest for 1 year} & = & \$2,400 \times .06 = \$144.00 \\
 \text{Interest for 6 yr. 6 mo.} & = & \$144 \times 6\frac{1}{2} = \$936.00 \\
 \text{Interest of \$144 for } 5\frac{1}{2} + 4\frac{1}{2} + 3\frac{1}{2} + 2\frac{1}{2} + 1\frac{1}{2} + \frac{1}{2} & & \\
 = \text{Interest for 18 yr.} & = & \$144 \times .06 \times 18 = \$155.52 \\
 & & \underline{\hspace{1.5cm}} \\
 & & \$1,091.52 \quad \text{Ans.}
 \end{array}$$

EXPLANATION.—The first year's interest remains unpaid for $5\frac{1}{2}$ yr., the second for $4\frac{1}{2}$ yr., etc. The sum of these periods is 18 yr. One year's interest of the principal is \$144, and the interest of this for 18 yr. is \$155.52. The sum of \$936 and \$155.52 is the entire interest due.

29. Rule.—*Find the interest of the principal for one year, and for the entire time the debt runs. Find the sum of the several periods that the annual interest remains unpaid, and for this time find the interest of one year's interest of the debt. The sum of the interest of the main debt and that of the unpaid annual interest will be the result required.*

EXAMPLES FOR PRACTICE.

30. In the following examples, assume that the annual interest is payable but unpaid, and find the entire interest due at the end of the given time:

1. Of \$240 for 2 yr. 6 mo. at 6%.
2. Of \$380 for 3 yr. 8 mo. at 5%.
3. Of \$1,000 for 4 yr. 9 mo. at 7%.
4. Of \$1,200 for 3 yr. 3 mo. 15 da. at 6%.
5. Of \$387.50 for 5 yr. 6 mo. 20 da. at 4%.
6. Of \$7,625 for 8 yr. 7 mo. 18 da. at 5%.

Answers.—(1) \$37.73—; (2) \$74.42—; (3) \$376.60; (4) \$253.74; (5) \$94.03+; (6) \$3,921.79+.

PROBLEMS IN INTEREST.

31. Given the interest, rate, and time, to find the principal.

We know that $I = \text{Prin.} \times \text{rate} \times \text{time (in years)}$; or, more briefly,

$$\frac{Prt}{100} = I,$$

when r is the rate per cent. Hence, multiplying each side by 100, we have $Prt = 100I$. Now, if we divide each side

by rt , we have $\frac{Prt}{rt} = \frac{100I}{rt}$. Canceling rt of the left member of this equation, we have

$$P = \frac{100I}{rt}.$$

That is, *the principal is equal to 100 times the interest divided by the product of the rate per cent. and the time.*

EXAMPLE.—What principal in 4 yr. 9 mo. at 5% will give \$152 interest?

SOLUTION.—Applying the formula and noticing that 9 mo. = $\frac{3}{4}$ yr.,

$$P = \frac{152 \times 100}{5 \times 4\frac{3}{4}} = \frac{152 \times 100 \times 4}{5 \times 19} = \$640. \quad \text{Ans.}$$

EXPLANATION.— $4\frac{3}{4}$ being in the divisor, the fraction must be reduced to the form of an improper fraction and inverted. The rate also appears in the inverted form of $\frac{100}{5}$, since .05 cannot be inverted.

EXAMPLE.—What principal at $3\frac{1}{2}\%$ will, in 2 yr. 3 mo. 15 da., give \$374 interest?

SOLUTION.—Changing the time to $\frac{55}{24}$ years, writing $3\frac{1}{2}\%$ as $\frac{17}{5}$, and applying the formula, we have

$$P = \frac{374 \times 100}{\frac{17}{5} \times \frac{55}{24}} = \frac{374 \times 100 \times 5 \times 24}{17 \times 55} = \$4,800. \quad \text{Ans.}$$

32. Rule.—*To find the principal when the interest, rate, and time are given, divide 100 times the interest by the product of the time in years and the rate per cent.*

EXAMPLES FOR PRACTICE.

33. Find the principal, when

1. Interest = \$96, time = 2 years, rate = 4%.
2. Interest = \$131.25, time = 2 yr. 6 mo., rate = 6%.
3. Interest = \$62.25, time = 2 yr. 3 mo. 20 da., rate = $4\frac{1}{2}\%$.
4. Interest = \$60, time = 180 days, rate = 5%.
5. Interest = \$546, time = 3 yr. 5 mo. 18 da., rate = $3\frac{1}{2}\%$.
6. Interest = \$23.75, time = 1 yr. 8 mo. 24 da., rate = $5\frac{1}{2}\%$.
7. Interest = \$43.60, time = 2 yr. 11 mo. 12 da., rate = 7%.
8. Interest = \$124.30, time = 3 mo. 20 da., rate = $3\frac{3}{8}\%$.

Answers.—(1) \$1,200; (2) \$875; (3) \$600; (4) \$2,400; (5) \$4,500; (6) \$249.13—; (7) \$211.14—; (8) \$11,094.55—.

34. Given the principal, the interest, and the time, to find the rate per cent.

Resuming the equation,

$$Prt = 100 I;$$

dividing each side by Pt , we have

$$\frac{Prt}{Pt} = \frac{100 I}{Pt}, \text{ or } r = \frac{100 I}{Pt}.$$

That is, rate per cent. = (interest \times 100) \div (principal \times time).

EXAMPLE.—At what rate per cent. will \$480 in 3 years 10 months give \$92 interest ?

SOLUTION.—Applying the formula,

$$r = \frac{100 \times 92}{480 \times 3\frac{5}{6}} = \frac{100 \times 92 \times 6}{480 \times 23} = 5\%. \text{ Ans.}$$

35. Rule.—*Change the time to years, and divide 100 times the interest by the product of the principal and the time.*

EXAMPLES FOR PRACTICE.

36. Find the rate per cent. when

1. Principal = \$2,875, time = 4 yr. 7 mo. 6 da., interest = \$529.
2. Principal = \$760, time = 3 yr. 9 mo. 18 da., interest = \$144.40.
3. Principal = \$1,260, time = 2 yr. 1 mo. 10 da., interest = \$119.70.
4. Principal = \$2,340, time = 2 yr. 6 mo. 20 da., interest = \$328.90.
5. Principal = \$4,870, time = 3 yr. 5 mo. 24 da., interest = \$1,017.83.
6. Principal = \$7,200, time = 123 days, interest = \$114.80.
7. Principal = \$1,500, time = 1 yr. 9 mo. 18 da., interest = \$99.
8. Principal = \$1,600, time = 5 yr. 7 mo. 6 da., interest = \$380.80.

Answers.—(1) 4%; (2) 5%; (3) $4\frac{1}{2}\%$; (4) $5\frac{1}{2}\%$; (5) 6%; (6) $4\frac{2}{3}\%$; (7) $3\frac{1}{3}\%$; (8) $4\frac{1}{4}\%$.

37. Given the principal, interest, and rate per cent., to find the time.

If we divide the equation $Prt = 100 I$ by Pr , we shall have

$$\frac{Prt}{Pr} = \frac{100 I}{Pr}, \text{ or } t = \frac{100 I}{Pr}.$$

Otherwise expressed, this means that

$$\text{time (in years)} = (100 \times \text{interest}) \div (\text{principal} \times \text{rate per cent.}).$$

EXAMPLE.—In what time will \$4,480 at 6% give \$871.36 interest?

SOLUTION.—Applying the formula,

$$\text{time} = \frac{100 \times 871.36}{4,480 \times 6} = \frac{\overset{389}{87136}}{\underset{20}{4480 \times 6}} = \frac{389}{120} \text{ yr.}$$

$$\frac{389}{120} \text{ yr.} = 3\frac{29}{120} \text{ yr.}; \quad \frac{29}{120} \times 12 = \frac{29}{10} \text{ mo.} = 2\frac{9}{10} \text{ mo.}; \quad \frac{9}{10} \times 30 = 27 \text{ da.}$$

EXPLANATION.—The result is obtained in years, and must be reduced to years, months, and days. $\frac{389}{120}$ years = $3\frac{29}{120}$ years.

Since there are 12 months in one year, $\frac{29}{120}$ of a year = $\frac{29 \times 12}{120}$

= $\frac{29}{10}$ months, or $2\frac{9}{10}$ months. Since there are 30 days in one

month, $\frac{9}{10}$ of a month = $\frac{9 \times 30}{10} = 27$ days. Hence, the

required time is 3 yr. 2 mo. 27 da. Ans.

38. Rule.—*To find the time, when the principal, interest, and rate are given, divide 100 times the interest by the product of the principal and the rate per cent., and reduce the result, which is years, to years, months, and days.*

EXAMPLES FOR PRACTICE.

39. Find the time, when

1. Principal = \$4,800, interest = \$652, rate = 6%.
2. Principal = \$680, interest = \$103.20, rate = 5%.
3. Principal = \$360, interest = \$26.325, rate = $4\frac{1}{2}$ %.
4. Principal = \$338.75, interest = \$35.23, rate = 4%.
5. Principal = \$1,080, interest = \$112.50, rate = 3%.
6. Principal = \$1,800, interest = \$63, rate = $3\frac{1}{2}$ %.
7. Principal = \$1,050, interest = \$45.50, rate = 5%.
8. Principal = \$1,000, interest = \$143, rate = $6\frac{1}{2}$ %.
9. Principal = \$2,400, interest = \$74.80, rate = $5\frac{1}{2}$ %.

Answers.—(1) 2 yr. 3 mo. 5 da.; (2) 4 yr. 9 mo. 18 da.; (3) 1 yr. 7 mo. 15 da.; (4) 2 yr. 7 mo. 6 da.; (5) 3 yr. 5 mo. 20 da.; (6) 1 yr.; (7) 10 mo. 12 da.; (8) 2 yr. 2 mo. 12 da.; (9) 6 mo. 24 da.

40. Given the amount, time, and rate, to find the principal.

Since at 6% the interest of \$1 for, say, 2 years, is 12 cents, the amount is \$1 + 12 cents = \$1.12. Each \$1 of the principal will, in like manner, amount to \$1.12. Hence, if we divide the amount of any principal in a given time at a specified rate by the amount of \$1 for that time and rate, it will give the number of times \$1 is contained in the principal.

Or using the rate per cent. instead of the rate, we may, by means of the following formula, express the process of finding the principal:

$$P = \frac{100 A}{100 + rt}$$

That is, $(100 \times \text{amount}) \div (100 + \text{rate per cent.} \times \text{time}) = \text{principal}$.

EXAMPLE.—What principal will, in 5 yr. 6 mo., at 4%, amount to \$591.70?

SOLUTION.—Applying the formula,

$$P = \frac{100 \times 591.70}{100 + 4 \times 5\frac{1}{2}} = \frac{59,170}{122} = \$485. \quad \text{Ans.}$$

41. Rule.—*To find the principal, when the amount, rate, and time are given, divide 100 times the amount by 100 increased by the product of the rate per cent. and the time.*

NOTE.—In using this rule, and the formula given in Art. 40, care must be taken that the time be expressed in years and fractions of a year.

EXAMPLES FOR PRACTICE.

42. Find the principal that will amount

1. To \$1,005 in 5 yr. 8 mo. at 6%.
2. To \$3,459 in 3 yr. 4 mo. 24 da. at $4\frac{1}{2}\%$.
3. To \$2,985 in 2 yr. 1 mo. 10 da. at 5%.
4. To \$1,443.60 in 2 yr. 10 mo. 24 da. at 7%.
5. To \$2,353.50 in 1 yr. 6 mo. 12 da. at 3%.

Answers.—(1) \$750; (2) \$3,000; (3) \$2,700; (4) \$1,200; (5) \$2,250.

TRUE DISCOUNT.

43. The student has learned that any deduction made from a debt or other obligation is a *discount*. In making such deductions, the element of *time* may or may not be considered. When time is considered, we have one of the applications of interest. **True discount** is discount when time is considered and *no interest is allowed on the discount*. True discount corresponds exactly to the problems of Interest given in Arts. **40-42**—the case in which the amount, rate, and time are given, to find the principal. The terms employed, however, are different.

The *principal* is called the **present worth**.

The *rate* is called the **rate of discount**.

The *interest* is called the **true discount**.

The *amount* is called the **debt, or obligation**.

True discount is so called to distinguish it from *bank discount*, which will be treated later.

44. The *present worth* of an obligation is a sum such that, if it be put at interest at a specified rate for a given time, it will amount to the obligation.

Thus, if the specified rate is 5%, a debt of \$105 due in one year is worth \$100 *now*, since \$100 placed at interest at 5% will in one year amount to \$105.

45. *True discount* is the difference between a debt due at a future time and its present worth.

Thus, \$5 in the illustration given above is the true discount of \$105 due in one year, when the rate of discount is 5%.

46. Given the debt, rate of discount, and time, to find the present worth and the discount.

The present worth may be found by means of the formula of Art. **40**, or by the rule of Art. **41**. Thus,

$$P = \frac{100 A}{100 + rt}, \text{ or present worth} = \frac{100 \times \text{debt}}{100 + rt}.$$

EXAMPLE.—A debt of \$773, which has 1 yr. 5 mo. 20 da. yet to run, is discounted at 5%. What is (a) the present worth, and (b) the discount?

SOLUTION.—1 yr. 5 mo. 20 da. = $1\frac{11}{12}$ years.

$$\begin{aligned} (a) \text{ Present worth} &= \frac{100 \times 773}{100 + 1\frac{11}{12} \times 5} \\ &= \frac{77,300 \times 36}{3,865} = \$720. \text{ Ans.} \end{aligned}$$

$$(b) \text{ Discount} = \$773 - \$720 = \$53. \text{ Ans.}$$

47. If the debt bears interest, its amount for the time it has to run must first be found, and that sum discounted at the specified rate.

EXAMPLE.—A debt of \$1,200 having 1 yr. 6 mo. to run bears interest at 6%. What is its present worth discounted at 5%?

SOLUTION.—Amount of \$1,200 in 1 yr. 6 mo. = \$1,308.

Applying the formula,

$$\text{Present worth} = \frac{100 \times 1,308}{100 + 1\frac{1}{2} \times 5} = \frac{130,800}{107.5} = \$1,216.74+. \text{ Ans.}$$

48. Rule.—I. *Divide 100 times the amount of the debt when it is due, by 100 increased by the product of the time and the rate of discount. The result will be the present worth.*

II. *Subtract the present worth from the debt, and the remainder will be the discount.*

EXAMPLES FOR PRACTICE.

49. What is the present worth and the discount

1. Of \$900 due in 9 months, discounted at 4%?
2. Of \$1,000 due in 1 yr. 6 mo., discounted at 6%?
3. Of \$800 due in 5 mo., discounted at 5%?
4. Of \$2,800 due in 1 yr. 3 mo. 12 da., discounted at 8%?
5. Of \$625 due in 2 yr. 5 mo. 15 da., discounted at 7%?
6. Of a note for \$600 bearing interest at 5%, having 2 yr. 10 mo. to run, and discounted at 6%?

Answers.—(1) \$873.79—, \$26.21+; (2) \$917.49+, \$82.57—; (3) \$783.67+, \$16.33—; (4) \$2,539.30—, \$260.70+; (5) \$533.24—, \$91.76+; (6) \$585.47, \$99.53.

COMPOUND INTEREST.

50. If the interest of a principal is added to the principal at regular intervals to form by each addition a new principal for the next interval, the resulting interest is called **compound interest**.

Thus, if \$100 be placed at compound interest at 6%, with the understanding that the interest is to be compounded annually, the principal will be \$100 for the first year, \$106 for the second year, \$112.36 for the third year, etc.

51. Most savings banks allow compound interest, although in most States its payment cannot be legally enforced, even though it be specified in a contract.

Unless otherwise stated, interest is understood to be compounded annually. If it be compounded semiannually, one-half the annual rate is taken as the rate; if quarterly, one-fourth the annual rate is taken; etc.

52. When the time is given in years, months, and days, the interest is compounded for the greatest number of entire periods included in the time, and the simple interest of the last principal is found for the remaining time.

EXAMPLE.—Find the compound interest of \$800 for 1 yr. 9 mo. 20 da. at 6%, interest compounded semiannually.

SOLUTION.—

$$\begin{array}{rcl}
 \$800 & = & \text{prin. 1st 6 mo.} \\
 \underline{24} & = & \text{int. 1st 6 mo.} = \$800 \times .03. \\
 \$824 & = & \text{prin. 2d 6 mo.} \\
 \underline{24.72} & = & \text{int. 2d 6 mo.} = \$824 \times .03. \\
 \$848.72 & = & \text{prin. 3d 6 mo.} \\
 \underline{25.46} & = & \text{int. 3d 6 mo.} = \$848.72 \times .03. \\
 \$874.18 & = & \text{prin. for 3 mo. 20 da.} \\
 \underline{16.03} & = & \text{int. for 3 mo. 20 da.} = \$874.18 \times .06 \times \frac{11}{12}. \\
 \$890.21 & = & \text{amt. for 1 yr. 9 mo. 20 da.} \\
 \underline{800} & = & \text{original prin.} \\
 \$90.21 & = & \text{comp. int. for 1 yr. 9 mo. 20 da.} \quad \text{Ans.}
 \end{array}$$

EXPLANATION.—In 1 yr. 9 mo. 20 da. there are three complete periods of 6 mo. each, and 3 mo. 20 da. besides. Since the

annual rate is 6%, for 6 mo. the rate per cent. is 3%. Finding the interest at 3%, and adding the principal for these three periods, gives \$874.18. The amount of this sum for the remaining 3 mo. 20 da. is \$890.21, from which we subtract the original principal. The remainder, \$90.21, is the required compound interest.

53. Compound interest is calculated in actual business by means of a table. The table shows the amount of \$1 at all the different rates, and for all the different times that are likely to occur. Having the amount of \$1 at any given rate and for any number of periods, we multiply it by the number of dollars in any given principal. The result will be the amount of that sum for the given time. If the original principal be subtracted from this amount, the remainder is the compound interest required.

The formula for compound interest is, therefore,

$$\text{Comp. Int.} = P(1+r)^n - P.$$

In this formula, r is the rate, and n the number of periods—it is an exponent expressing the power to which $1+r$ must be raised to give the amount of \$1 for that number of periods.

EXAMPLE.—What is the compound interest of \$600 for 4 years at 6%, interest compounded annually?

SOLUTION.—Applying the formula,

$$\text{Comp. int.} = \$600 (1+.06)^4 - \$600.$$

$$1.06^4 = 1.262477; \$600 \times 1.262477 = \$757.4862;$$

$$\$757.4862 - \$600 = \$157.49. \text{ Ans.}$$

54. In the foregoing formula, r is the rate for one of the equal intervals of time—it is not necessarily the rate per year. For instance, if the interest is compounded quarterly, r is one-fourth of the rate per year; if compounded semiannually, r is one-half the rate per year. In the following table, the numbers in the columns headed “2½ per cent.,” “3 per cent.,” etc., are the values obtained by raising $1+r$ to the power whose exponent is the number of complete periods during which the interest is compounded. Thus, in the column headed “4 per cent.,”

COMPOUND INTEREST TABLE.

Showing the amount of \$1, at various rates, compound interest, from 1 to 20 years, interest compounded annually.

Yr.	2½ per cent.	3 per cent.	3½ per cent.	4 per cent.	5 per cent.	6 per cent.
1	1.025000	1.030000	1.035000	1.040000	1.050000	1.060000
2	1.050625	1.060900	1.071225	1.081600	1.102500	1.123600
3	1.076891	1.092727	1.108718	1.124864	1.157625	1.191016
4	1.103813	1.125509	1.147523	1.169859	1.215506	1.262477
5	1.131408	1.159274	1.187686	1.216653	1.276282	1.338226
6	1.159693	1.194052	1.229255	1.265319	1.340096	1.418519
7	1.188686	1.229874	1.272279	1.315932	1.407100	1.503630
8	1.218403	1.266770	1.316809	1.368569	1.477455	1.593848
9	1.248863	1.304773	1.362897	1.423312	1.551328	1.689479
10	1.280085	1.343916	1.410599	1.480244	1.628895	1.790848
11	1.312087	1.384234	1.459970	1.539454	1.710339	1.898299
12	1.344889	1.425761	1.511069	1.601032	1.795856	2.012197
13	1.378511	1.468534	1.563956	1.665074	1.885649	2.132928
14	1.412974	1.512590	1.618695	1.731676	1.979932	2.260904
15	1.448298	1.557967	1.675349	1.800944	2.078928	2.396558
16	1.484506	1.604706	1.733986	1.872981	2.182875	2.540352
17	1.521618	1.652848	1.794676	1.947901	2.292018	2.692773
18	1.559659	1.702433	1.857489	2.025817	2.406619	2.854339
19	1.598650	1.753506	1.922501	2.106849	2.526950	3.025600
20	1.638616	1.806111	1.989789	2.191123	2.653298	3.207136

Yr.	7 per cent.	8 per cent.	9 per cent.	10 per cent.	11 per cent.	12 per cent.
1	1.070000	1.080000	1.090000	1.100000	1.110000	1.120000
2	1.144900	1.166400	1.188100	1.210000	1.232100	1.254400
3	1.225043	1.259712	1.295029	1.331000	1.367631	1.404908
4	1.310796	1.360489	1.411582	1.464100	1.518070	1.573519
5	1.402552	1.469328	1.538624	1.610510	1.685058	1.762342
6	1.500730	1.586874	1.677100	1.771561	1.870414	1.973822
7	1.605781	1.713824	1.828039	1.948717	2.076160	2.210681
8	1.718186	1.850930	1.992563	2.143589	2.304537	2.475963
9	1.838459	1.999005	2.171893	2.357948	2.558036	2.773078
10	1.967151	2.158925	2.367364	2.593742	2.839420	3.105848
11	2.104852	2.331639	2.580426	2.853117	3.151757	3.478549
12	2.252192	2.518170	2.812665	3.138428	3.498450	3.895975
13	2.409845	2.719624	3.065805	3.452271	3.883279	4.363492
14	2.578534	2.937194	3.341727	3.797498	4.310440	4.887111
15	2.759031	3.172169	3.642482	4.177248	4.784588	5.473565
16	2.952164	3.425943	3.970306	4.594973	5.310893	6.130392
17	3.158815	3.700018	4.327633	5.054470	5.895091	6.866040
18	3.379932	3.996019	4.717120	5.559917	6.543551	7.689964
19	3.616527	4.315701	5.141661	6.115909	7.263342	8.612760
20	3.869684	4.660957	5.604411	6.727500	8.062309	9.646291

1.872981, is the value of 1.04^{16} to 6 places of decimals; it is also the amount at compound interest of \$1 for 16 years at 4%,

compounded annually, of \$1 for 8 years at 8%, compounded semiannually, and of \$1 for 4 years at 16%, compounded quarterly, since in each case the number of periods is 16 and the rate is .04. Hence, if it was required to find the amount at compound interest of \$1 compounded annually, it may be obtained for any rate per cent. from 1 to 20 years from the table; if compounded semiannually, find the number of periods, divide the annual rate per cent. of interest by 2, and treat these results as "years" and "rate per cent.," respectively, when using the table; if compounded quarterly, divide the annual rate per cent. of interest by 4.

EXAMPLE.—Find the amount of \$1 at compound interest for 3 yr. 6 mo. at 7% when compounded (a) annually; (b) semiannually; (c) quarterly.

SOLUTION.—(a) Referring to the table, the amount for 3 yr. at 7% is \$1.225043. The simple interest for 6 mo. on \$1.225043 at 7% is $\$1.225043 \times .035 = \$.042877$ -. The total amount is $\$1.225043 + \$.042877 = \$1.267920$ -. Ans.

(b) When the interest is compounded semiannually, there are $3\frac{1}{2} \times 2 = 7$ periods in 3 yr. 6 mo.; $7\% \div 2 = 3\frac{1}{2}\%$. Referring to the table, we find in the column headed " $3\frac{1}{2}$ per cent.," opposite 7, in column of years, 1.272279; hence, when the interest is compounded semiannually, the amount of \$1 for 3 yr. 6 mo. at 7% is \$1.272279. Ans.

(c) When the interest is compounded quarterly, there are $3\frac{1}{2} \times 4 = 14$ periods; $7\% \div 4 = 1\frac{3}{4}\%$. Since there is no column in the table headed " $1\frac{3}{4}$ per cent.," the amount must be calculated directly. The amount of \$1 is, then, $\$1(1 + .0175)^{14} = \$1 \times 1.0175^{14} = \$1.274913$. Ans.

55. Rule.—*Multiply the amount of \$1 for the given time and rate by the principal, and from the product subtract the principal. The remainder is the compound interest.*

If there is a partial period, find the amount of the last principal for this partial period, and then subtract the original principal.

EXAMPLES FOR PRACTICE.

56. Find the compound interest of the following amounts for the times mentioned, and prove the correctness of your result by using the table. Unless otherwise stated the interest is to be compounded annually.

1. Of \$1,600 for 2 yr. at 8%.
2. Of \$960 for 3 yr. 8 mo. at 6%.
3. Of \$1,280 for 5 yr. 6 mo. at 4%.
4. Of \$2,400 for 3 yr. 10 mo. 20 da. at 5%.
5. Of \$360 for 4 yr. 4 mo. 12 da. at 6%.
6. Of \$480 for 3 yr. 9 mo. 24 da. at 8%, interest compounded semi-annually.
7. Of \$237.50 for 1 yr. 11 mo. 15 da. at 12%, interest compounded quarterly.
8. Of \$3,875 for 2 yr. 11 mo. 12 da. at 6%, interest compounded semi-annually.

Answers.—(1) \$266.24; (2) \$229.11; (3) \$308.46; (4) \$501.78; (5) \$104.49; (6) \$167.65—; (7) \$61.90—; (8) \$738.48—.

PARTIAL PAYMENTS.

57. A debt or obligation may be discharged at one payment; or, from time to time, payments *in part* may be made, and finally at a time of *settlement* the remainder of the debt may be paid. Now, it is obvious that interest should be allowed upon such payments as are made, since interest is charged upon the obligation itself. But, if a payment should be less than the interest upon the debt since a previous payment had been made, to subtract such payment from the debt with accrued interest would result in increasing the principal. This would be a species of compound interest which, in many States, is illegal.

58. When a partial payment of a note is made, the date of payment and its amount are written upon the back of the note, and this record of it is called an **indorsement**.

The following rule for partial payments has been formulated by the Supreme Court of the United States, and has been adopted by most of the States:

59. United States Rule.—I. *Find the amount of the principal to the time when the payment, or the sum of the*

payments, is greater than the interest then due. From the amount subtract the payment or the sum of the payments, and treat the remainder as a new principal.

II. *Proceed in this manner to the date of settlement, and the last amount will be the sum still due.*

60. To compute partial payments by the United States rule.

EXAMPLE.—

\$1,200. New York, Sept. 16, 1895.

On demand I promise to pay John Crawford, or order, Twelve Hundred Dollars, with interest at 6%, value received.

Edward G. Carson.

Indorsements: Jan. 1, 1896, \$120; May 7, 1896, \$300; Dec. 22, 1896, \$16; Sept. 19, 1897, \$400. What was due Jan. 1, 1898?

SOLUTION.—

Principal.....	\$ 1 2 0 0
Interest from Sept. 16, '95, to Jan. 1, '96 (3 mo. 15 da.) ...	2 1
Amount.....	1 2 2 1
First payment.....	1 2 0
New principal.....	1 1 0 1
Interest from Jan. 1, '96, to May 7, '96 (4 mo. 6 da.).....	2 3 1 2
Amount.....	1 1 2 4 1 2
Second payment.....	3 0 0
New principal.....	8 2 4 1 2
Interest from May 7, '96, to Sept. 19, '97 (1 yr. 4 mo. 12 da.)	6 7 5 8
Amount.....	8 9 1 7 0
Sum of third and fourth payments.....	4 1 6 0 0
New principal.....	4 7 5 7 0
Interest from Sept. 19, '97, to Jan. 1, '98 (3 mo. 12 da.)...	8 0 9
Amount due at time of settlement.....	\$ 4 8 3 7 9
	Ans.

In this example, 360 days are considered as 1 year. The third payment of \$16 is less than the interest due at the time it was made; hence, according to the rule, it is added to the next payment of \$400 and the interest is computed to the time of the fourth payment.

EXAMPLES FOR PRACTICE.

61. Find the amount due at the time of settlement on each of the following :

1. \$2,000.

Philadelphia, July 1, 1896.

One year after date, for value received, I promise to pay Wm. Gray, or order, Two Thousand Dollars, with interest at 6%.

Henry G. Brown.

Indorsements: Dec. 16, 1896, \$350; Mar. 1, 1897, \$25; Oct. 25, 1897, \$400; June 14, 1898, \$275. Time of settlement, July 1, 1899.

2. A note for \$3,000 at 6% dated Mar. 5, 1892, bore the following indorsements: Dec. 20, 1892, \$400; Mar. 14, 1893, \$60; Nov. 30, 1893, \$360; July 15, 1894, \$600. Time of settlement, Jan. 1, 1895.

3. A note for \$4,000 at 6% dated Sept. 1, 1886, is indorsed as follows: Jan. 1, 1887, \$500; July 1, 1887, \$450; Jan. 1, 1888, \$90; Sept. 1, 1888, \$800. Time of settlement, Jan. 1, 1889.

4. Face of note, \$3,600, rate 8%, dated May 1, 1890. Indorsements: Dec. 1, 1890, \$600; Mar. 1, 1891, \$100; Dec. 1, 1891, \$800; July 1, 1892, \$1,000. Time of settlement, Dec. 1, 1892.

Answers.—(1) \$1,216.80; (2) \$2,024.38; (3) \$2,625.50; (4) \$1,691.36.

When the time from the date of a note or other obligation is less than a year, settlement is usually made by a method called the *merchants' rule*.

62. The Merchants' Rule.—I. *By the method of exact interest, find the amount of each of the several payments from the time each is made to the date of settlement.*

II. *Subtract the sum of these amounts from the amount of the obligation from its date to the time of settlement. The remainder will be the amount still due.*

EXAMPLE.—Face of note, \$2,000; rate, 6%; date of note, Dec. 31, 1888; time of settlement, Nov. 15, 1889. Indorsements: Mar. 10, 1889, \$200; June 1, 1889, \$300; Aug. 20, 1889, \$400; Oct. 1, 1889, \$500. What was due at time of settlement?

SOLUTION.—

Principal.....	\$ 2 0 0 0
Interest of \$2,000 for *319 da.....	1 0 4 8 8
Amount.....	\$ 2 1 0 4 8 8

* Table XX, § 4, will be found very useful for finding the number of days between two dates.

Amount brought forward.....	\$2164.58
Amount of \$200 for 250 da.....	\$293.22
Amount of \$200 for 167 da.....	\$393.24
Amount of \$400 for 87 da.....	\$495.72
Amount of \$500 for 45 da.....	\$592.70
Sum of payments, with interest.....	\$1425.56
Amount due at time of settlement.....	\$679.00
	Ans.

EXAMPLES FOR PRACTICE.

63. Solve the following examples by the mercantile rule.

1. Debt, \$5,000; rate, 3%; date of note, July 1, 1894; date of settlement, Jan. 11, 1895. Indorsements: Sept. 20, 1894, \$1,000; Dec. 21, 1894, 500; Mar. 12, 1895, 2,500. What is due at time of settlement?

2. Face of note, \$5,400; rate, 4%; date of note, Jan. 1, 1897; time of settlement, Oct. 20, 1897. Indorsements: Mar. 20, 1897, \$1,000; June 1, 1897, 800; Aug. 15, 1897, \$1,000; Sept. 22, 1897, \$1,000. What is due on the note at time of settlement?

3. Debt, \$5,000; rate, 6%; date of note, Nov. 1, 1897; time of settlement, May 25, 1898. Indorsements: Jan. 20, 1898, 800; Jan. 1, 1898, \$1,200; Mar. 25, 1898, \$1,200; Apr. 20, 1898, 400. What is due at time of settlement?

Answers.—(1) \$577.67; (2) \$1,192.60; (3) \$1,401.41.

PROMISSORY NOTES.

64. A promissory note is a written promise to pay a certain sum at a certain time.

65. The maker or drawer of a note is the person that promises to pay; the payee is the person to whom the note is payable; and the holder is the person that owns it.

66. The face of a note is the sum promised to be paid. This sum should be written both in figures and in words.

67. Notes are of two kinds—*notes bearing interest* and *notes not bearing interest*. When no rate of interest is specified, the legal rate in the state or country where the note is made is to be understood. If a note not bearing

interest is not paid when due, it bears interest at the legal rate after that time until paid.

68. The following table is given for reference:

INTEREST LAWS.

Table of laws and customs regarding rates of interest and penalties for their non-payment in various States and Territories, and in the District of Columbia.

States and Territories	Legal Rate of Interest, Per Cent.	Rate Allowed by Contract, Per Cent.	Penalties for Usury	Grace or No Grace
Alabama	8	8	Forfeiture of entire interest.	Grace
Arizona	6	Any rate.	None.	No grace.
Arkansas	6	10	Forfeiture of principal and int.	Grace.
California	7	Any rate.	None.	No grace.
Colorado	6	Any rate.	None.	No grace.
Connecticut	6	6	None.	No grace.
Delaware	6	6	Forfeiture of principal and int.	No grace.
Dist. of Columbia	6	10	Forfeiture of entire interest.	No grace.
Florida	6	10	Forfeiture of entire interest.	No grace.
Georgia	6	6	Forfeiture of excess of interest.	No grace.
Idaho	12	12	None.	No grace.
Illinois	8	8	Forfeiture of entire interest.	No grace.
Indiana	6	6	Forfeiture of excess of interest.	No grace.
Indian Territory	6	10	Forfeiture of principal and int.	Grace.
Iowa	6	6	Forfeiture of entire interest.	No grace.
Kansas	6	6	Forfeiture of excess of interest.	No grace.
Kentucky	6	6	Forfeiture of excess of interest.	No grace.
Louisiana	6	6	Forfeiture of excess of interest.	No grace.
Maine	6	6	Forfeiture of excess of interest.	No grace.
Maryland	6	6	Forfeiture of excess of interest.	No grace.
Massachusetts	6	6	Forfeiture of excess of interest.	No grace.
Michigan	6	6	Forfeiture of excess of interest.	No grace.
Minnesota	6	6	Forfeiture of excess of interest.	No grace.
Mississippi	6	6	Forfeiture of excess of interest.	No grace.
Missouri	6	6	Forfeiture of excess of interest.	No grace.
Montana	6	6	Forfeiture of excess of interest.	No grace.
Nebraska	6	6	Forfeiture of excess of interest.	No grace.
Nevada	6	6	Forfeiture of excess of interest.	No grace.
New Hampshire	6	6	Forfeiture of excess of interest.	No grace.
New Jersey	6	6	Forfeiture of excess of interest.	No grace.
New Mexico	6	6	Forfeiture of excess of interest.	No grace.
New York	6	6	Forfeiture of excess of interest.	No grace.
North Carolina	6	6	Forfeiture of excess of interest.	No grace.
North Dakota	6	6	Forfeiture of excess of interest.	No grace.
Ohio	6	6	Forfeiture of excess of interest.	No grace.
Oklahoma	6	6	Forfeiture of excess of interest.	No grace.
Oregon	6	6	Forfeiture of excess of interest.	No grace.
Pennsylvania	6	6	Forfeiture of excess of interest.	No grace.
Rhode Island	6	6	Forfeiture of excess of interest.	No grace.
South Carolina	6	6	Forfeiture of excess of interest.	No grace.
South Dakota	6	6	Forfeiture of excess of interest.	No grace.
Tennessee	6	6	Forfeiture of excess of interest.	No grace.
Texas	6	6	Forfeiture of excess of interest.	No grace.
Vermont	6	6	Forfeiture of excess of interest.	No grace.
Virginia	6	6	Forfeiture of excess of interest.	No grace.
Washington	6	6	Forfeiture of excess of interest.	No grace.
West Virginia	6	6	Forfeiture of excess of interest.	No grace.
Wisconsin	6	6	Forfeiture of excess of interest.	No grace.
Wyoming	6	6	Forfeiture of excess of interest.	No grace.

* Upon all loans of \$100 or upwards in personal security, any rate of interest is legal.

69. A note should be so written as to show where it was made and when, the sum promised to be paid, whether it does or does not bear interest, and the words "value received." The law assumes that no one is to be compelled to pay unless he has received what he deems an equivalent. If "value received" is omitted, the holder may have to prove that the maker of the note did actually receive value for the money promised in it.

70. A note usually specifies where it is to be paid—usually at a bank. If no place is designated, the holder's place of business is understood.

71. If a note contains the words "or order," it is a **negotiable note**, and may pass like a bank note from one person to another. If the holder of a negotiable note wishes to dispose of it, he is generally required to guarantee its payment by *indorsing* it—that is, by writing his name across the back of the note. There are several kinds of indorsements. Thus, if the holder is John Smith, he may, on the back of the note, write *John Smith*. This is an indorsement *in blank*, and makes John Smith responsible for the payment of the note.

He may write, *Pay to William Jones*. The note is then payable only to William Jones.

If he indorses it, *Pay to William Jones, or order*, it is payable to William Jones, or to any one to whom William Jones may order it to be paid.

He may indorse it, *Pay to William Jones, or bearer*, and it is payable to any person that presents it.

If it be indorsed, *Pay to bearer*, it is payable to the person that presents it for payment.

72. A **joint and several note** is a note signed by two or more persons, who become collectively and individually responsible for its payment.

A note is **protested** when the holder of it notifies the indorsers in legal form and within the time prescribed by law that the note is unpaid. Unless such protest is legally

made, the indorsers are not responsible for its payment. This protest must reach the indorser not later than the day when the note is payable.

73. Some forms of notes used in actual business are given below.

\$250.

New York, Sept. 17, 1896.

*On demand I promise to pay George Camp, or order,
Two Hundred and Fifty Dollars, value received.*

Howard Gray.

\$1,000.

Scranton, July 5, 1898.

*Three months after date, for value received, I promise
to pay Stephen Girard, or order, One Thousand Dollars, with
interest at 5%.*

Charles Goldwin.

\$3,000.

Philadelphia, July 5, 1898.

*Six months after date, we, or either of us, will pay to
George Owen, Three Thousand Dollars, value received, with
interest at 6%.*

George Kirwin.

Henry Potter.

Erastus Kirby.

Payable at the First National Bank.

74. In most states, *three days of grace* are allowed before a note must be paid. If a bank discounts a note, interest is charged for days of grace in States where days of grace are legal.

75. If a note falls due on a Sunday, or on a legal holiday, it is usually payable during banking hours on the business day preceding its maturity. Interest, however, is charged for three days of grace in such cases. In some States, a note falling due on a Sunday or a legal holiday is payable on the first business day thereafter.

EXAMPLES FOR PRACTICE.

76. Solve the following examples:

1. Write a negotiable demand note for \$600, with interest at 6%, and make Brown, Jones & Co. the payee.

2. Write a non-negotiable note for \$4,000, with interest at 5%, payable in 30 days, yourself being the maker and Howard Crosby the payee.

3. How much will pay the following note when due without grace ?
\$575 $\frac{50}{100}$.

New York, Sept. 19, 1898.

Sixty days after date, for value received, I promise to pay Ralph Newton, or order, Five Hundred Seventy-Five and $\frac{50}{100}$ Dollars, with interest at $4\frac{1}{2}\%$.

Henry Miles.

Ans. \$579.82.

BANK DISCOUNT.

77. Bank discount is the charge made by a bank for paying a note or other obligation before it is due. This charge is the interest on the amount of the obligation from the time it is discounted until its maturity. This interest is subtracted from the face of the obligation, and its holder receives for it the remainder, which is called the **proceeds**. Hence, bank discount is inequitable, since interest is charged, not only upon the sum actually paid for the obligation, but also upon the discount.

78. In states where days of grace are allowed, bank discount is calculated for 3 days more than the time specified in the note.

Thus, if a 60-day note for \$1,000 is discounted at a bank, the interest of \$1,000 is found for 63 days, and is subtracted from \$1,000. If the rate of discount is 6%, the holder will receive as proceeds $\$1,000 - \$10.50 = \$989.50$.

79. It is evident that the owner of the note should receive for it the *true present worth* of \$1,000 payable in 63 days, or \$989.61. The bank gives him only \$989.50, or 11 cents less than he should get. When it is considered that the sums annually discounted by most banks mount up into millions, it will be seen how much of their gain is unearned.

80. The **maturity** of a note is on the last day of grace. The time of maturity is generally indorsed on the note, thus, Mar. 7/10, which means that it matures nominally on Mar. 7, and legally on Mar. 10.

The **term of discount** is the time from the discounting of the note to its maturity.

81. In the case of an interest-bearing note, the sum discounted is the amount of the note at maturity.

82. Banks usually require that a discounted note shall be payable at the bank that discounted it, and they rarely discount notes having more than 90 days to run.

83. To find the time when a note matures, the term of discount, the discount, and the proceeds.

EXAMPLE.—Find (a) the discount, and (b) the proceeds of the following note:

\$484 $\frac{60}{100}$. Newark, N. J., Oct. 4, 1897.
Sixty days after date, for value received, I promise to pay William Hall, or order, Four Hundred Eighty-Four and $\frac{60}{100}$ Dollars, at the Ninth National Bank. Henry Parshall.

Discounted, Oct. 20, 1897, at 6%.

SOLUTION.—

(a) Maturity, Dec. 3/6, 1897.
 Term of discount, 47 days.
 Discount, \$3.80. Ans.

(b) Proceeds, \$484.60 — \$3.80 = \$480.80. Ans.

EXPLANATION.—Sixty days after Oct. 4 is Dec. 3, and three days of grace make the date of legal maturity Dec. 6. From the time of discount, Oct. 20, to Dec. 6 is 47 days, for which the interest at 6% is \$3.80. Subtracting the discount, \$3.80, from the face of the note, \$484.60, gives \$480.80, the proceeds.

EXAMPLE.—Find (a) the discount and (b) the proceeds of the following note:

\$1,060. Chicago, Ill., August 6, 1898.
For value received, I promise to pay, three months after date, to Ernest Hazard, or order, One Thousand Sixty Dollars, with interest at 5%. Emil Reeves.

Discounted, Sept. 1, 1898, at 6%.

SOLUTION.—

(a) Maturity, Nov. 6/9, 1898.
 Amount of note at maturity..... \$ 1 0 7 3 6 9
 Term of discount, 69 days.....
 Discount 1 2 3 5 Ans.
 (b) Proceeds \$ 1 0 6 1 3 4 Ans.

84. Rule.—I. *If the note bears interest, find its amount at the time of maturity.*

II. *Find the interest on the face of the note, or, if it is an interest-bearing note, on the amount of the note at maturity at the given rate of discount for 3 days more than the time it has to run until its nominal maturity, and the result will be the bank discount.*

III. *Subtract the bank discount from the face of the note, or from its amount at maturity, and the remainder will be the proceeds.*

EXAMPLES FOR PRACTICE.

85. Solve the following examples:

1. Find (a) the bank discount and (b) the proceeds of a note for \$5,000, due in 60 days, discounted at 6%.

Ans. $\left\{ \begin{array}{l} (a) \ \$52.50. \\ (b) \ \$4,947.50. \end{array} \right.$

2. Find (a) the bank discount and (b) the proceeds of a note for \$4,000, due in 90 days, discounted at 5%.

Ans. $\left\{ \begin{array}{l} (a) \ \$51.67. \\ (b) \ \$3,948.33. \end{array} \right.$

3. Required, (a) the bank discount and (b) the proceeds of a note for \$7,600, due in 30 days discounted at 8%.

Ans. $\left\{ \begin{array}{l} (a) \ \$55.73. \\ (b) \ \$7,544.27. \end{array} \right.$

4. A note for \$8,000 dated July 5, 1898, is discounted at 5% on Sept. 7, 1898. If it is a 90-day note, what are the proceeds?

Ans. \$7,967.78.

5. A note for \$2,800 bearing interest at 6%, and due in 60 days, is discounted at 5%. What are the proceeds?

Ans. \$2,804.64.

6. \$8,476 $\frac{00}{100}$.

St. Louis, Mo., Jan. 8, 1898.

Six months after date I promise to pay to Charles Brown, or order, Eight Thousand Four Hundred Seventy-Six Dollars, value received, with interest at 6%.

Howard Bristow.

Find the proceeds of the foregoing note if discounted April 25, 1898, at 5%.

Ans. \$8,641.11.

7. A note for \$2,800, due in 3 months, is dated June 5, 1899, and bears interest at 7%. It is discounted July 20, at 6%. Find the proceeds.

Ans. \$2,826.87.

8. A note for \$96,000, with interest at 8%, is dated Nov. 16, 1897, and is due in 90 days. It is discounted Dec. 20, at 6%. Find how much the proceeds differ from the true present worth.

Ans. \$9.38.

86. To find the face of a note when the proceeds, time, and rate are given.

EXAMPLE.—The proceeds of a note discounted at a bank for 45 days at 6% were \$1,488. What was the face of the note?

SOLUTION.—

Proceeds of \$1 for 45 + 3 days = \$.992.

Face of the note = $\$1,488 \div \$.992 = \$1,500$. Ans.

87. Rule.—*Divide the proceeds by the proceeds of \$1 for 3 days more than the given time.*

EXAMPLES FOR PRACTICE.

88. Solve the following examples:

1. A 60-day note discounted at a bank at 6% yields \$1,246.77. What is its face? Ans. \$1,260.

2. The proceeds of a note for 2 mo. 12 da., discounted at a bank at 7%, are \$4,079.625. Find the face of the note. Ans. \$4,140.

3. Given, rate of discount, 8%; time, 90 days; proceeds, \$3,613.74. Find the face of the note. Ans. \$3,690.

4. Given, rate of discount, 7%; time, 30 days; proceeds, \$86,382.135. Find the face of the note. Ans. \$86,940.

5. Given, time, 51 days; rate, 4%; proceeds, \$484.575. What is the face of the note? Ans. \$487.50.

6. A note for 60 days discounted at $4\frac{1}{2}\%$ yields \$81,815.335. What is its face? Ans. \$82,464.75.

7. Write in proper form a 60-day note payable at the Chemical Bank of New York, which, when discounted when the note is made, will yield at 5%, \$7,850 proceeds. Ans. Face, \$7,915.97.

DUTIES.

89. Duties, or customs, are taxes levied by governments on imported goods for the purpose of producing revenue and for the protection of home industries.

90. There are two kinds of duties: *ad valorem* and *specific*. An *ad valorem* duty is estimated at a certain per cent. of the market value of the goods in the country from

which they are imported; as, silks, 50%, musical instruments 15%, etc. The market value of the goods is the invoice value after deducting discounts and before extra charges, such as commission, freight, boxing, etc., are added.

91. A **specific** duty is a duty levied on imported goods according to the weight, measurement, or number of the articles, without reference to their value; as, wheat 15 cents per bushel, coal 75 cents per ton, etc. Some kinds of merchandise are subject to both *ad valorem* and specific duties. In computing specific duties, the long ton of 2,240 pounds and the hundredweight of 112 pounds are used.

92. An **invoice** is an itemized statement of the merchandise shipped. It contains the names of purchaser and seller, a description of the quality and quantity of the goods, the price and incidental charges. Invoices are made out in the weights and measures and the currency of the country from which the goods are imported. Thus, the price and cost of goods imported from Germany would be given in *marks*; from France, in *francs*; from England, in £ *s. d.*

93. Before computing duties the following allowances are made: **Tare**, a deduction for the weight of boxes or crates; **leakage**, an allowance for loss of liquids imported in barrels or casks; and **breakage**, an allowance for loss of liquids imported in bottles. The **net quantity** is what remains after deducting tare, leakage, or breakage.

94. *Ad valorem* duties are computed by the **rules** of percentage; the net invoice price is regarded as the *base*, the *ad valorem* duty as the *percentage*, and the rate of duty as the *rate*.

Duties are not computed on fractions of a dollar; if the cents are less than 50 they are rejected; if more, they are counted as a dollar.

95. Rule.—*To find the ad valorem duty, reduce the net invoice price to U. S. money, if necessary, deduct allowances, and multiply the remainder (expressed in even dollars) by the rate of ad valorem duty.*

To find the specific duty, multiply the net quantity by the rate of specific duty per unit of quantity.

EXAMPLE 1.—What is the duty on an invoice of silks valued at 24,360 francs, the ad valorem rate being 60%?

SOLUTION.—Referring to Art. 98, 24,360 francs = $24,360 \times .193$ = \$4,701.48. Duty = $\$4,701 \times .60$ = \$2,820.60. Ans.

The 48 ct. is rejected, being less than 50 ct. (Art. 94.)

EXAMPLE 2.—What is the duty on 820 gallons of brandy at \$1.50 per gallon, leakage 3%?

SOLUTION.—Leakage = $820 \times .03$ = 24.6 gal.

Net quantity = $820 - 24.6$ = 795.4 gal.

Duty = 795.4×1.50 = \$1,193.10. Ans.

EXAMPLES FOR PRACTICE.

96. What is the ad valorem duty on an importation invoiced at

(a) £430 12 s. 4 d., allowing 5% breakage, rate of duty 40%?

(b) 36,750 lira, allowing 2% for tare, rate of duty 24%?

(c) 9,264 marks, rate of duty 85%?

(d) 4,700 yen, rate of duty 14%?

Ans. $\left\{ \begin{array}{ll} (a) & \$796.40. \\ (b) & \$1,668.24. \\ (c) & \$1,874.25. \\ (d) & \$327.74. \end{array} \right.$

What is the specific duty on an importation of

(e) 3,200 bushels potatoes at 15 cents per bushel?

(f) 60 dozen bottles of wine at \$3.00 per dozen, breakage 10%?

(g) 125 gross of empty bottles, breakage 6%, duty 10 cents per dozen?

(h) 3 tons 6 hundredweight of iron castings at $\frac{3}{4}$ cent per pound?

Ans. $\left\{ \begin{array}{ll} (e) & \$480. \\ (f) & \$162. \\ (g) & \$141. \\ (h) & \$55.44. \end{array} \right.$

1. What is the duty on 25,670 pounds of pig iron at \$5.00 per ton?

Ans. \$57.30.

2. What is the duty on five blocks of marble each 12 feet long, 4 feet wide, and $2\frac{1}{2}$ feet thick, at 65 cents per cubic foot? Ans. \$390.

3. What is the duty on an importation of 2,650 yards of woolen goods weighing 620 pounds net and valued at 72 cents per yard, the rates of duty being 60 cents per pound and 30% ad valorem? Ans. \$944.40.

4. An importation of musical instruments from Germany is valued at 13.670 marks; what is the duty at $17\frac{1}{2}\%$ ad valorem? Ans. \$569.28.

5. An importer buys French silks at \$1.80 per yard and pays a duty of 35% ad valorem, and \$.60 per yard specific; at what price per yard must the silk be sold to yield a profit of 25%? Ans. \$3.79.

6. What is the duty at 65%, upon a consignment of 1,350 dozen kid gloves invoiced at 115 francs per dozen? Ans. \$19,475.95.

CONVERSION OF CURRENCY.

97. For commercial transactions between importers and exporters, each country has established a monetary system different from the systems of other countries; it is important, therefore, to know the equivalents of these different systems. For every country, either gold or silver has been chosen as the standard. A certain fixed weight of that standard has a name, and is called the **monetary unit**. In most countries, this unit is not coined; thus, the pound sterling is coined, but the gold dollar, the gold franc, the gold mark, etc. are not.

The gold valuations of these units are proclaimed each year by the Secretary of the Treasury of the United States, and these valuations are used in custom-house computations of the value of all importations of merchandise.

98. The following table gives a list of the countries having fixed currencies, their standards, monetary units, United States gold equivalents, and their principal coins.

COUNTRIES WITH FIXED CURRENCIES.

NOTE.—The following official (United States Treasury) valuations of foreign coins do not include "rates of exchange."

Countries.	Standard.	Monetary Unit.	Value in U. S. Gold.	Coins.
Argentine Republic .	Gold and silver	Peso	\$0.965	Gold—argentine (\$4.824) and $\frac{1}{2}$ argentine; silver—peso and divisions.
Austria-Hungary . .	Gold	Crown	.203	Gold—20 crowns (\$4.052) and 10 crowns.
Belgium	Gold and silver	Franc	.193	Gold—10 and 20 franc pieces; silver—5 francs.
Brazil	Gold	Milreis	.546	Gold—5, 10, and 20 milreis; silver— $\frac{1}{2}$, 1, and 2 milreis.
British North America (except Newfoundland)	Gold	Dollar	1.00	
British Honduras . .	Gold	Dollar	1.00	
Chile	Gold	Peso	.365	Gold—escudo (\$1.25), doubloon (\$3.65), and condor (\$7.30); silver—peso and divisions.
Costa Rica	Gold	Colon	.465	Gold—2, 5, 10, and 20 colons; silver—5, 10, 25, and 50 centisimos.
Cuba	Gold and silver	Peso	.926	Gold—doubloon (\$5.017); silver—peso (60 cents).
Denmark	Gold	Crown	.268	Gold—10 and 20 crowns.
Ecuador	Gold	Sucre	.487	Gold—10 sucres (\$4.8665); silver—sucres and divisions.
Egypt	Gold	Pound (100 piasters)	4.943	Gold—10, 20, 50, and 100 piasters; silver—1, 2, 10, and 20 piasters.
Finland	Gold	Mark	.193	Gold—10 and 20 marks (\$1.93 and \$3.85.9).
France	Gold and silver	Franc	.193	Gold—5, 10, 20, 50, and 100 francs; silver—5 francs.
Germany	Gold	Mark	.238	Gold—5, 10, and 20 marks.
Great Britain	Gold	Pound sterling	4.866 $\frac{2}{3}$	Gold—sovereign (pound sterling) and half sovereign.
Greece	Gold and silver	Drachma	.193	Gold—5, 10, 20, 50, and 100 drachmas; silver—5 drachmas.
Haiti	Gold and silver	Gourde	.965	Silver—gourde.
India	Gold	Rupee	.324	Gold—sovereign (\$4.8665); silver—rupee and divisions.
Italy	Gold and silver	Lira	.193	Gold—5, 10, 20, 50, and 100 lire; silver—5 lire.
Japan	Gold	Yen	.498	{ Gold—1, 2, 5, 10, and 20 yen.
Liberia	Gold	Dollar	1.00	{ 100 sen = 1 yen.
Netherlands	Gold and silver	Florin	.402	Gold—10 florins; silver— $\frac{1}{2}$, 1, and 2 $\frac{1}{2}$ florins.
Newfoundland	Gold	Dollar	1.014	Gold—\$2 (\$2.02.7).
Peru	Gold	Sol	.487	Gold—libra (\$4.8665); silver—sol and divisions.
Portugal	Gold	Milreis	1.08	Gold—1, 2, 5, and 10 milreis.
Russia	Gold	Ruble	.515	Gold—imperial (\$7.718) and $\frac{1}{2}$ imperial (\$3.80); silver— $\frac{1}{2}$, $\frac{1}{4}$, and 1 ruble.
Spain	Gold and silver	Peseta	.193	Gold—25 pesetas; silver—5 pesetas.
Sweden and Norway	Gold	Crown	.268	Gold—10 and 20 crowns.
Switzerland	Gold and silver	Franc	.193	Gold—5, 10, 20, 50, and 100 francs; silver—5 francs.
Turkey	Gold	Piaster	.044	Gold—25, 50, 100, 200, and 500 piasters.
Uruguay	Gold	Peso	1.034	Gold—peso; silver—peso and divisions.
Venezuela	Gold and silver	Bolivar	.193	Gold—5, 10, 20, 50, and 100 bolivars; silver—5 bolivars.

99. To convert foreign money into United States gold valuations.

Rule.—*Multiply the total amount in foreign money by the United States equivalent of the foreign unit.*

EXAMPLE.—What is the value, in United States money, of the following French invoice?

Goods.	French Money. Francs.	United States Money.	
		Dollars.	Cents.
28½ gross bottles of brandy, at 74 francs per dozen			
80 pieces silk each 32 meters by 75 centimeters, at 4 francs 95 centimes per square meter			
Total, in United States money			

SOLUTION.—

$$\begin{aligned}
 28\frac{1}{2} \text{ gr.} &= 28\frac{1}{2} \times 12 = 342 \text{ doz.} \\
 342 \times 74 \text{ fr.} &= 25,308 \text{ fr.} \\
 25,308 \times \$1.93 &= \$4,884.44. \\
 75 \text{ cm.} &= .75 \text{ m.} \\
 32 \text{ m.} \times .75 &= 24 \text{ sq. m.} \\
 24 \text{ sq. m.} \times 80 &= 1,920 \text{ sq. m.} \\
 1,920 \times 4.95 \text{ fr.} &= 9,504 \text{ fr.} \\
 9,504 \times \$1.93 &= \$1,834.27. \\
 \$4,884.44 + \$1,834.27 &= \$6,718.71.
 \end{aligned}$$

Goods.	French Money. Francs.	United States Money.	
		Dollars.	Cents.
28½ gr. bottles of brandy, at 74 fr. per doz.	25,308	4,884	44
80 pieces silk, each 32 m. by 75 cm., at 4 francs 95 centimes per sq. m.	9,504	1,834	27
Total, in United States money		6,718	71

Ans. \$6,718.71.

100. To convert United States money into foreign money.

Rule.—*Divide the total amount, in United States money, by the United States equivalent of the foreign unit.*

EXAMPLE.—What is the value, in marks, of the following United States invoice?

Goods.	United States Money.		German Money. Marks.
	Dollars.	Cents.	
20,720 pounds cement at \$11.42 per ton, less 5%			
190 plates of plate glass 27 in. × 48 in. at \$2.14 per square foot			
Total, in German money			

SOLUTION.—

$$20,720 \text{ lb.} \div 2,240 = 9.25 \text{ T.}$$

$$9.25 \times \$11.42 = \$105.64.$$

$$\$105.64 \times .05 = \$5.28. \quad \$105.64 - 5.28 = \$100.36.$$

$$\$100.36 \div .238 = 421.68 \text{ marks.}$$

$$27 \text{ in.} \times 48 \text{ in.} = 1,296 \text{ sq. in.}$$

$$1,296 \text{ sq. in.} \times 190 = 246,240 \text{ sq. in.}$$

$$1 \text{ sq. ft.} = 144 \text{ sq. in.}$$

$$246,240 \text{ sq. in.} \div 144 = 1,710 \text{ sq. ft.}$$

$$1,710 \times \$2.14 = \$3,659.40.$$

$$\$3,659.40 \div .238 = 15,375.63 \text{ marks.}$$

$$421.68 + 15,375.63 = 15,797.31 \text{ marks.}$$

Goods.	United States Money.		German Money. Marks.
	Dollars.	Cents.	
20,720 lb. cement at \$11.42 per T., less 5%	100	36	421.68
190 plates of plate glass 27 in. × 48 in., at \$2.14 per sq. ft.	3,659	40	15,375.63
Total, in German money			15,797.31

Ans. 15,797.31 marks.

EXAMPLES FOR PRACTICE.

101. Solve the following examples:

1. Find the value, in marks, of the following United States invoice:

Goods.	United States Money.		Marks.
	Dollars.	Cents.	
144 dozen bottles of wine at \$12 per gross . . .			
125 tons coal at \$3.75 per ton			
Total, in German money			

Ans. 2,574.58 marks.

2. What is the duty on cigars and cigarettes valued at 24,352 pesetas and weighing 239.5 kilos, ad valorem duty 25% and specific duty \$4.50 per pound?

Ans. \$3,551.01.

3. What is the duty on an invoice of 10,000 pairs French hosiery valued at 9,000 francs, ad valorem duty 15% and specific duty $67\frac{1}{2}$ cents per dozen pairs?

Ans. \$823.05.

4. Find the value, in United States money, of the following Japanese invoice:

Goods.	Japanese Money.	United States Money.	
	Yens.	Dollars.	Cents.
2,000 pieces earthenware valued at 6,000 yens, allowing a discount of $4\frac{1}{2}\%$			
600 rolls matting 40 yd. to the roll at 50 sens per yard			
Total, in United States money			

Ans. \$8,829.54

ARITHMETIC.

(PART 9.)

STOCKS AND BONDS.

1. If any work involving a large expenditure of money is to be undertaken, it is usual to organize a company, and procure a charter under the laws of some state. The chartered company then issues shares, which are sold to any persons having money to invest, and willing to incur the chances of loss. The advantage of having a charter for the company is that the shareholders in case the business is unprofitable, are liable for the debts of the company only to the amount of their shares. Otherwise, any member of the company can be compelled to pay all of its debts. Moreover, a chartered company can do business just as an individual—that is, it may sue or be sued for debts, enter into contracts, etc.

2. The **par value** of shares is the amount—usually \$25, \$50, or \$100—specified in the certificates issued to its subscribers.

When the business of a company is profitable, its shares sell *above par*, or for more than their face value; if it is unprofitable, the shares sell at a *discount*, or *below par*.

3. When a company gains in its business, it pays its shareholders, from time to time, part of its profits, called **dividends**.

4. Dividends are *declared* quarterly, semiannually, or annually, and are usually paid at the general office of the company.

For notice of copyright, see page immediately following the title page.

5. If the business is at a loss, the shareholders may be required to make good the loss. Such payments are called **assessments**.

6. If a man buys stocks of a company and makes partial payments on them, such payments are called **instalments**.

7. A **bond** is a written obligation under seal to pay a certain sum at a specified time.

8. Bonds to furnish money for the national or any state government, or for a city, county, town, village, or for an incorporated company, are prepared and sold in the open market. The money accruing from such sales may be used for current expenses, or for such improvements as may be desired. The bonds are secured by the property of those who issue them, and bear interest payable quarterly, semi-annually, or annually.

9. **Registered bonds** are numbered, and the names of their purchasers are recorded. To sell registered bonds, the transfer must be recorded on the books of the company that issued them. Sometimes bonds have **coupons** attached, stating the amount of interest due at certain times. These coupons may be detached, and exchanged for money at the general office of the company, or at a bank acting for the company.

10. Government or State bonds are usually designated by the interest they bear, or by the time when they are payable. Thus, "U. S. 3½'s, 1907" are bonds of the United States Government bearing interest at 3½%, and payable in 1907.

11. A **stock broker** is a person whose business consists in buying and selling bonds or stocks for others. His compensation is a certain per cent. of the *par value* of the stocks bought or sold. The compensation of a broker is called **brokerage**.

12. The *par value* of stocks is to be understood as 100, unless some other value is given. Whatever may be the market price of stocks and bonds, brokerage is calculated on their *par value*.

EXAMPLE 1.—Find the cost of 480 shares of Canadian Pacific stock bought at $123\frac{1}{2}$, if the brokerage is $\frac{1}{8}\%$.

SOLUTION.— $(123\frac{1}{2} + \frac{1}{8}) \times 480 = \$59,340$. Ans.

EXAMPLE 2.—How many shares of bank stock selling at 112 can be bought for \$89,700, if the brokerage is $\frac{1}{8}\%$? The par value of the shares is \$50.00.

SOLUTION.—The cost of 1 share at the market price is $1.12 \times \$50 = \56 ; the brokerage per share is $.00\frac{1}{8} \times \$50 = \$0.06\frac{1}{4}$. Therefore, total cost of 1 share = $\$56 + \$0.06\frac{1}{4} = \$56.06\frac{1}{4}$, and the number of shares bought = $\$89,700 \div \$56.06\frac{1}{4} = 1,600$ shares. Ans.

13. NOTE.—Unless otherwise stated, the par value of each share will always be assumed to be \$100.00. Then, in example 1 above, the cost of 1 share is \$123.50. But the broker gets $\frac{1}{8}\%$, or $\frac{1}{8}$ of \$1.00 per share for selling them. Therefore, the total cost to the purchaser of 480 shares is $(123\frac{1}{2} + \frac{1}{8}) \times 480 = \$59,340$.

14. Rule.—I. *To find the cost of any number of shares of stock, multiply the sum of the market price per share and the brokerage by the number of shares, and the product will be the cost.*

II. *To find the number of shares that can be bought for a given sum, divide the given sum by the cost of one share, including the brokerage, and the quotient will be the number of shares.*

15. EXAMPLE.—How much must be invested in railroad stock that pays a quarterly dividend of $2\frac{1}{2}\%$, in order to have an income of \$4,000, if they are bought at $104\frac{1}{2}$, brokerage being $\frac{1}{8}\%$?

SOLUTION.—The expression, “a dividend of $2\frac{1}{2}\%$,” means $2\frac{1}{2}$ per cent. on the *par* value of the stock. Hence, since the *quarterly* dividend is $2\frac{1}{2}\%$, the *annual* income per share of \$100 will be \$10. Consequently, to obtain an annual income of \$4,000, there must be bought $4,000 \div 10 = 400$ shares; then each share will cost $\$104\frac{1}{2} + \$\frac{1}{8}$, and their total cost will be 400 times as much, or $\$104\frac{5}{8} \times 400 = \$41,850$. Ans.

EXAMPLE.—What per cent. is realized by buying 4% bonds at $89\frac{7}{8}$, brokerage being $\frac{1}{8}\%$?

SOLUTION.—Since each share costs $\$89\frac{7}{8} + \$\frac{1}{8} = \$90$, and each share yields \$4 annual income, the per cent. realized will be found by dividing the gain, \$4, by the entire cost of one share. Hence,

$$\$4 \div (\$89\frac{7}{8} + \$\frac{1}{8}) = .04\frac{1}{2} = 4\frac{1}{2}\%. \text{ Ans.}$$

16. Rule.—I. *To find the investment that will yield a given income, divide the income by the gain from one share,*

and the quotient will be the number of shares that must be bought ; then multiply the cost of one share by the number of shares, and the product will be the investment.

II. *To find the rate per cent. of income from money invested in stocks or bonds, divide the gain yielded by one share by the cost of a share, and multiply the quotient by 100.*


EXAMPLES FOR PRACTICE.

- 17.** 1. What must be paid for 128 shares of Standard Oil stock at $128\frac{1}{4}$, brokerage $\frac{1}{8}\%$? Ans. \$16,432.
2. How many shares of Union Gas Co. stock at $98\frac{3}{4}$ can be bought for \$39,550, the brokerage being $\frac{1}{8}\%$? Ans. 400 shares.
3. How much will 68 U. S. 4% bonds of 1907 cost at $116\frac{1}{2}$, brokerage being $\frac{1}{8}\%$? Ans. \$7,930.50.
4. The cost of some railroad stock was \$18,150, for which a man paid $\$137\frac{3}{8}$ per share, and $\frac{1}{8}\%$ brokerage. How many shares did he buy? Ans. 132 shares.
5. Find the cost of 240 shares of mining stock at $98\frac{3}{8}$, brokerage being $\frac{1}{4}\%$. Ans. \$23,670.
6. How much must be paid for 5% city bonds to yield an annual income of \$1,250, if they cost $104\frac{7}{8}$, brokerage $\frac{1}{8}\%$? Ans. \$26,250.
7. What is the rate per cent. received on the foregoing investment? Ans. $4\frac{1}{2}\frac{1}{11}\%$.
8. Bank stock that pays an annual dividend of 10% is bought for $109\frac{7}{8}$, brokerage $\frac{1}{8}\%$. What per cent. is realized by investing in it? Ans. $9\frac{1}{11}\%$.
9. How much must be paid for the bank stock mentioned above, to endow a college professorship with an annual income of \$5,000? Ans. \$55,000.
10. How much more is the rate per cent. of income on 8% stock bought at $119\frac{7}{8}$ than on 6% stock bought at $107\frac{3}{8}$, brokerage in each case being $\frac{1}{8}\%$? Ans. $1\frac{1}{8}\%$.
11. How much per cent. better is an investment in 8% securities bought at 80 than 7% stock at 84, not regarding brokerage? Ans. $1\frac{2}{3}\%$.
12. How much better is a gain of 20% on an investment at 80 than a gain of 18% on an investment at 90? Ans. 5%.
13. A man left his wife an annual income of \$8,000 by an investment in 5% bonds bought at $111\frac{1}{4}$, brokerage being $\frac{1}{8}\%$. What did they cost? Ans. \$178,200.

EXCHANGE.

18. Exchange is a method of paying debts in a distant place without transmitting money. It is done by means of *drafts*, or *bills of exchange*.

19. Thus, suppose that A, who does business in Scranton, *sells* \$5,000 worth of goods to B, who does business in Pittsburg; also, that C in Scranton *owes* \$5,000 to D in Pittsburg. Then, B in Pittsburg owes A in Scranton, and C in Scranton owes D in Pittsburg. A writes an order directing B to pay to C \$5,000, and sells this order to C, who pays A \$5,000 for it. C endorses the order, and makes it payable to D; he sends the order to D, who presents it to B, and B pays D \$5,000. A and D thus have the money that was due them, B and C have the goods, and no money had to be sent outside of Scranton or outside of Pittsburg. The diagram below will serve to make the operation clearer. The order directing payment to be made is called a **draft**, or a **bill of exchange**.



The foregoing explanation explains the purpose and convenience of a draft. Usually, however, the transaction is

conducted through a bank or broker. Thus, suppose that B in Pittsburg owes A in Scranton \$5,000, and that B wishes to pay A without incurring the danger and risk of actually sending the money. He goes to a bank in Pittsburg and buys a draft, say, on New York, paying \$5,000 and as much more as the bank charges him for its trouble. The Pittsburg bank then makes out a draft directing a New York bank to pay to A's order \$5,000. B sends draft to A, who endorses it and presents it either at the New York bank, or, more conveniently, at a Scranton bank, where it is cashed. The Scranton bank sends the draft to some other bank (preferably a New York bank) with which the Scranton bank has dealings, and this bank in turn presents it at the bank drawn on, which credits the bank presenting the draft, and debits the Pittsburg bank. At stated intervals the various banks balance their accounts, at which time the debtor banks forward to the creditor banks the amounts due them.

Or, again, suppose that B in Pittsburg owes A in Scranton \$5,000, and that A desires to collect this amount from B. A draws * a draft, or order, on B, directing him to pay the cashier of A's bank the \$5,000 due A. A then leaves this draft at his bank, and the bank sends it to some bank in Pittsburg, which bank presents the draft to B, who pays that bank the money. This bank then notifies the Scranton bank that it has collected the draft and has placed the money to the Scranton bank's credit. The Scranton bank then notifies A that the draft has been collected and that the money has been placed to A's credit.

20. Exchange between different parts of the *same* country is domestic exchange, and between *different* countries is foreign exchange.

21. A sight draft is payable when presented for payment; a time draft is payable after a specified time. Time drafts are usually made to run 30, 60, or 90 days, and in some places days of grace are allowed on them.

* To draw a draft is to request the payment of a certain sum, at a certain time, to a certain person, his order, or to bearer.

When a time draft is presented to the drawee, if he desires to pay it, he writes across its face the word "Accepted," the date of acceptance, and his name. The draft then becomes due, the number of days stated in the draft, from the date of acceptance, instead of from the date of the draft. A time draft, thus accepted, in reality becomes a promissory note. Sight drafts do not need to be accepted, as they are usually paid when presented.

22. The **drawer** of a draft is the person that requests payment to be made; the **drawee** is the person requested to make such payment; and the **payee** is the person to whom the money is to be paid.

23. A draft is **accepted** by the drawee if he writes on its face the word "Accepted" and the date of acceptance, together with his name. He thus becomes liable for its payment.

24. **Discount** is allowed on time drafts, and is computed on the amount or on the face of the draft.

FORM OF A DRAFT.

\$465 $\frac{25}{100}$.

Scranton, Pa., Jan. 3, 1898.

At sight, pay to the order of Henry Hudson, Four Hundred Sixty-five $\frac{25}{100}$ Dollars, value received, and charge to the account of *The Colliery Engineer Company.*

*To Brown & Bird,
Chicago, Ill.*

EXPLANATION.—The Colliery Engineer Co. corresponds to A in Art. 19, Brown & Bird to B, and Henry Hudson to C. Henry Hudson endorses the draft, "Pay to the order of J. R. Robinson," and signs his name; he forwards the draft to J. R. Robinson, of Chicago (who corresponds to D), and he presents it to Brown & Bird for acceptance.

DOMESTIC EXCHANGE.

25. Exchange may be at *par*, *above par*, or *below par*. For example, consider two cities, as New York and New Orleans. If New Orleans owes more money in New York than New York owes in New Orleans, there will be more persons in New Orleans who wish to buy drafts on New York than there are sellers; hence, a buyer in New Orleans will be willing to pay a seller more than the face value for a draft on New York. Therefore, in New Orleans, exchange on New York will be above par, or at a *premium*. In New York, however, there will be more sellers than buyers, and the seller will be willing to take less than the face of a draft on New Orleans. Therefore, in New York, exchange on New Orleans will be below par, or at a *discount*. If there is an equality of debts between New York and New Orleans, exchange will be at par. The premium or discount is only so much as will suffice to cover the cost of safely transferring the money from the debtor city to the creditor city.

26. To find the cost of a sight draft.

EXAMPLE 1.—Find the cost of a sight draft on Baltimore for \$2,800, exchange being at $\frac{1}{2}\%$ premium.

SOLUTION.— $\$2,800 \times .005 = \14 ; $\$2,800 + \$14 = \$2,814$. Ans.

Or, $\$2,800 \times 1.005 = \$2,814$. Ans.

EXAMPLE 2.—What must be paid for a sight draft on New York for \$3,675, at $\frac{3}{4}\%$ discount?

SOLUTION.— $\$3,675 \times .0075 = \27.5625 ;

$\$3,675 - \$27.56 = \$3,647.44$. Ans.

Or, $\$3,675 \times (1 - .0075) = \$3,647.44$. Ans.

27. Rule.—Find the premium or the discount. The sum of the face of the draft and the premium, or the difference between the face of the draft and the discount, will be the cost of the draft.

EXAMPLES FOR PRACTICE.

28. Solve the following examples:

1. Find the cost of a sight draft for \$1,876 at (a) $1\frac{1}{4}\%$ premium;
(b) $\frac{1}{2}\%$ discount.

Ans. $\left\{ \begin{array}{l} (a) \$1,899.45. \\ (b) \$1,866.62. \end{array} \right.$

2. The face of a sight draft is \$7,875.56, and the premium is $\frac{1}{2}\%$. Find its cost. Ans. \$7,938.56.

3. How much will it cost to pay, by a sight draft on San Francisco, a bill of \$7,528, when exchange is at $1\frac{1}{2}\%$ discount? Ans. \$7,415.08.

29. To find the cost of a time draft.

EXAMPLE. — Find the cost of the following draft at $\frac{3}{4}\%$ premium, when money is worth 5% interest.

\$4,800 $\frac{00}{100}$.

New York, July 1, 1898.

Ninety days after sight, pay to William Wood, or order,
Four Thousand Eight Hundred Dollars, value received,
and charge to my account.

John Steinway.

To Henry Brothers,
New Orleans, La.

SOLUTION. — In states where days of grace are allowed, 3 days must be added to the number of days specified in the draft. Hence, since the draft is payable in Louisiana, a state where days of grace are allowed (see *Arithmetic*, Part 8), 90 days + 3 days of grace = 93 days.

$$\$4,800 \times .01291\frac{1}{2} = \$62 = \text{int. of } \$4,800 \text{ at } 5\% \text{ for } 93 \text{ da.}$$

$$\$4,800 - \$62 = \$4,738 = \text{proceeds of } \$4,800.$$

$$\$4,800 \times .0075 = \$36; \$4,738 + \$36 = \$4,774. \quad \text{Ans.}$$

EXPLANATION. — The bank discount at 5% for 93 days on \$4,800 is \$62; hence, the present worth, or proceeds, of \$4,800, payable in 93 days, is \$4,738. The premium on the face of a draft is \$36. This, with the proceeds, is the cost of the draft.

30. Rule.—Find the proceeds of the face of the draft for three days more than the time the draft has to run. Find, also, the premium or the discount, on the face of the draft. The sum of the proceeds and the premium, or the difference between the proceeds and the discount, will be the cost of the draft.

If days of grace are not allowed in the state where the draft is payable, find the proceeds for the time the draft has to run, and then proceed as before.

EXAMPLES FOR PRACTICE.

31. Solve the following examples:

1. The face of a draft is \$5,000; the discount is $\frac{1}{2}\%$; the time to elapse before it is payable is 60 days. Find the cost of the draft when money is worth 6%. Ans. \$4,922.50.

2. How much will it cost to pay 30 days after sight a bill of \$3,250 in Charleston, S. C., at a premium of $1\frac{1}{2}\%$, money being worth 6%? Ans. \$3,280.87.

3. When exchange is at a discount of $\frac{3}{4}\%$, and money is worth 4%, what must be paid for a 60-day time draft for \$6,000? Ans. \$5,913.

32. To find the face of a sight or a time draft.

EXAMPLE.—What is the face of a sight draft bought for \$3,000, exchange being $\frac{1}{2}\%$ discount?

SOLUTION.— $\$1.00 - \$.005 = \$.995.$
 $\$3,000 \div .995 = \$3,015.08.$ Ans.

EXPLANATION.—One dollar of the face will cost \$0.995; hence, there must be as many times one dollar of the face as .995 is contained times in the entire cost, or 3,015.08.

EXAMPLE.—Find the face of a 60-day draft costing \$2,343.51 when money is worth 7% and exchange is at $1\frac{1}{8}\%$ premium.

SOLUTION.—When the place where the draft is to be paid is not stated, days of grace should be allowed. Hence, the time is $60 + 3 = 63$ days.

Interest of \$1 for 63 days at 7% = \$0.01225.
 Proceeds of \$1 = $\$1 - \$0.01225 = \$0.98775.$
 Premium on \$1 = \$0.01375.
 Proceeds + premium = $\$0.98775 + \$0.01375 = \$1.0015.$
 Face of draft = $\$2,343.51 \div 1.0015 = \$2,340.$ Ans.

33. Rule.—*Divide the amount paid for the draft by the amount that will pay for \$1 of its face.*

EXAMPLES FOR PRACTICE.

34. Solve the following examples:

1. Find the face of a 90-day draft costing \$6,000, when discount is $1\frac{1}{4}\%$ and money is worth 5%. Ans. \$6,156.48.

2. A man paid \$484.72 for a 60-day draft, premium being 1%, and money worth 6% interest. What was the face of the draft?

Ans. \$484.96.

3. If a draft that is payable 30 days after sight costs \$2,800 when discount is $\frac{3}{8}\%$ and money worth 6%, what is its face? Ans. \$2,836.88.

4. Find the face of a sight draft costing \$1,200, when exchange is at $1\frac{3}{8}\%$ discount. Ans. \$1,216.73.

FOREIGN EXCHANGE.

35. Foreign bills of exchange are drawn in sets of two, called a **set of exchange**. These are numbered *1* and *2*, and are sent by different mails; only the first presented for payment has any value. Formerly, foreign bills of exchange were drawn in sets of three, and are frequently so drawn now.

36. Exchange is at a premium or at a discount according to the balance of trade, or to the time that must elapse before payment is to be made.

Thus, let A and B denote two countries engaged with each other in commerce. Suppose that the balance of trade is in B's favor. By this is meant that A owes B more than B owes A. Now, it is clear that A must send money at some risk and expense to B to equalize matters. If one were to get in A a draft payable in B, it would put A more deeply in debt to B. This fact would put a premium upon the draft, and a discount upon a draft drawn in B upon A.

Again, a sight draft upon either country would cost more than a time draft.

37. The Secretary of the Treasury of the United States issues, on the first of January of each year, a statement showing, in terms of its own gold monetary unit, the value of the monetary unit of each other country, that is, in dollars and cents.

38. The daily papers of our commercial cities give quotations showing the rates of exchange from day to day. One of these follows:

Sterling exchange* was again weak and lower. Continental exchange was also lower. Rates are: Long bills, $\$4.82\frac{1}{2}$ @ $\$4.82\frac{3}{4}$; sight drafts, $\$4.84\frac{3}{4}$ @ $\$4.85$, and cable transfers, $\$4.85\frac{1}{4}$ @ $\$4.85\frac{1}{2}$. Francs are quoted at 5.21 $\frac{1}{2}$ for long and 5.20 for short; reichsmarks, 94 $\frac{1}{2}$ @ 94 $\frac{3}{8}$ for long and 95 $\frac{1}{4}$ @ 95 $\frac{3}{8}$ for short; guilders, 39 $\frac{7}{8}$ @ 39 $\frac{1}{2}$ for long and 40 @ 40 $\frac{1}{8}$ for short.

NOTE.—A reichsmark (mark of the empire) is the same as a mark, about 23 $\frac{3}{4}$ cents. The exchange value of 4 marks, or reichsmarks, is given in commercial quotations in the daily newspapers.

39. A person going from New York to England carries with him, instead of money, a draft like the following:

New York, Oct. 1, 1897.

Exchange for £820-12-6 sterling.

At sight pay this First of Exchange, second of same tenor and date unpaid, to Edward Howe, or order, the sum of Eight Hundred Twenty Pounds £820-12-6 sterling.

Value received, and charge to the account of

Smith, Jones & Co.

To Baring Bros. & Co.,

London, England.

EXAMPLE 1.—Find the cost of the foregoing draft in New York when exchange on London is 4.84 $\frac{3}{4}$.

SOLUTION.— $£820-12-6 = £820\ 12s.\ 6d. = £820.625.$
 $\$4.8475 \times 820.625 = \$3,977.98.$ Ans.

EXAMPLE 2.—What must be paid for a draft on Paris of 8,000 francs, when \$1 is quoted at 5.21 $\frac{1}{2}$?

SOLUTION.— 1 franc = $\$1 \div 5.215;$
 $(\$1 \div 5.215) \times 8,000 = \$1,534.04.$ Ans.

40. Rule.—*To find the cost of a draft upon a foreign country, multiply the quoted value of a foreign monetary unit by the given number of such units.*

* Sterling exchange is Bills of Exchange payable in English money called Pounds Sterling. Long bills are those payable 30, 60, 90 or more days after being received. Short bills are those payable from sight to 30 days after being received. Sight drafts are payable at sight, that is, as soon as received.

EXAMPLES FOR PRACTICE.

41. Solve the following examples:

1. Find the cost of a draft on London, at 60 days' sight, for £987 16s., exchange being $\$4.82\frac{3}{4}$.
Ans. $\$4,768.60$.
2. When exchange on Paris is quoted at 5.23, what must be paid for a sight draft for 2,800 francs?
Ans. $\$535.37$.
3. I bought a long draft on Berlin for 8,425 reichsmarks when exchange was quoted at $94\frac{3}{4}$ per 4 reichsmarks. What did it cost?
Ans. $\$1,995.67$.
4. What must be paid for a draft on Amsterdam for 8,000 guilders, exchange being $40\frac{1}{4}$?
Ans. $\$3,205$.

ARBITRATION OF EXCHANGE.

42. Arbitration of exchange is the process of finding the cost of a draft on one place through one or more intermediate places.

Thus, the quoted rates between New York and Vienna may be high, while those between New York and London, and between London and Vienna may be low. It may be cheaper for a man in New York to purchase a draft on Vienna through London than to purchase directly on Vienna.

In this roundabout or circuitous method, the intermediate brokers' charge *brokerage* for their services, usually $\frac{1}{8}\%$.

43. EXAMPLE 1.—When exchange between New York and Paris is 5 22, between New York and London is $\$4.83$, and between London and Paris 24.84 francs to the pound, which is cheaper—direct or circuitous exchange from New York upon Paris for 10,000 francs, London brokerage being $\frac{1}{8}\%$?

SOLUTION.—By direct exchange, the cost of a draft for 10,000 francs is

$$10,000 \div 5.22 = \$1,915.71.$$

By circuitous exchange, the cost of the draft in pounds is

$$10,000 \div 24.84 = £402.5765.$$

$$\text{Cost of draft} + \text{brokerage} = £402.5765 \times 1.00\frac{1}{8} = £403.0797.$$

$$\text{Cost of draft in dollars} = \$4.83 \times 403.0797 = \$1,946.87.$$

Therefore, direct exchange is cheaper by

$$\$1,946.87 - \$1,915.71 = \$31.16. \quad \text{Ans.}$$

EXAMPLE 2.—A merchant sends 12,000 reichsmarks from New York to Berlin through London and Amsterdam. Exchange on London is \$4.85, between London and Amsterdam 11.86 guilders to the pound, and between Amsterdam and Berlin 1.72 reichsmarks to the guilder. What is the cost of the draft in dollars, if brokerage at each place is $\frac{1}{8}\%$?

SOLUTION 1.—First change the reichsmarks to guilders, then the guilders to pounds, and finally the pounds to dollars, adding each time the commission.

$12,000 \times 1.00\frac{1}{8} = 12,015$, the number of reichsmarks required to pay the debt and the broker's commission in Berlin.

$(12,015 \div 1.72) \times 1.00\frac{1}{8} = 6,994.197$, the number of guilders required in Amsterdam.

$(6,994.197 \div 11.86) \times 1.00\frac{1}{8} = 590.467 +$, the number of pounds required in London.

$590.467 \times 4.85 \times 1.00\frac{1}{8} = 2,867.34$, the number of dollars required to purchase the bill of exchange in New York. \$2,867.34. Ans.

SOLUTION 2.—Another solution is the following, in which the vertical line is one of the signs of division, and indicates that the product of the numbers on the left of the line is to be divided by the product of the numbers on the right.

$$\begin{array}{r|l}
 \$4.85 \times 1.00\frac{1}{8} & \text{£1.} \\
 \text{£1} \times 1.00\frac{1}{8} & 11.86 \text{ guilders.} \\
 1 \text{ guilder} \times 1.00\frac{1}{8} & 1.72 \text{ marks.} \\
 12,000 \text{ marks} \times 1.00\frac{1}{8} & \$? \\
 \hline
 \frac{\$4.85 \times 1.00125^4 \times 12,000}{11.86 \times 1.72} & = \$2,867.34. \text{ Ans.}
 \end{array}$$

To avoid the use of decimals having such an inconveniently large number of figures, it is better to use common fractions. Thus, $1.00\frac{1}{8}$

$= \frac{8.01}{8} = \frac{801}{800}$; hence, the last expression above becomes

$$\frac{\$4.85 \times (\frac{801}{800})^4 \times 12,000}{11.86 \times 1.72} = \frac{\$4.85 \times 801^4 \times 12,000}{11.86 \times 800^4 \times 1.72} = \$2,867.34.$$

By using common fractions instead of the decimals, the results will be more accurate and the principle of cancelation can be more readily employed.

44. It will be noticed that in the above arrangement the various monetary units appear once on each side of the vertical line of division. The same method may be employed with other than monetary units.

EXAMPLE.—If 4 apples are worth 3 peaches, and 9 peaches are worth 5 oranges, how many apples must be given for 60 oranges?

SOLUTION.—

12		
60 oranges		x apples.
3		
9 peaches		5 oranges.
4 apples		3 peaches.

$$x = 12 \times 3 \times 4 = 144 \text{ apples. Ans.}$$

EXPLANATION.—The unknown quantity x should always be placed on the right-hand side of the vertical line of division, and the given quantity to which x is equivalent on the left-hand side. Then arrange the other quantities so that each quantity of the same kind appears on each side of the line. In the present example, 60 oranges are equivalent to a certain number of apples; hence, we place 60 oranges on the left and x on the right. Now, since 5 oranges are equivalent to 9 peaches, and we already have oranges on the left-hand side, we place the 5 oranges on the right-hand side and the 9 peaches on the left-hand side. For the same reason, we place 4 apples on the left-hand side and 3 peaches on the right-hand side. Canceling, we find that $x = 144$ apples.

EXAMPLES FOR PRACTICE.

45. Solve the following examples:

1. I sent from New York to Christiania, Norway, 4,740 crowns through London and Amsterdam. If 1 crown = .66 $\frac{2}{3}$ guilder, 11.85 guilders = £1, and \$4.85 = £1, what does the draft cost, brokerage at London on Amsterdam, and at Amsterdam on Christiania, being $\frac{1}{2}\%$?
Ans. \$1,300.62 +.

2. If 5 cords of oak wood are worth 3 cords of hickory, and 4 cords of hickory are worth 10 cords of pine, what should be paid for oak when pine is \$1.25 per cord?
Ans. \$1.87 $\frac{1}{2}$.

3. If 9 bushels of wheat are worth 14 bushels of rye, 12 bushels of rye are worth 17 bushels of corn, and 3 bushels of corn are worth 5 bushels of oats, how many bushels of oats should be given for 324 bushels of wheat?
Ans. 1,190 bu.

AVERAGE OR EQUATION OF PAYMENTS.

46. Suppose that A owes B any sum, say \$100, due in 10 days, a second \$100, due in 20 days, and a third \$100, due in 30 days, there is evidently a time when he may pay B the entire \$300 without loss of interest to either party. Clearly, this time is 20 days after A incurs the debts. The conditions are that A may retain and use the first \$100 for 10 days, the second \$100 for 20 days, and the third \$100 for 30 days. But, so far as the interest is concerned, the use of \$100 for 10 days is equivalent to the use of $\$100 \times 10$, or \$1,000, for 1 day; \$100 for 20 days equals \$2,000 for 1 day; \$100 for 30 days equals \$3,000 for 1 day. A's privilege, therefore, equals $\$1,000 + \$2,000 + \$3,000$, or \$6,000 for 1 day. But \$6,000 for 1 day is the same as \$300 for 20 days. Expressing this argument more briefly, we have

$$\$100 \text{ for 10 days} = \$1,000 \text{ for 1 day.}$$

$$\$100 \text{ for 20 days} = \$2,000 \text{ for 1 day.}$$

$$\underline{\$100 \text{ for 30 days}} = \underline{\$3,000 \text{ for 1 day.}}$$

$$\begin{array}{r} \$300 \\ \end{array} \qquad \qquad \qquad) \begin{array}{r} \$6,000 \\ \hline \end{array}$$

20 days.

47. Average, or equation, of payments is the process of finding the equitable time when payment of several sums, due at different times, may be made in one payment.

48. The equated, or average, time of payment is the time when several debts with different *terms of credit* may be equitably made in one payment.

49. EXAMPLE 1.—At a certain time A agrees to pay \$1,000 as follows: \$300 in 30 days, \$200 in 60 days, and \$500 in 90 days. Find the equated time of payment; that is, the time at which the entire debt may be paid without interest and still be fair to both parties.

SOLUTION.—

$$\$300 \times 30 = \$9000$$

$$\$200 \times 60 = \$12000$$

$$\underline{\$500 \times 90} = \underline{\$45000}$$

$$\begin{array}{r} \$1000 \\ \end{array} \qquad \qquad \qquad) \begin{array}{r} \$66000 \\ \hline \end{array}$$

66 days.

The whole sum may equitably be paid 66 days after the obligation is incurred. Ans.

EXAMPLE 2.—A man owes \$250 due Mar. 1, \$300 due Apr. 20, \$450 due May 5, and \$500 due June 25. When is the equated time of payment?

$$\begin{array}{rcl}
 \text{SOLUTION.} & \$250 \times 0 = & 0 \\
 & \$300 \times 50 = & \$15000 \\
 & \$450 \times 65 = & \$29250 \\
 & \$500 \times 116 = & \$58000 \\
 \hline
 & \$1500 &) \$102250 \\
 & & \underline{\hspace{1.5cm}} \\
 & & 68+
 \end{array}$$

68 days after Mar. 1, or May 8. Ans.

EXPLANATION.—Taking Mar. 1, the time when the first debt is due, as the *date of reference*, or the time from which to determine the terms of credit, the term of credit for \$250 is 0 days. The term of credit for \$300 is from Mar. 1 to Apr. 20, or 50 days; for \$450 the term of credit is from Mar. 1 to May 5, or 65 days; and for \$500 the term of credit is from Mar. 1 to June 25, or 116 days. We multiply each debt by its term of credit, and divide the sum of the products by the sum of the debts. The quotient, 68 days, is the number of days after Mar. 1 when one payment of the whole indebtedness may equitably be made, or May 8.

50. In the example just given, the length of time between the date when the equated time was computed and Mar. 1 was not stated. This does not matter, since the only effect that would be produced by introducing the number of days between this date and Mar. 1 would be to increase the numbers on the right of the signs of equality, and, since the total debt remains the same, the number of days obtained for the equated time will be increased by an amount just equal to the number of days between this date and Mar. 1, which, of course, does not change the date of settlement. For example, suppose that the equated time was computed 30 days preceding Mar. 1, that is on Jan. 29. Then, the first debt falls due in 30 days; the second, in $30 + 50 = 80$ days; the third, in $30 + 65 = 95$ days; and the fourth, in $30 + 116 = 146$ days.

In order, therefore, to find the equated time, we proceed as follows:

$$\begin{array}{r}
 \$ 250 \times 30 = \quad \$ 7500 \\
 300 \times 80 = \quad 24000 \\
 450 \times 95 = \quad 42750 \\
 500 \times 146 = \quad 73000 \\
 \hline
 \$ 1500 \quad) \quad \$ 147250
 \end{array}$$

98.1+ or 98 days after Jan. 29.

But 98 days after Jan. 29 is the same as 68 days after Mar. 1.

The number of days as computed above is always taken to the nearest integer; that is, if the fractional part is .5 or greater, 1 day is added. For instance, had the above result been 98.6, the number of days would have been taken as 99.

51. Rule.—*Taking as the date of reference the date when the first debt is due, find the term of credit for each debt.*

Multiply each debt by its term of credit, and divide the sum of the products by the sum of the debts. The quotient to the nearest integer will be the number of days from the date of reference to the equated time.

EXAMPLES FOR PRACTICE.

52. Solve the following examples:

1. A owes B \$500 due in 8 months, and \$900 due in 4 months. When may he equitably pay B both debts in one payment?

Ans. 5 mo. 13 da.

2. Find the equated time for paying \$400 due May 10, \$500 due June 20, \$900 due July 30, and \$1,000 due Aug. 15.

Ans. July 17.

3. Tefft, Weller & Co. sold to E. King & Co. goods as follows: on June 15, \$2,500 on 30 days' credit, and, on June 30, \$3,600 on 20 days' credit. Find the equated date of payment.

Ans. July 18.

4. What is the equated time for the payment of three notes: one for \$600, dated Aug. 9, 1897, for 3 months; the second for \$800, dated Oct. 1, 1897, for 2 months; the third for \$1,200, dated Dec. 21, 1897, for 6 months?

Ans. Feb. 27, 1898.

5. On Jan. 1, 1898, a merchant sold a bill of goods amounting to \$3,600, payable as follows: $\frac{1}{2}$ in 30 days, $\frac{1}{3}$ in 60 days, and the remainder in 90 days. Find the equated time of payment.

Ans. Feb. 20, 1898.

AVERAGE OR EQUATION OF ACCOUNTS.

53. Goods are usually sold on credit, the term of credit being commonly 30 days, 60 days, or 90 days. The prices of the goods are fixed for the time on which they are sold, interest being charged if payment is not made at the end of the time specified, and a discount being given if the debt is paid before the end of the term of credit. Now, if one or more payments are made on the bill before it is due, it is evident that a rebate ought to be given the purchaser, or else his term of credit on the remainder of the bill ought to be extended. For example, suppose that Wm. Marshall buys a bill of goods amounting to \$1,525.86 on Jan. 5, on 90 days' credit. The price was so fixed that the seller would not lose anything by selling the goods on 90 days' credit. Suppose that, on Jan. 27, Mr. Marshall pays \$425.40 on account, and on Feb. 24, \$506.62. There still remains unpaid $\$1,525.86 - (\$425.40 + \$506.62) = \593.84 . Mr. Marshall ought either to receive a rebate, or his term of credit on the \$593.84 still unpaid ought to be extended, in order to compensate him for having paid a part of the bill before it was due. To determine how long the term of credit should be extended, we reason as follows: The first payment was made 22 days, and the second payment 50 days, after the goods were bought. Hence, Mr. Marshall lost the use of \$425.40 for $90 - 22 = 68$ days, and of \$506.62 for $90 - 50 = 40$ days, or of $\$425.40 \times 68 = \$28,927.20$ for 1 day, and of $\$506.62 \times 40 = \$20,264.80$ for 1 day. Consequently, altogether, he lost the use of $\$28,927.20 + \$20,264.80 = \$49,192$ for 1 day. Therefore, to make things equal all around, the term of credit on the \$593.84 still unpaid should be extended $49,192 \div 593.84 = 83$ days, and the date of settlement should be $90 + 83 = 173$ days after Jan. 5, or June 27.

In equation of payments, only one side of the account is considered, the items being either all debits or all credits; but, when both sides of the account are considered, the process of finding the equated time is called **equation of accounts**. In averaging accounts, the method of finding

the equated time is nearly the same as in equation of payments; the method is shown in the following examples:

54. EXAMPLE.—Find the equated time for the settlement of the following account:

HENRY WARDELL.

1889.				1889.			
Jan.	20	Mdse., 30 days,	800	Mar.	1	Cash,	400
Feb.	18	" 90 "	600		20	"	600
Mar.	14	" 60 "	1,000	Apr.	1	"	1,000
Apr.	10	" 30 "	1,200		20	"	500

SOLUTION.—The date of reference is Feb. 19, since 30 days after Jan. 20 is Feb. 19.

Feb. 19,	$800 \times 0 =$	0	Mar. 1,	$400 \times 10 =$	4 000
May 19,	$600 \times 89 =$	53 400	Mar. 20,	$600 \times 29 =$	17 400
May 13,	$1000 \times 83 =$	83 000	Apr. 1,	$1000 \times 41 =$	41 000
May 10,	$1200 \times 80 =$	96 000	Apr. 20,	$500 \times 60 =$	30 000
	<u>3 600</u>	23 2400		<u>2 500</u>	92 400
	2 500	9 2400			
	1 100) 140 000			
		127			

Average term of credit, 127 days.

Equated time, 127 days after Feb. 19, or June 26. Ans.

EXPLANATION.—As in equation of payments, the debts are multiplied by the number of days from the date of reference to the dates when they respectively become due. It is most convenient to take as the date of reference (usually called the **focal date**) the date when the first debt becomes due; or, if a payment is made before the first debt becomes due, take the date of the first payment as the focal date. The same operation is performed on the payments, *using the same focal date*. The sum of the credits is then subtracted from the sum of the debits, the sum of the products on the credit side from the sum of the products on the debit side, and the second remainder is divided by the first remainder.

EXAMPLE.—In New York, what will be the cash balance of the following ledger account Jan. 10, 1898, interest at 6%?

WM. BONNER.

1897.				1897.			
Sept.	1	Mdse., 90 days,	800	Sept.	12	Cash,	600
	20	" 60 "	900	Oct.	20	Draft, 30 days,	500
Oct.	25	" 60 "	1,000	Nov.	15	Cash,	800
Nov.	1	" 30 "	2,000	Dec.	12	"	1,000

SOLUTION.—In this case it will be more convenient to take as the focal date Sept. 1. It will be noticed that one of the payments, that of \$500 on Oct. 20, is a 30-day draft. Since this draft can be cashed for its face value only after 30 days, i. e., on Nov. 19, this payment must be considered as having been made on Nov. 19; and, as days of grace are not allowed in New York, they are not added to the time the draft has to run. Proceeding as follows to find the equated time of settlement,

$800 \times 90 = 72000$	$600 \times 11 = 6600$
$900 \times 79 = 71100$	$500 \times 79 = 39500$
$1000 \times 114 = 114000$	$800 \times 75 = 60000$
$2000 \times 91 = 182000$	$1000 \times 102 = 102000$
<u>4700</u>	<u>2900</u>
439100	208100
<u>2900</u>	
1800	231000
	128½ days.

we find it to be 128 days after Sept. 1, or Jan. 7, 1898. If the bill is not settled until Jan. 10, it is clear that in equity 3 days' interest should be charged on the \$1,800 yet unpaid. The interest of \$1,800 for 3 days at 6% is \$.90; hence, the total amount that should be paid is \$1,800.90.

Ans.

EXAMPLE.—When should interest begin on the balance of the following account?

HENRY WELLINGTON.

1902.				1902.			
June	16	Mdse.,	1,200	July	21	Cash,	800
July	21	"	1,000	Aug.	11	"	1,200
Aug.	13	"	2,000		30	Draft, 30 days,	1,600
Sept.	15	"	3,600	Sept.	20	" 10 "	2,400

SOLUTION.—We take, as the focal date, June 1st. The reason for taking the first day of the month as the focal date is that it is easier to reckon the number of days between the first day of the month and some later date than it is to reckon the number of days between some other

day of the month and a later date. Days of grace are allowed on the two time drafts, because no state is mentioned in the example.

$1200 \times 15 = 18000$	$800 \times 50 = 40000$
$1000 \times 50 = 50000$	$1200 \times 71 = 85200$
$2000 \times 73 = 146000$	$1600 \times 123 = 196800$
$3600 \times 106 = 381600$	$2400 \times 124 = 297600$
<u>7800</u>	<u>6000</u>
<u>6000</u>	<u>619600</u>
<u>1800</u>	<u>595600</u>
	<u>1800</u>
	<u>24000</u>
	13 + days.

We find the products of the items and number of days as in the two previous examples. It will be noticed that the sum of the products on the credit side is greater than the sum of the products on the debit side, while the sum of the payments is less than the sum of the debts. We divide the difference between the sums of the products by the difference between the sum of the debts and the sum of the payments, obtaining for our result 13 days. Now, instead of *adding* this 13 days to the focal date, we subtract. The reason for subtracting will be evident when we consider that the last three payments were made a comparatively long time after the merchandise was bought. In other words, the merchant lost the use of the money due him in payment of the goods for a time equivalent to the difference between 13 days preceding June 1st (or May 19th) and the date of settlement, and he should receive interest on \$1,800 for this time. If, however, the sum of the products on the credit side had exceeded the sum of the products on the debit side, and the sum of the payments had exceeded the sum of the debts, the number of days obtained would have been *added* to the focal date, as in the two preceding examples. Hence, the interest on the balance of the above account should begin on May 19th. Ans.

55. Rule.—*Find the date on which each item of the account matures, and take the first day of the month in which the earliest of these dates occurs, as the focal date. Find the number of days between the focal date and the date of maturity of the different items, and multiply each item by the number of days so found. Divide the difference between the sums of the products by the difference between the sum of the debts and the sum of the payments, and the quotient will be the equated time. If the greater sum of the items and the greater sum of the products are both on the same side of the account, add the equated time to the focal date. But, if the greatest sum of the items and the greatest sum of the products*

are on opposite sides of the account, subtract the equated time from the focal date. The result obtained by adding or subtracting the equated time from the focal date will be the date when the balance of the account is equitably due.

EXAMPLES FOR PRACTICE.

56. Solve the following examples, allowing 3 days of grace on time drafts:

1. Find the cash balance of the following account, July 1, 1903, interest at 6%; also, the equated time of settlement.

1903.				1903.			
GEORGE GRIFFIN.							
Jan.	10	Mdse.,	2,500	Feb.	20	Cash,	4,000
Feb.	10	"	4,800	April	24	Mdse.,	1,800
Mar.	10	"	2,000	May	7	Draft, 10 days,	2,800
May	20	"	6,800	June	12	Cash,	5,000

2. Find the equated time of settlement of the following account:

1901.				1901.			
WALTER ROBERTS.							
Jan.	1	Mdse., 90 days,	360	Feb.	4	Cash,	300
Mar.	4	" 30 "	480	April	6	Draft, 30 days,	900
May	13	" 60 "	640	May	7	" 60 "	600
June	12	" 30 "	960				

3. Find the equated time of settlement of the following account:

1896.				1896.			
WILLARD SMITH.							
Jan.	21	Mdse., 60 days,	4,000	Jan.	31	Cash,	2,500
Feb.	3	" 60 "	5,000	Feb.	14	Real Estate,	3,500
May	13	" 90 "	8,000	April	15	Draft, 60 days,	6,000
June	15	" 30 "	7,800	May	1	Cash,	7,500
				July	1	"	2,000

Answers.—(1) \$2,626.67; Aug. 31, 1902; (2) Aug. 16; (3) Apr. 27, 1897.

57. NOTE.—The student will find the table given in *Arithmetic*, Part 4, of great assistance to him in working examples in equation of accounts.

STATEMENT OF SIMPLE ACCOUNTS.

58. A set of books is kept in some manner by every person doing business. This is done so as to enable one party to keep an account of his dealings with others, so that he may know how much they owe him and how much he owes them.

59. The two principles governing such accounts are expressed by the terms debit and credit. If the following directions for debit and credit are strictly followed, a mistake will never be made.

Rule I.—When to debit.

The person: When you trust any one.

The person: When you pay any one.

Rule II.—When to credit.

The person: When he trusts you.

The person: When he pays you.

60. A **balance** is the result of adding together all the debits and all the credits and then subtracting the lesser amount from the greater. The remainder is the balance due one or the other.

If the debit footing is the larger, there is a debit balance; and if the credit footing is the larger, there is a credit balance.

The amount of the balance is entered on the lesser side of the account.

61. Single lines are ruled across the money columns on the line immediately under the lowest entry.

The footings of both sides are placed below the single lines so ruled.

Double lines are ruled across the date and money columns on both sides of the account under the footings.

The balancing entry and rulings are usually made in red ink. In the following example the balancing entry appears in *italic*. The amount of the balance is brought down, in black ink, below the double ruling on the side opposite to the red-ink balancing entry.

EXAMPLE.—On April 1, 1904, Amos Ward owed Graves & Coon \$68.90 on account. April 4, he sold them 68 barrels potatoes at \$2.75 per barrel. April 6, he gave them a draft on San Francisco for \$1,860, which they accepted at $\frac{1}{4}\%$ discount. April 9, they sold Ward 894 bushels corn at $38\frac{1}{2}$ cents per bushel. April 16, they bought of him 2,960 feet lumber at \$1.25 per hundred feet. April 19, they sold him $34\frac{1}{2}$ dozen chairs at 90 cents each. April 21, Ward bought of them 1,260 eggs at 14 cents per dozen. April 28 he gave them a note for \$1,820 due in 60 days. April 29, he bought of them 2,980 pounds hay at \$15 a ton. Make an itemized statement of the above account as it should appear taken from the books of Ward; make a proper heading, close the account, and bring down the balance as it should appear May 1, 1904.

SOLUTION.—In making entries in an account of this kind, you should first determine with whom the account is kept, and in applying the rules for debit and credit, Art. 59, reason out the debits and credits from the standpoint of the party on whose books the account appears.

Dr.				GRAVES & COON IN ACCOUNT WITH AMOS WARD				Cr.			
1904				1904							
Apr.	4	To 68 bbl. potatoes at \$2.75 per bbl.	187 00	Apr.	1	By balance	68 90				
	6	To draft	1,860 00		6	" discount on draft	4 65				
	16	To 2,960 ft. lumber at \$1.25 per 100 ft.	37 00		9	" 894 bu. corn at 38½c. per bu.	344 19				
	28	To note	1,820 00		19	" 34½ doz. chairs at 90c. each	372 60				
					21	" 1,260 eggs at 14c. per doz.	14 70				
					29	" 2,980 lb. hay at \$15 per ton	22 35				
						Balance	3,076 61				
			3,904 00				3,904 00				
May	1	To balance	3,076 61								

April 1.—Amos Ward owes Graves & Coon. Ward credits Graves & Coon *because they trusted him*.

April 4.—Ward sells Graves & Coon. He debits them *because he trusts them*.

April 6.—Ward gives Graves & Coon a draft. He debits them for the amount of the draft *because he pays them*. He credits them with the $\frac{1}{4}\%$ discount because they receive only the face of the draft less the amount of the discount.

April 9.—Graves & Coon sell Ward. He credits them *because they trust him*.

April 16.—Graves & Coon buy from Ward. He debits them *because he trusts them*.

April 19.—Graves & Coon sell Ward. He credits them *because they trust him*.

April 21.—Ward buys from Graves & Coon. He credits them *because they trust him*.

April 28.—Ward gives Graves & Coon a note. He debits them *because he pays them*.

April 29.—Ward buys from Graves & Coon. He credits them *because they trust him*.

The debit and credit footings are then made in pencil on a separate slip. The lesser footing is \$827.39 and the greater footing \$3,904.00. The difference, $\$3,904.00 - \$827.39 = \$3,076.61$, is the balance due Amos Ward by Graves & Coon, and is entered, with red ink, on the credit side of the account, because this is the lesser side. A single red line is ruled across the money column on the debit and credit sides immediately below the lowest entry, which in this case is the balancing entry. The footings of both money columns are then placed below the single red lines, and double red lines are ruled immediately below the footings, as well as across the date columns on both sides of the account, as shown above. The balance due by Graves & Coon is then entered, with black ink, below the double lines so ruled, on the side opposite to that on which the red ink balancing entry is made.

EXAMPLES FOR PRACTICE.

62. Solve the following problems:

1. On December 1, 1902, William Martin owed George Drake \$250 on account. December 3, he sold him 75 gallons of vinegar at 20 cents per gallon; December 5, he bought of Drake 25 dozen eggs at 16 cents per dozen; December 6, he gave him a draft for \$1,250, which he accepted at a discount of $\frac{3}{4}\%$; December 8, he sold Drake 300 barrels of apples at \$2 per barrel; December 11, he bought of Drake 90 bushels of potatoes at 75 cents per bushel; December 15, he gave him a note for \$125; December 18, he bought of Drake 50 barrels of flour at \$2.50 per barrel. Make an itemized statement of the above account as it should appear taken from the books of Drake; make a proper heading, close the account, and bring down the balance as it should appear January 1, 1903. Ans. \$1,534.12.

2. On November 1, 1901, H. W. Walker owed Smith & Wilson \$1,000 on account. November 3, he sold them 7,850 feet of lumber at \$14 per thousand feet; November 4, they sold him 50 horses at \$250 per head; November 6, he gave them a draft for \$500; November 7, they sold him 800 bags of lime at 60 cents per bag; November 10, he

sold them 500 pounds of nails at 4 cents per pound; November 12, they sold him 3 hogs weighing 1,370 pounds at $8\frac{1}{4}$ cents per pound; November 16, he sold them 110 bundles laths at 90 cents per bundle; November 18, they bought of him 9,780 pounds crushed stone at \$1.55 per ton; November 21, he gave them a note for \$1,280 due in 60 days. Make an itemized statement of the above account as it should appear taken from the books of Walker; make a proper heading, close the account, and bring down the balance as it should appear December 1, 1901.

Ans. \$12,076.55.

3. On June 1, 1904, James Farrell, a commission merchant, owed John Miller \$185.72. On June 2, Miller shipped Farrell 7,000 pounds of sugar, which he sold at $5\frac{1}{4}$ cents per pound, charging $\frac{1}{4}\%$ commission; June 15, Farrell sold to John Miller 9 carloads of grain, 600 bushels each, at 58 cents per bushel; June 17, Farrell sold for Miller 1,008 pounds of butter at $22\frac{1}{2}$ cents per pound, charging \$16.50 for cold storage and $\frac{3}{4}\%$ commission; June 20, Miller bought of Farrell 4,800 pounds of cement at 90 cents per hundred; June 24, Miller paid draft \$2,610 drawn on him by Farrell; June 27, Miller received Farrell's note for \$600, due in 90 days. Make an itemized statement of the above account as it should appear taken from the books of Miller.

Ans. \$404.30.

4. On April 1, 1904, James Bowen owed Price & Sons \$75 on account. April 3, he sold them 70 barrels of apples at \$2.50 per barrel; April 5, they bought of him 3 crates of eggs, each containing 24 dozen at 18 cents per dozen; April 7, they sold him 65 bushels of potatoes at 75 cents per bushel; April 9, they paid a draft drawn on them for \$250; April 11, they sold him 4,480 pounds of hay at \$12 per ton; April 13, he gave them a note for \$1,000. Make an itemized statement of the above account as it should appear taken from the books of Bowen; make a proper heading, close the account, and bring down the balance as it should appear June 1, 1904.

Ans. \$787.33.

SPELLING

(PART 1)

RULES FOR SPELLING

1. The plural of nouns is generally formed by adding *s* to the singular; as field, fields; friend, friends; temple, temples.

2. Nouns ending in *s*, *sh*, *ch* (soft), *x*, or *z*, add *es* for the plural; as, class, classes; brush, brushes; watch, watches; tax, taxes; buzz, buzzes.

3. Nouns ending in *y*, with a vowel* before the *y*, add *s* to form the plural; as, monkey, monkeys; day, days; valley, valleys.

4. Nouns ending in *y*, with a consonant before the *y*, change *y* to *i* and add *es* to form the plural; as, story, stories; army, armies; colony, colonies.

5. Nouns ending in *f* and *fe* generally change *f* or *fe* into *ves* to form the plural; as, calf, calves; knife, knives; thief, thieves.

6. Nouns ending in *o* with a consonant before the *o* add *es* to form the plural; as, calico, calicoes; cargo, cargoes; mango, mangoes; echo, echoes.

7. There are, however, some exceptions to this rule, and they are here given as follows:

albinos	embryos	mestizos	sextos
armadillos	gauchos	octavos	siroccos
cantos	halos	octodecimos	solos
centos	inamoratos	pianos	tobaccos
didos	Juntos	provisos	twos
dominos	lassos	cuartos	tyros
duodecimos	mementos	salvos	virtuosos
dynamos	merinos	sextodecimos	zeros

*The *vowels* are *a*, *e*, *i*, *o*, *u*, and sometimes *w* and *y*. The other letters of the alphabet are called *consonants*.

Copyrighted by International Textbook Company. All rights reserved

8. Nouns ending in *o* with a vowel before the *o* add *s* to form the plural; as, studio, studios; portfolio, portfolios; nuncio, nuncios; oratorio, oratorios.

The following words are used to designate a few of the lessons. To aid the student the definitions are here given:

Homonym, a word agreeing in sound but different in meaning from another.

Opposite, in opposition or marked contrast.

Similar, bearing resemblance to one another.

Abbreviation, a word shortened so that a part stands for the whole.

Synonym, a word having the same or almost the same meaning as some other.

9. It is found difficult to recollect the relative position of *e* and *i* in such words as *receive*, *believe*, etc. The following rule will generally determine this point:

When the derivative noun ends in *tion* the verb is spelled with *ei*; thus,

conception	conceive
deception	deceive
reception	receive

But when the derivative noun does not end in *tion* the verb is spelled with *ie*; as,

belief	believe
relief	relieve

FAMILIAR WORDS

1

clothes	cloak	clean	a'pron	words
shoe	your	slate	col'lar	spell
stock'ing	sharp	jack'et	rib'bon	les'son
coat	write	mit'ten	here	pen'cil

2

peel	stem	mouth	tree	teeth
core	fore'head	chin	pulp	check
seeds	eye	flow'er	rind	ear
juice	nose	fruit	tongue	hair

3

leaves	board	masts	e nough'	skip'ping
aunt	green	fence	through	eve'ning
their	mean	howls	dread'ful	cheer'ful
claws	learn	ap'ples	ven'ture	sum'mer

4—THE CLOCK

face	key	case	fig'ures
hour	glass	i'ron	min'ute
hands	brass	di'al	ham'mer
wheel	weights	wood	pen'du lum

5—RELATIVES

pa'pa	son	aunt	wife
fa'ther	sis'ter	niece	kin'dred
moth'er	broth'er	un'cle	hus'band
par'ents	chil'dren	cous'in	grand'fa ther
mam'ma	daugh'ter	neph'ew	grand'daugh ter

6

earn	wrong	guide	weak	were
blue	knee	cough	col'or	worse
lamb	piece	debt	read'y	man'y
bus'y	ov'en	lose	broad	strong

7

lunch	break'fast	but'ter	poul'try	fruit
bread	beef	oat'meal	sau'sage	buns
din'ner	sug'ar	pork	ven'i son	pud'ding
sup'per	ba'con	game	pies	pre serves'

8

sand	drank	ham'mock	tramp	wag'on
hash	sad'dle	hand'some	stamp	scant'y
back	glad'ly	gas	scratch	ram'ble
latch	stag'ger	crab	rat'tle	prac'tice
catch	nar'row	plank	trav'el	pal'ace

9—THE HOUSE

floor	nurs'er y	chim'ney	man'tel	en'try
porch	clos'et	cup'board	fur'nace	pan'try
par'lor	gar'ret	cel'lar	door'step	li'bra ry
kitch'en	fire'place	hearth	at'tic	stair'case

10—IN THE SCHOOLROOM

ru'ler	wall	satch'el	pens
cray'on	class	tran'som	globe
pic'ture	shelf	reg'is ter	pa'per
teach'er	seats	pro'gram	shut'ters
schol'ars	chart	pen'-wi per	neat'ness
black'board	chairs	waste'-bas ket	at ten'tion

11

cit'y	switch	kit'ten	bring	click
quit	skip	glimpse	width	wink
script	milk	still	fringe	cling
kissed	whist	miss	stiff	print
bridge	which	prim	knit	a bout'

12

edge	wedge	rem'e dy	dense	when
fence	smell	wheth'er	meant	necks
hedge	shel'ter	cent	health	sweat
tempt	red'dish	deaf	next	depth

13

cof'fin	con'cert	dodge	trot'ted	con vey'
for'est	shop	knock	hol'low	of fense'
bot'tle	knob	mock	pock'et	be yond'
gloss'y	notch	rock'et	fond	con verse'
bon'net	lodge	pop'py	bod'y	coun'tries

14—BIRDS

gull	grouse	swal'low	vul'ture	crane
swan	ra'ven	par'tridge	bob'o link	ea'gle
wren	par'rot	lark	night'in gale	cuck'oo
quail	os'trich	her'on	owl	spar'row
stork	pig'eon	o'ri ole	crow	con'dor
hawk	pea'cock	blue'jay	dove	lin'net

15—WHAT BIRDS DO AND HAVE

coo	car'ol	whis'tle	poise	tal'on
caw	hov'er	mi'grate	perch	wings
chirp	war'ble	soar	pin'ion	feath'ers
cheep	twit'ter	whir	beak	plu'mage

16

crust	bunch	crutch	buzz	luck
ug'ly	jump	rub'ber	sung	mush
drum	brush	just	crumb	shrub
dumb	struck	dust	hut	pump

17

live	space	moves	called	sur'face
ball	earth	through	breast	beau'ti ful
light	might	great	curled	won'der ful
gives	world	round	dressed	beau'ti ful ly

18

po'ny	mus'tard	char'coal	tor'ment	hat'ter
med'al	par'ing	floun'der	scrib'ble	stick'y
cor'ner	mor'tar	hoe'ing	pres'ence	crip'ple
med'dle	pea'nuts	peel'ing	din'gy	grate'ful

19—GEOGRAPHY

sea	o'cean	sound	rap'ids	ca nal'
bay	pond	chan'nel	riv'u let	glac'i er
gulf	riv'er	lake	cat'a ract	cas cade'
strait	brook	creek	pool	foun'tain

20—LAND

cape	isth'mus	prai'rie	plain
is'land	head'land	pla teau'	o'a sis
con'ti nent	moun'tain	vol ca'no	val'ley
pen in'su la	prom'on to ry	ta'ble-land	des'ert

21

be fore'	pu'pil	whose	sweet
ver'y	do'ing	eve'ry	dust
it self'	man'y	till	du'ly
young	pub'lic	e rect'	please
proof	tru'ly	speech	al'ways
much	town	vow'el	doz'en

22

chief	sup'port	smo'ky	of fense'
u'sual	al'most	bronze	ea'ger
ow'ing	there'fore	warm'ly	un til'
canned	loud'ly	great'ly	love'ly
troub'le	wher ev'er	growl	cease
com'mon	cheap'er	ex press'	kind'ly

23

fir'ing	doubt	men'tal	be side'
set'tled	re'al ly	mere'ly	pawn
se vere'	safe'ty	zeal	mud'dy
ful fil'	snow'y	got'ten	du'ties
car'fare	re deem'	bar'gain	rain'y
use'ful	fig'ure	read'ing	false
should	there by'	for'ty	mapped

24

lean	mid'dle	mis take'	rum'ple	south
lame	on'ly	naugh'ty	quar'rel	sor'ry
lamp	noise	ripe	pres'ent	sev'en
met'al	of'ten	or'der	soul	shad'ow
mer'ry	my self'	re fuse'	rust	shov'els

25

taste	spo'ken	tum'ble	whale	worth
teach	thief	thought	up set'	wreck
stood	thirst	wake	up'per	whose
sprang	un less'	un til'	year	young
sto'ries	try'ing	waste	wool	bathe

26

sure	talk'a tive	groan	shiv'er
quite	re la'tion	kite	whisk'ers
reach	mil'i ta ry	strength	gal'lon
speech	in ter rupt'	though	sal'low

KITCHEN—27—DINING ROOM

tongs	sieve	urn	fork
ba'sin	stove	chi'na	spoon
pok'er	broom	plates	ta'ble
shov'el	ket'tle	sau'cer	cru'et
dip'per	scut'tle	gob'let	cast'ers
buck'et	dust'pan	tea'cup	nap'kin
coal'-hod	skim'mer	tu reen'	tum'bler
grid'i ron	sauce'pan	plat'ter	side'board

BEDROOM—28—PARLOR

soap	sheet	vase	so'fa
bowl	lounge	car'pet	stool
tow'el	pil'low	mir'ror	scarf
bol'ster	bu'reau	cur'tain	mu'sic
pitch'er	blank'et	has'sock	pi an'o
scis'sors	mat'tress	book'case	por'trait
nee'dles	bed'stead	arm'chair	cab'i net
thim'ble	cov'er let	ot'to man	cush'ions

29—HOMONYMS

Write the following sentences, using the right word:

Better alone than in (bad, bade) company. Don't give (to, two, too) much for the whistle. Everything comes in (thyme, time) to (hymn, him) who can (wait, weight). He who follows (two, too, to) (hares, hairs) is sure (two, too, to) catch neither. It never (reins, rains, reigns) but it (pores, pours). Men speak of the (fair, fare) and of the things they see (there, their). Out of (site, sight, cite), out of (mind, mined). Time and (tied, tide) (wait, weight) for (know, no) man. Where (there's, theirs) a will there's always a (weigh, way). (Faint, feint) (hart, heart) ne'er (won, one) (fare, fair) lady.

30

balk	al'mond	tomb	dumb'ly
calk	salm'on	jamb	plumb'er
balm	be calm'	plumb	numb'ness
alms	em balm'	doubt	climb'er
salve	balm'y	debt'or	comb'ing
halves	psalm	crumbed	doubt'ful

31

friend	like	sha'dy	sev'er al
glad	brook	cro quet'	ber'ries
birds	woods	ten'nis	ev'er y
fish	re ceive'	gained	moun'tains

32

seal	er'mine	floe	moss'es
whale	rein'deer	Lapp	li'chens
sa'ble	po'lar bear	au ro'ra	red'snow
wal'rus	ei'der duck	snow hut	ice'bergs

33—TREES

pine	ash	al'der	birch
larch	elm	ma'ple	lo'cust
hol'ly	oak	eb'o ny	lin'den
ce'dar	beechn	wil'low	wal'nut
spruce	ol'ive	hick'o ry	rose'wood
cy'press	pop'lar	chest'nut	pal met'to

34—TOOLS

file	gouge	lev'er	chis'el
adz	square	au'ger	lev'el
rake	lathe	gim'let	trow'el
spade	wrench	mal'let	hatch'et
plane	shears	pin'cers	cork'screw

35

juice	loaf	liq'uid	sev'er al
cane	re fine'	hogs'head	plan ta'tion
mill	joints	mo las'ses	blos'som
scum	leaves	boiled	stom'ach

36—HOMONYMS

Write the following sentences, selecting the right word:

The past is not (holy, wholly) (vane, vain, vein) if rising on its (wrecks, recks) to something nobler (we, wee) attain.—*Longfellow*. In the morning (sow, sew) thy (seed, cede).—*Bible*. Then he said, "Good (knight, night)," and with muffled (o'er, oar, ore) silently (road, rowed, rode) to the

Charlestown shore.—*Longfellow*. The heaviest (dews, dues) fall on clear (nights, knights). The (pale, pail) light of the moon is the reflection of the (son's, sun's) light. "(There, Their) graves are green; they may be (scene, seen)," the little (made, maid) replied.—*Wordsworth*.

37—WORDS OF SIMILAR MEANING

arch	pris'on	ti'dy	soul·
curve	dun'geon	neat	spir'it
bluff	tar'dy	strange	plun'der
cliff	late	quaint	rob
bench	co'zy	queer	rich
set tee'	snug	droll	fer'tile
blithe	ha'sty	twain	e rect'
joy'ous	rash	coup'le	up'right
fleet	grim	tenth	loose
nim'ble	sur'ly	tithe	un bound
gruff	hurt	van	com'fort
glum	in'jure	front	con sole'
gang	sin'gle	wont	kill
crew	sole	hab'it	mur'der
giv'er	hank	peo'ple	rest
do'nor	skein	per'sons	peace

38

know	va'por	er'rand	ques'tion
bruise	bal loon'	nei'ther	scare'crow
sneeze	no'tice	thir'teen	of'fi cer
rinse	e lev'en	be cause'	an oth'er
can'dy	e nough'	fair'y	nec'es sa ry

39

On your way home you may see:

men	roads	gates	wom'en
stores	streets	parks	av'e nues
hous'es	gar'dens	hors'es	lamp'-posts
church'es	chil'dren	sta'bles	car'riag es

40—CLOTHING

hose	mack'in tosh	veil	muff
gloves	gai'ters	scarf	boots
cra vat'	col'lar	hood	tip'pet
skirt	trou'sers	ruf'fle	par'a sol
shawl	hand'ker chief	neck'tie	o'ver alls

41—HOMONYMS

1 { ewe—a female sheep	5 { knead—to work dough
1 { you—person addressed	5 { need—want
1 { yew—an evergreen tree	6 { stake—a post, a wager
2 { cru'el—unkind	6 { steak—a slice of meat
2 { crew'el—soft yarn	7 { gait—manner of walking
3 { choir—a band of singers	7 { gate—a kind of door
3 { quire—24 sheets of paper	8 { main—chief
4 { bough—a branch	8 { mane—hair on horse's neck
4 { bow—to bend, front of ship	8 { Maine—one of the U. S.

Write the following sentences, putting the right word in the right place:

I had most (5) of blessing.—*Shakespeare*.—May I join the (3) invisible?—*George Eliot*. (1)s and bleating lambs.—*Milton*. Added woes may (4) me to the ground.—*Pope*. (2)s are used in embroidery. (1) must (5) the dough to make good bread. The man who walked through the (7) had a peculiar (7). Have a care for the (8) chance.—*Butler*. Twenty (3)s make a ream. He bought a slice of sirloin (6). Me. is the abbreviation of (8). The Mistletoe (4) is a poem. Like a dew-drop from the lion's (8). Joan of Arc was burned at the (6) The wood of the (1) was used for making bows.

42—REVIEW

beech	squash	sen'tence	pal'ace
sieve	fields	car'riage	lil'y
those	knife	pic'ture	dai'sy
wren	through	ea'gle	bu'reau
strait	tongs	chest'nut	tu reen'
pear	peach	on'ion	Eu'rope
sleeve	pen'cil	ba'sin	po'ny
fruit	tongue	re fuse'	os'trich
birch	Wednes'day	mi'grate	mo'ment

43—REVIEW

rob'in	let'tuce	meant	scis'sors
pig'eon	rai'sin	wrote	pump'kin
wal'nut	cur'rant	please	thim'ble
pop'lar	for'ward	ev'er y	pitch'er
for'est	ber'ries	qui'et	ba na'na
gob'let	rhu'barb	ache	a'pri cot
mat'tress	spin'ach	Christ'mas	beau'ti ful
cru'et	Eng'land	pil'low	Feb'ru a ry
min'ute	chis'el	mead'ow	po ta'toes

44—IN THE COUNTRY

farm'house	ditch	sheep	swing'
vines	knoll	lambs	in'sects
gar'den	ar'bor	cat'tle	or'chard
flow'ers	hay'-loft	fields	ber'ries
barn	mead'ow	wheat	but'ter flies

45—VEGETABLES

kale	tur'nip	car'rot	cu'cum ber
beet	rhu'barb	let'tuce	as par'a gus
bean	pars'nip	pump'kin	cau'li flow er
cress	cab'bage	spin'ach	egg'plant
gar'lic	mush'room	to ma'to	rad'ish

46—HOMONYMS

1 { leaf—part of a tree or book lief—willingly	5 { base—mean, foundation bass—a part in music
2 { great—large, noble grate—to rub, iron frame for fire	6 { aught—anything ought—bound by duty
3 { heard—did hear herd—of cattle	7 { right—opposite of wrong rite—a form
4 { lain—reclined lane—a narrow road	wright—a workman write—act of writing

Write the following sentences, putting the right word in the right place:

I see the (7), and I approve it too.—*Ovid*. It is a long (4) that has no turning.—*Prov*. We all do fade as a (1).—

Bible. Do what you (6), come what may. Baptism is a religious (7). The (2) fishes eat up the little ones.—*Shakespeare.* I had as (1) sing (5). A ship (7) works in a shipyard. Have you (3) (6) against him? It is a (5) thing to betray a man who has trusted you.—*Prov.* A bright fire glowed in the (2). The lowing (3) winds slowly o'er the lea.—*Gray.* I never dare to (7) as funny as I can.—*Holmes.* The book has (4) on my table several days.

47

glass	smooth	brit'tle	trans par'ent
win'dow	sash	panes	weights
hemmed	gath'ered	stitched	seam'stress
sleeves	a'pron	emp'ty	rode
learned	eas'i ly	rap'id ly	per'fect ly

48

palms	ca ca'o	li'on	el'e phant
cof'fee	cam'phor	jag u ar'	ser'pent
cot'ton	in'di go	gi raffe'	go ril'la
sa'go	In'di a-rub'ber	cam'el	croc'o dile
spi'ces	sug'ar-cane	mon'key	leop'ard

49

We should be:

good	cor'dial	help'ful	civ'il
frank	sin cere'	thought'ful	o blig'ing
prompt	lov'ing	ge'ni al	gen'er ous
hon'est	truth'ful	stu'di ous	o be'di ent
no'ble	care'ful	pa'tient	tem'per ate
po'lite	hope'ful	court'e ous	in dus'tri ous

50

We should not be:

mean	stin'gy	rude	im po lite'
curt	cru'el	sur'ly	dis hon'est
proud	self'ish	care'less	cow'ard ly
la'zy	un kind'	haugh'ty	quar'el some
sulk'y	fret'ful	de ceit'ful	dis hon'or a ble
sau'cy	sul'len	tat'tling	dis o be'di ent

51—ABBREVIATIONS

Jan'u a ry	Jan.	Ju ly'	July
Feb'ru a ry	Feb.	Au'gust	Aug.
March	Mar.	Sep tem'ber	Sept.
A'pril	Apr.	Oc to'ber	Oct.
May	May	No vem'ber	Nov.
June	June	De cem'ber	Dec.

WINDS—52—BOATS

gale	cy'clone	barge	ca noe'
gust	si moom'	yawl	cut'ter
breeze	ty phoon'	sloop	schoon'er
squall	tor na'do	yacht	ves'sel
zeph'yr	whirl'wind	do'ry	frig'ate
tem'pest	hur'ri cane	gon'do la	steam'er

53

goat	ot'ter	oats	flax
deer	pan'ther	corn	hemp
wolf	squir'el	maize	to bac'co
moose	buf'fa lo	bar'ley	tim'o thy
rab'bit	an'te lope	ce're al	mul'ber ry

54

stealth	vague	whiff	ooze	wrought
trough	voice	trait	cruise	squeeze
thrift	vogue	grate	browse	grudge
twilled	vault	fierce	shrimp	sword

55—FRUITS

fig	peach	cher'ry	cran'ber ry
prune	grape	cit'ron	blue'ber ry
date	cur'rant	dam'son	straw'ber ry
plum	lem'on	pine'ap ple	rasp'ber ry
quince	mel'on	a'pri cot	goose'ber ry
pear	rai'sin	ba na'na	huck'le ber ry

56—FLOWERS

tu'lips	lark'spurs	pan'sies	sun'flow ers
as'ters	lil'ies	sweet peas	hol'ly hocks
li'lacs	dai'sies	hy'a cinths	vi'o lets
clo'vers	mar'i golds	dan'de li ons	ge ra'ni ums

57

fell	cause	stum'bled	troub'le
lack	killed	horse'man	neg'li gence
steed	caught	in'ju ry	un fast'ened
foe	slight	loos'ened	at ten'tion

58

co here'	e'qual	need'y	wear'y
se crete'	se vere'	speed'y	drear'y
im pede'	de'cent	feed'ing	trea'son
con vene'	fe'male	heed'ful	cheap'ly
ex treme'	pre'cept	free'dom	year'ling
su preme'	de scribe'	cheer'ful	mean'ing

59

toil	gov'ern	pawn	scrub	trick
moat	heat	pledge	scour	trench
dirt	jest	quoth	di rect'	yawn
frown	joke	ruse	sell	wan'der
filth	stray	scheme	seize	be fore'
gape	pile	la'bor	scowl	col'umn

GEOGRAPHY—60—ARITHMETIC

source	po'lar	add	mul'ti plier
ax'is	cli'mate	plus	prod'uct
or'bit	sav'age	sum	di vide'
cir'cle	e qua'tor	sub tract'	div'i dend
mo'tion	ho ri'zon	min'u end	di vi'sor
dai'ly	ze'nith	sub'tra hend	quo'tient
year'ly	par'al lel	re main'der	proof
trop'ic	hem'i sphere	mul'ti ply	a rith'me tic
pole	ge og'ra phy	mul ti pli cand'	prob'lem

61—USED IN COOKING

rice	so'da	all'spice	va nil'la
sage	gin'ger	gel'a tine	vin'e gar
mace	pars'ley	choc'o late	hom'i ny
yeast	pep'per	sal e ra'tus	tap i o'ca
cloves	nut'meg	buck'wheat	cin'na mon

62

Write the plurals of the words in this exercise:

skein	loaf	con'cert	man'sion
cit'y	dai'sy	sheaf	buf'fa lo
o'cean	tur'key	of'fi cer	jour'ney
wretch	suit'or	sur'face	os'trich
box	scratch	sand'wich	at tor'ney

63

se rene'	rus'tic	waste'ful	si'lent
com'ic	tac'it	fear'ful	gloom'y
pu'trid	tur'bid	ru'ral	mud'dy
ea'ger	stur'dy	plac'id	flor'id
rud'dy	som'ber	ar'dent	rot'ten
lav'ish	tim'id	hard'y	mirth'ful

64

gift	geese	gib'bous	gey'ser	guard
girt	ga'ble	gew'gaw	gal'lant	gid'dy
gild	gir'dle	tar'get	gaunt'let	gig'gle
gear	giz'zard	gal'lop	guest	guin'ea
gimp	gher'kin	gar'gle	gauze	gor'geous

65—OPPOSITES

right	dry	find
wrong	moist	lose
near	strong	sweet
dis'tant	weak	sour
gay	quick'ly	rare
sad	slow'ly	com'mon
a like'	ac cept'	a'ged
un like'	de cline'	youth'ful
in'door	a part'	cease
out'door	to geth'er	con tin'ue
im prop'er	o bey'	no'where
prop'er	dis o bey'	some'where

66—FOODS

toast	gru'el	broth	dump'ling
tarts	crack'er	sir'loin	sand'wich
veal	cook'y	om'e let	dough'nut
bis'cuit	waf'fle	muf'fin	sauer'kraut
sal'ad	hon'ey	por'ridge	cus'tard
mut'ton	catch'up	chow'der	suc'co tash

67

ag'ile	rig'id	im'age	fidg'et
viv'id	ac'tive	jus'tice	res'pite
doc'ile	fes'tive	den'tist	cor'nice
hos'tile	rep'tile	ser'vice	des'tine
mis'sile	crev'ice	prom'ise	doc'trine

68

cowl	crowd	rouse	de vour'
prowl	bow'er	shout	foun'dry
clown	dow'er	crouch	scoun'drel
crown	cow'ard	mound	com'pound
drown	drow'sy	flounce	pro nounce'

69

cleft	flare	flaw	liege	rouge
pyre	dealt	goad	lapse	rogue
brief	freak	farce	weird	shone
copse	fraud	guile	grease	prism
corpse	fledge	gloat	mold	pierce
clench	chasm	gorge	mourn	plague
cleanse	dredge	gourd	league	scourge

70—OCCUPATIONS

tai'lor	flo'rist	farm'er	mil'li ner
ba'ker	join'er	weav'er	min'is ter
doc'tor	gro'cer	build'er	gar'den er
law'yer	bank'er	butch'er	car'pen ter
cob'bler	mer'chant	drug'gist	black'smith

71—OUTDOOR SPORTS

fish'ing	ri'ding	dri'ving	ska'ting
sail'ing	ten'nis	play'ing	mar'bles
row'ing	leap'ing	bowl'ing	coast'ing
boat'ing	croquet'	jump'ing	base'ball
ba'thing	nut'ting	swing'ing	sleigh'ing

72

so'lar	nec'tar	dro'ver	dif'fer	lar'der
lu'nar	lat'ter	can'ker	hin'der	blis'ter
tar'tar	an'ger	la'ter	gan'der	blub'ber
stel'lar	bet'ter	cof'fer	fil'ter	mem'ber

73

loi'ter	coil	an noy'	in'voice
toi'let	broil	de coy'	re joice'
poi'son	spoil	boy'ish	pur loin'
coin'age	hoist	em ploy'	oint'ment
ap point'	choice	boy'cott	em broid'er

74

cen'ser	cir'cus	ac'id	ceil'ing
cen'sus	ci'pher	cir'cuit	cym'bal
cen'tral	cin'der	cyl'in der	cen'tu ry
ce ment'	cer'tain	cel'e brate	ce les'tial
cen'taur	cen'sure	cem'e ter y	cen ten'ni al

75—HOMONYMS

1 { cent—a coin scent—an odor sent—did send	5 { to—as in "Give it to me" too—as in "too cold" two—a number
2 { plum—a fruit plumb—perpendicular	6 { threw—did throw through—as in "through the air"
3 { stare—to look earnestly stair—a step	7 { fir—a tree fur—fine, soft hair
4 { fore—in front four—a number	8 { earn—to get or merit by labor urn—a vase

Write the following sentences, putting the right word in the right place. Underline the words inserted.

It is not what we (8), but what we save that makes us rich.—*Prov.* A bird in the hand is worth (5) in the bush.—*Prov.* We (1) the silver (8) (5) them. I remember the (7) trees, dark and high.—*Hood.* A (1) is one-hundredth part of a dollar. Prunes are dried (2)s. A dog has (4) feet, but the (4) feet are the two front feet. And all the world would (3).—*Cowper.* The (1) of the roses will hang round it still.—*Moore.* Who (6) the stone (6) the window? Russian sable is a costly (7). (5) many cooks spoil the broth. Masons test a wall with a (2)-line. White marble (3)s lead to the Capitol.

76

nev'er	neth'er	fel'on	men'tal
tem'per	skep'tic	zeal'ot	plen'ty
per'ish	cher'ub	stead'y	pet'rel
cher'ish	her'ald	peas'ant	jeal'ous
wed'lock	blem'ish	threat'en	weath'er
ped'dler	thread'bare	pleas'ure	meas'ure

77

com'pass	cac'tus	cha'os	cl'ord
cul'prit	com'rade	chrome	chy'e
cur'ry	cab'in	chro'mo	chyme
cur'few	ca'ble	chron'ic	chol'er a
com'et	com pute'	cho'ral	chron'i cle
com plete'	cu'pola	chem'ist	char'ac ter
col'umn	com plex'ion	Chris'tian	cha me'le on

78—ARITHMETIC

rate	cu'bic	in'te ger	a mount'
terms	fac'tor	dec'i mal	prin'ci pal
prime	frac'tion	mul'ti ple	di vis'i ble
dig'it	al'i quot	in'ter est	in sur'ance
ze'ro	dis'count	com pos'ite	bro'ker age
a'cre	ex am'ple	nu'mer a tor	per cent'age
naught	hun'dredth	de nom'i na tor	av oir du pois'

79—ANIMAL SOUNDS

purr	yelp	bleat	snort	squeak
hum	howl	cluck	cack'le	roar
low	quack	neigh	whin'ny	scream
grunt	growl	croak	bel'low	buzz
squeal	mew	gob'ble	chir'rup	screech

80—INSECTS

bee	gnat	ant	drag'on-fly
wasp	moth	wee'vil	bum'ble bee
flea	roach	mos qui'to	but'ter fly
lo'cust	bee'tle	glow'worm	ka'ty did
hor'net	crick'et	silk'worm	grass'hop per

81

a'li as	fa'cial	ef face'	fa'tal
a'gen cy	pa'tron	va'cant	ha'zy
ma'ni ac	sta'tion	en gage'	ba'bel
brace'let	an'cient	be came'	az'ure
fa'vor ite	pa rade'	pro fane'	ha'tred
va'por ize	dra'per y	dis place'	man'ger

82

gym'nast	gib'lets	hom'age	gen'u ine
gyp'sy	gen'ius	gib'bet	mag'is trate
en'gine	gen teel'	gen'e sis	gym nas'tics
mar'gin	herb'age	gest'ure	gym na'si um

83—REVIEW

ache	bruise	bu'reau	could
ac cept'	Arc'tic	care'ful	dai'sy
a fraid'	bis'cuit	car'riage	cur'tain
a gain'	au'tumn	cel'er y	col'ored
al'mond	ba na'na	chim'ney	con'ti nent
an'i mal	break'fast	Christ'mas	cran'ber ry

84

dif'fer ent	friend	health'y	juice
dough'nut	gi raffe'	help'ful	knife
ear'nest	gru'el	hom'i ny	knuck'le
ei'ther	e qua'tor	ho ri'zon	laugh
el'e phant	er'rand	hy'a cinth	learn
e nough'	Feb'ru a ry	in'ter es ting	isth'mus

85—REVIEW

maize	mo las'ses	o'a sis	rai'sin
li'chen	mos qui'to	o blige'	pic'ture
liq'uid	moun'tain	om'e let	pitch'er
mat'tress	nei'ther	os'trich	pleas'ant
mi'grate	neph'ew	oys'ter	prai'rie
min'u end	niece	par'al lel	pump'kin

86

rhu'barb	skein	tongue	zone
rough	sleigh	tor'rid	whose
salm'on	sev'er al	un til'	would
schol'ar	skel'e ton	tem'per ate	wrong
scis'sors	spin'ach	thous'and	ze'nith
sen'tence	squir'rel	vol ca'no	writ'ten

87—SYNONYMS

ef'fort	de cide'	lack'ing	a tone'
en deav'or	de ter'mine	de fi'cient	ex'pi ate
re past'	ven'er ate	out'ward	con fuse'
col la'tion	re vere'	ex ter'nal	be wil'der
en close'	spring'y	down'cast	de ride'
en vel'op	e las'tic	de ject'ed	rid'i cule

88

fool	priest	dra'ma	han'dle	lad'der
lock	del'ta	fel'low	hel'met	lob'ster
feast	an'gel	mask	freck'le	mar'ket
hook	se'cret	fos'sil	liq'uor	ma'tron

89

rul'er	an'cient	tow'er ing	for'tress es
sto'ry	ver'dant	ex ten'sive	at tract'ive
rooms	fruit'ful	sep'u'lar	ap pa ri'tion
stream	slum'bers	be stow'ing	pic tur esque'
sta'ted	en tombed'	re main'der	ben e dic'tion

90—MASCULINE AND FEMININE

he'ro	her'o ine	beau	belle
host	host'ess	wiz'ard	witch
act'or	ac'tress	sir	mad'am
god	god'dess	bach'e lor	maid, spin'ster
heir	heir'ess	wid'ow er	wid'ow
jan'i tor	jan'i tress	man serv'ant	maid serv'ant
proph'et	proph'et ess	land'lord	land'la dy

91—HOMONYMS

1 { break—to part by force	5 { hail—frozen rain,
1 { brake—for stopping wheels,	5 { to salute
1 { a fern	5 { hale—healthy
2 { week—seven days	6 { wait—to stay
2 { weak—feeble	6 { weight—heaviness
3 { waist—part of the body	7 { heel—part of the foot
3 { waste—a desert, to squander	7 { heal—cure
4 { piece—a part, a composition	8 { peal—a loud sound
4 { peace—quiet	8 { peel—to strip off the skin

In the following sentences put the right word in the right place. Underline the words inserted.

Achilles was slain by being wounded in the (7). A (4) of banana (8) should not be thrown on the pavement. The (1)ing waves dashed high.—*Hemans*. (5), holy light.—*Milton*. The engine whistled “Down (1)s.” What is your (6)? I lay me down in (4) to sleep.—*Willard*. Physician, (7) thyself.—*Bible*. If you are (5), you cannot be (2). The deep thunder, (8) on (8), afar.—*Byron*. There was a belt about her (3). Sunday is the first day of the (2). Learn to labor and to (6).—*Longfellow*. (3) not, want not.—*Prov*.

92

jui'cy	tip'sy	po'sy	ma'zy
spi'cy	fuss'y	pal'sy	diz'zy
fan'cy	moss'y	pro'sy	cra'zy
flee'cy	mass'y	flim'sy	breez'y
mer'cy	drop'sy	glass'y	driz'zly

93

daunt	twelfth	come'ly	bel'lows
brooch	a dult'	com mand'	as sume'
nymph	de sist'	a're a	cask'et
crea'ture	ad vance'	dis arm'	cit'i zen
con sume'	di gest'	cha grin'	duc'tile

94—HOMONYMS

1 {	air—what we breathe	5 {	rain—water from clouds
	e'er—ever		reign—rule
	ere—before		rein—for a horse
	heir—one who inherits		
2 {	sail—of a ship	6 {	coarse—rough
	sale—a selling		course—way
3 {	ho'ly—sacred	7 {	col'lar—band for the neck
	whol'ly—completely		chol'er—anger
	plain—level ground, clear		
4 {	plane—flat surface, tree,	8 {	dy'ing—ceasing to live
	tool		dye'ing—coloring

Write the following sentences, putting the right word in the right place:

Westward the (6) of empire takes its way.—*Berkely*. O, there is sweetness in the morning (1)—*Byron*. (3) angels guard thy bed—*Watts*. How gladly would we buy time were it for (2). How beautiful is the (5) after the dust and heat—*Longfellow*. The top of my desk is a (4) surface. What! drunk with (7)—*Shakespeare*. The (7) was made of cloth. We thought her (8) when she slept. The Prince of Wales is (1) to the English throne. Russia is almost (3) a vast (4). Write home (1) the ship (2)s. The (5) guides the horse. The cochineal insects furnish a red color for (8). Shakespeare lived during the (5) of Queen Elizabeth.

95—CLOTH

jean	sat'in	si le'sia	cal'i co
baize	vel'vet	me ri'no	al pac'a
serge	flan'nel	cam'bric	dam'ask
plush	mus'lin	bro cade'	cor'du roy
lin'en	mo'hair	chev'i ot	cas'si mere
tweed	de laine'	ging'ham	vel vet een'
chintz	broad'cloth	cash'mere	seer'suck er

96

monk	piv'ot	pub'lic	tas'sel
mur'mur	part'ner	rum'mage	trel'lis
mys'ter y	phys'ic	skir'mish	tus'sle
par'a ble	pi'ous	sol'emn	weap'on
par'cel	pi'ra cy	spe'cie	wel'fare
mes'sage	pit'i ful	stam'mer	syr'inge

97

tu'bu lar	bear'er	vic'tor	ju'ror
tab'u lar	lodg'er	val'or	fla'vor
pop'u lar	cor'o ner	tu'tor	ru'mor
cir'cu lar	mourn'er	tre'mor	or'a tor
cal'en dar	strag'gler	tra'i'tor	stu'por
sec'u lar	vend'er	tor'por	splen'dor
mus'cu lar	in tru'der	suit'or	sur vey'or

98—ON THE WRITING DESK

ream	ru'ler	let'ter	pa'per-weight
quill	tab'let	e ra'ser	port fo'li o
quire	blot'ter	ink'stand	mu'ci lage
stamps	wa'fer	fools'cap	en'vel ope
pen'knife	cal'en dar	dic'tion a ry	seal'ing-wax

99—FISH

eel	trout	dol'phin	her'ring
cod	pike	sar'dine	mack'er el
carp	shark	had'dock	pick'er el
perch	shad	suck'er	stur'geon
bass	smelt	min'now	hal'i but

100

un just'	un just'ly	re'al	re'al ly
lan'guid	lan'guid ly	meek	meek'ly
se cure'	se cure'ly	court	court'ly
se'ri ous	se'ri ous ly	an'nu al	an'nu al ly
spite'ful	spite'ful ly	in tent'	in tent'ly
un u'su al	un u'su al ly	for'mer	for'mer ly
dread'ful	dread'ful ly	fre'quent	fre'quent ly

SPELLING

(PART 2)

1—SYNONYMS

a base'	ac quit'	ad'age	a dorn'
de grade'	ab solve'	max'im	dec'or ate
ab hor'	ac cede'	ac cost'	ad vice'
de test'	com ply'	sa lute'	coun'sel
a bide'	for sake'	a dieu'	ac quaint'
so'journ	a ban'don	good by'	in form'

2—OPPOSITES

ab'sent	free	guilt'y	stub'born
pres'ent	cap'tive	in'no cent	yield'ing
be stow'	dis perse'	in te'ri or	fail'ure
re ceive'	as sem'ble	ex te'ri or	suc cess'
de stroy'	e merge'	de crease'	em'i grate
con struct'	im merge'	aug ment'	im'mi grate

8

sa li'va	i'ci cle	con fide'	pi'rate
en vi'ron	pli'a ble	com bine'	bri'ny
en ti'tle	di'a ry	re cite'	mi'nus
vi'o late	li'a ble	sur mise'	li'bel
ri'val ry	si'phon	re quire'	fi'nal
pi'e ty	bi'ped	com prise'	vi'per

Copyrighted by International Textbook Company. All rights reserved

4

braid	ex am'ine	coax	ra'zor
beard	ex cur'sion	skull	ven'ture
bloom	de light'ful	hoarse	whith'er
bleach	in struc'tion	a piece'	smoth'er

5—MINING

zinc	mi'ca	gran'ite	lode
lead	sul'phur	gyp'sum	shaft
quartz	car'bon	plat'i num	mi'ner
cop'per	salt'pe'ter	min'er al	tun'nel
ni'ter	mer'cu ry	me tal'lic	der'rick

6—FARMING

plow	har'row	ster'ile	fer'tile
reap'er	thresh'er	clay'ey	bog'gy
mow'er	fal'low	bar'ren	ar'a ble
scythe	swamp'y	loam'y	al lu'vi al
sick'le	fruit'ful	marsh'y	gua'no

7

mu'ti ny	flu'id	dis pute'	se clude'
du'ti ful	mu'sic	pro cure'	de lude'
pu'ri fy	glu'ten	in sure'	as sure'
cru'el ty	tu'mor	di lute'	a buse'
mu'tu al	fu'ture	en dure'	a muse'
lu'di crous	cu'ri ous	pre sume'	al lure'

8

doub'le	jew'el er	su pe'ri or	sleet
har'ness	tomor'row	va ca'tion	tacks
mat'ting	which ev'er	twi'light	sphere
val'u a ble	scen'er y	moun'tains	ce'dar

9

blouse	cis'tern	knuck'le	steppes
breathe	clean'ly	col'an der	tru'ly
el lipse'	dah'lia	fa mil'iar	vil'lain
de spair'	cru sade'	des'o late	cut'ler y
um'pire	cou'pon	de pos'it,	hap'pened
jun'ior	com'merce	tran'som	oc curred'
a'corn	cour'te sy	ven'ti late	prec'i pice

10

po si'tion	pat'ron ize	live'li hood	ac cu'mu late
gen'ius	sys'tem	in'tel lect	ad van'tage
stud'ies	tres'pass es	fa'vor it ism	in'dis pen'sa ble
pro fes'sion	ex celled'	op"por tu'ni ties	com"men da'tion
suf'frage	a bil'i ties	in duce'ment	op'er ate
ad mit'ted	pos sess'	ac cept'a ble	dis course'

11

gen'tle man	cour'te ous	friend'ly	dil'i gent
hu'man	re spect'ful ly	ge'nial	ca'pa ble
mor'al ly	re lig'ious	sen'si ble	com'pe tent
sac'ri fice	grate'ful	a gree'a ble	con"sci en'tious
in"di vid'u al	lov'a ble	char'ac ter	for giv'a ble
sin cere'	hap'pi ness	ed'u cate	re fined'

12

pic"tur esque'	lab'y rinth	in cal'cu la bly
fash'ion	rev"e la'tion	gran'deur
or"na men'tal	in"de scri'ba ble	charm'ing
va'ri e ga"ted	pro dig'ious	mag nif'i cent
gro tesque'	ra vine'	bril'liant
u nique'	at tract'ive	ef"fer ves'cence
beau'ti ful	ex"traor'di na ry	sym met'ric al
ex'cel len cy	con sum'mate	

13

strict	ear'li est	thread	peo'ple
is'su ing	com pels'	for'feit	beg'gar
di vulge'	im mense'	im peach'	mar'ket
in quir'y	mod'ern	fierce	vil'lage
in cense'	dis pel'	con'sul	bulk
get'ting	bulge	yield	por'tion
mag'net	re ly'	heav'y	con tain'
phase	de nied'	failed	stroll

14—OCCUPATIONS

la'bor er	man'a ger	e lec"tri'cian	com pos'i tor
in vent'or	po lice'man	ar'chi tect	sur vey'or
phy si'cian	fire'man	en"gi neer'	auc"tion eer'
su"per vi'sor	ca'ter er	book'keep"er	ga'ger
sur'geon	ma chin'ist	pro fess'or	pho tog'ra pher

15

grief	griev'ous	pore	po'rous
joy	joy'ous	ri'ot	ri'ot ous
vice	vi'cious	glo'ry	glo'ri ous
stud'y	stu'di ous	dan'ger	dan'ger ous
la'bor	la bo'ri ous	mur'der	mur'der ous
in'dus try	in dus'tri ous	ma la'ri a	ma la'ri ous

16—HOMONYMS

1 { pair—two	5 { meat—animal food
{ pare—to cut off	{ meet—proper, to come to-
{ pear—a fruit	gether
2 { their—belonging to them	{ mete—to measure
{ there—in that place	6 { as cent'—a rising
3 { cap'i tal—chief town, stock	{ as sent'—agreement
{ cap'i tol—building	7 { pane—a plate of glass
4 { hear—to listen	{ pain—an ache
{ here—in this place	8 { rye—a grain
	{ wry—crooked

Write the following sentences, putting the right word in the right place:

(2) is nothing new under the sun.—*Bible*. (8) grows in cold countries. When shall we three (5) again?—*Shakespeare*. A (7) of glass. (4) rests his head upon the lap of earth.—*Gray*. Can you (1) a (1) with a (1) of scissors? The (3) is a white marble building. The (6) of Mont Blanc is full of danger. Be silent that you may (4).—*Shakespeare*. Sweet is pleasure after (7).—*Dryden*. Birds in (2) little nests agree.—*Watts*. Washington is the (3) of the United States. Is not the life more than (5)?—*Bible*. He gave his (6) to the proposal. There is a bird called the (8) neck. With what measure ye (5), it shall be measured to you again.—*Bible*.

17—KNOWN BY

<i>Seeing</i>	<i>Smelling</i>	<i>Tasting</i>
squal'id	ran'cid	lus'cious
un couth'	fra'grant	pun'gent
col'ored	per'fumed	bit'ter
o paque'	o'dor ous	in sip'id
ra'di ant	ar"o mat'ic	de li'cious

Touching

warm
rough
sleek

smooth
tep'id
un e'ven

height
re sult'
con fess'
wrig'gle
fir'kin
anx i'e ty

count'er
awk'ward
bus'i ly
re mark'a ble
gen'tle man
u'su al ly

18

Hearing

clear
loud
in dis tinct'

ech'o ing
muf'fled
noi'sy

la'zi ly
hes'i tate
spe'cial
mus'cles
vil'lage
pro tect'

ach'ing
sur prise'
quan'ti ty
syl'la ble
scold'ed
gos'sa mer

19—REVIEW

e ra'ser
bar'y tone
or'ches tra
cam paign'
glac'i er
moun'tain

dic'tion a ry
mack'er el
jew'el ry
veg'e ta ble
cas'si mere
sar'sa pa ril'la

scythe
feign
zeph'yr
liq'uor
giz'zard
gey'ser

com'mon
tac'it
gyp'sy
ges'ture
salm'on
wool'en

20

al pac'a
sal'a ry
boy'cott
ox'y gen
em'er y
tur quoise'

par'lia ment
cyl'in der
cem'e ter y
am'e thyst
sep'a rate
hun'dredth

thief
toi'let
au'tumn
ac'id
pum'ice
ber'yl

dai'sy
doc'ile
rep'tile
im'age
cor'nice
ci'pher

21—REVIEW

skep'tic
squal'id
squir'el
schol'ar
myr'i ad
wiz'ard

sol'emn
ver'ti cal
de li'cious
syl'la ble
ker'o sene
med'i cine

weird
myrrh
which
straight
weap'on
syr'inge

can'cel
con cede'
pleas'ure
ped'dler
vil'lage
griz'zly

22

hand'ker chief
rai'ment
pan'ta loons'
chan'de lier'
in te'ri or

cu'li na ry
fur'ni ture
ve ran'da
u ten'sil
gas'o line

lem'on ade'
cham pagne'
ap par'el
cor'ri dor
bric'-a-brac'

o'leo mar'ga rine
slam'ming
gel'a tine
clock'work"
heath

23

i'ci cle	ver mil'ion	a dieu'	tus'sle
rum'mage	Ni ag'a ra	sep'a rate	cer'tain
lunch'eon	nec'es sa ry	twelfth	'cha grin'
sur'name	pen i ten'tia ry	be lieve'	cot'tage
car'a mel	re ceived'	the'a ter	sup pose'
span'iel	ex hi bi'tion	res'er voir"	de vel'op

24—HISTORY

char'ter	squaw	scalped	wil'der ness
spear	pap poose'	ship'wreck	suf'fer ing
wig'wam	war'rior	ex plore'	set'tle ment
wam'pum	cal'u met	col'o ny	trea'ty
moc'ca sin	dis cov'er y	per'ma nent	per'se cute
tom'a hawk	pi o neers'	nav'i ga'tor	mas'sa cre

25

cu'ti cle	lyr'ic al	cler'ic al	pay'a ble
mir'a cle	spher'ic al	crit'ic al	bla'ma ble
ob'sta cle	sur'gi cal	cyn'ic al	ta'ma ble
par'ti cle	trag'ic al	whim'si cal	teach'a ble
spec'ta cle	op'tic al	prac'ti cal	ten'a ble
trea'cle	clas'sic al	phys'i cal	ca'pa ble
man'a cle	com'ic al	med'ic al	af'fa ble

26

sing'er	preach'er	deaf'ness	soft'ness
wait'er	la'bor er	firm'ness	sweet'ness
start'er	lect'ur er	swift'ness	round'ness
catch'er	ex am'in er	fierce'ness	prompt'ness
think'er	com mand'er	hard'ness	wretch'ed ness

27

ac crue'	a thwart'	con'quer	ath'lete
a chieve'	vict'uals	a'lien	fau'cet
a ghastr'	cro chet'	al'oes	cal'lous
greas'y	bou quet'	anx'ious	bur'glar
ca det'	bru nette'	brig'and	dul'cet
con geal'	car toon'	drug'get	daunt'less

28—WORDS USED IN ARITHMETIC

nu'mer ous	length	per"pen dic'u lar
di vis'i ble	ounce	bal'ance
re du'cing	par ti'tion	hor"i zon'tal
log'a rithm	in nu'mer a ble	math"e mat'i cal
summed	sub"di vi'sion	ad di'tion
cal"cu la'tions	com par' i son	çal'cu late
par'tial ly	ad di'tion al	per cent'
un e'qual ly	quan'ti ties	coin'age

29

su"per vise'	cler'ic al	fa ce'tious	in ten'tion
en deav'or	cer'ti fy	civ'il ly	dis crep'ancy
pre ce'dence	per mis'sion	cred'u lous	re nun"ci a'tion
pro fi'cient	prom'is so"ry	ex'pe dite	ag'gra vate
pri ori ty	in'ter est	knowl'edge	im pos'si ble
ver'i fied	jus'ti fied	dow'ery	traf'fick ing
a bey'ance	cen'sure	no"to ri'e ty	fal'la cy

30

ab'sence	fuzz	go'pher	la pel'
at'om	cleat	griz'zly	loi'ter
bar'gain	clev'er	haz'ard	lag'gard
but'ton	e clipse'	hu'mor	loz'enge
cat'kin	en cir'cle	jock'ey	ma chine'
glut'ton	fa tigue'	graph'ic al	med'i cine

31

change	change'a ble	man'age	man'age a ble
charge	charge'a ble	mar'riage	mar'riage a ble
trace	trace'a ble	cour'age	cou ra'geous
no'tice	no'tice a ble	out'rage	out ra'geous
ser'vice	ser'vice a ble	ad vant'age	ad"van ta'geous

32

ey'ry	la'va	ma rine'	dis dain'
eye'let	leis'ure	mar'tyr	glob'ule
frag'ile	jour'nal	naph'tha	hos'tage
frag'ment	lan'guage	nui'sance	cres'cent
ghast'ly	laun'dry	nos'trils	tor'toise
gor'geous	mal treat'	cha rade'	tor'ture

33—CHRISTMAS DINNER

soup	tur'key	on'ions	ice cream'
rolls	squash	sauce	cake
pick'les	po ta'toes	mince pie	fruit
cel'er y	gra'vy	plum pud'ding	con'serve

34

bier	ag grieve'	ceil	rein
tier	re lief'	de ceit'	reign
mien	shield	de ceive'	weigh
wield	re trieve'	con ceive'	skein
lien	re prieve'	con ceit'	hei'nous
niece	mis'chief	re ceipt'	o bei'sance
siege	sor'tie	re ceive'	in veigh'
frieze	ker'chief	per ceive'	neigh'bor

35

chas tise'	bap tize'	a pol'o gize	or'gan ize
crit'i cize	cap size'	har'mo nize	mag'net ize
cat'e chize	re'al ize	gal'va nize	sym'pa thize
ad'ver tise	i'dol ize	fer'til ize	sol'em nize
ex'er cise	civ'i lize	col'o nize	rec'og nize
mer'chan dise	cen'tral ize	tan'ta lize	pat'ron ize
en'ter prise	le'gal ize	dram'a tize	mem'o rize

36

val'leys	pur'chased	sal'a ry	ce'dar
cur'rent	a cross'	spruce	scen'er y
cap'i tal	glac'i ers	in hab'it ants	val'u a ble
cli'mate	va ri'e ty	re sem'ble	de spair'

37

de clare'	can'cel	ap pease'	con sent'	af fair'
col lect'	a ver'	a bol'ish	re voke'	a gree'
al lay'	a mass'	as sert'	dis cuss'	an nul'
ap pal'	as suage'	con cede'	af firm'	ar'gue
at tach'	af fright'	zeal'ous	al low'	anx'ious
pac'i fy	ap pend'	con cern'	ar'dent	an'cient

38

sluice	thyme	whoop	suite	spouse
shrift	type	wreathe	realm	manse
scribe	theme	writhe	myrrh	phrase

39

nerve	un nerve'	ech'o	re ech'o
spell	mis spell'	e lect'	re"e lect'
spend	mis spend'	le'gal	il le'gal
step	mis step'	sev'er	dis sev'er
en gage'	re"en gage'	mor'tal	im mor'tal
sat'is fy	dis sat'is fy	sim'i lar	dis sim'i lar

40

leg'a cy	ur'gen cy	in'ti ma cy	em'bas sy
in'fan cy	cur'ren cy	ex'i gen cy	jeal'ous y
de'cen cy	con'stan cy	cel'i ba cy	min'strel sy
se'cre cy	fal'la cy	con spir'a cy	lep'ro sy
re'gen cy	clem'en cy	ac'cu ra cy	her'e sy
flu'en cy	bril'lian cy	e mer'gen cy	ec'sta sy
va'can cy	buoy'an cy	com'pe ten cy	hy poc'ri sy

41

a bun'dance	tem'per ance	au'di ence	ig'no rant
venge'ance	ac quaint'ance	dil'i gence	as sist'ant
ig'no rance	an noy'ance	ab'sti nence	de pend'ent
sus'te nance	ve'he mence	rev'er ence	el'e gant
vig'i lance	el'o quence	dif'fi dence	dil'i gent

42—LAW

cli'ent	i den'ti ty	ac quit'tal	as sail'ant
de fend'ant	crim'i nal	at tor'ney	de tect'ive
pe ti'tion	in sid'i ous	in'no cence	mis"de mean'or
pro ce'dure	in"for ma'tion	ad journ'	dis charge'a ble
mur'der er	con"fi den'tial	jus'tice	judg'ment
coun'sel	fraud'u lence	con demn'	as sas'sin

43—WORDS USED AT ELECTIONS

in au"gu ra'tion	prom'i nent	par tic'i pants
del'e gates	or'di nance	ri'val ry
pol"i ti'cian	as sem'blage	of'fi cers
af firm'a tive	tax'a ble	ex clu'sive ly
con'gress man	treas'ur y	cit'i fied
mu nic'i pal	sher'iff	can'di date
pre lim'i na ry	pro tect'or	ap point'ment

44

dis'cord	vac'il late	in va'ri a bly	da guerre'o type
friv'o lous	re'cent ly	et'i quette"	ca pac'i tate
e ter'nal	crowd'ed	in"can des'cent	ci ta'tion
mil len'ni um	ec cen'tric	re frig'er a"tor	like'li hood
ab'sti nence	fruit'ful	clam'or ing	par'a gon
con'science	sev'er al	pro du'cing	pre su'ma ble

45

il lu'mi nate	sur prised'	hun'dred	a cid'i ty
de crease'	aus tere'ly	tres'tle	han'dled
hol'i day	in fat'u ate	scarce'ly	as sim'i late
fore tell'	hin'dered	un known'	be liev'ing
va ri'et y	un but'toned	e'ven ly	sup pose'
prob'a ble	u biq'ui tous	more o'ver	har'bin ger

46

now'a days"	com mit'tee	e con'o mist	gov ern or
per sim'mon	coun'cil	stran'ger	guard'i an
vic'es	south'ern er	a'er o naut	cit'i zen
nat'u ral	com'pa nies	serv'ant	bach'e lor
char'i ty	heir'ess	ci vil'ian	for'eign er
sci'en tist	fam'i lies	cou'ri er	am"a teur'

47—WORDS LIABLE TO BE CONFOUNDED

- curt'sy—a downward movement of the body by bending the knees, an act of respect
- cour'te sy—politeness originating in kindness and exercised habitually
- cro chet—to knit worsted, silk, or other thread into a fabric with a single needle
- crotch'et—a peculiar opinion
- car'et—a sign (^) placed below a line, indicating where omitted words, etc. should be inserted
- car'at—a unit of weight for precious stones
- car'rot—a vegetable
- as sess'a ble—capable of being assessed

- ac ces'si ble—capable of being reached
 mar'shal—an officer
 mar'tial—pertaining to military operations
 bred—brought up
 bread—an article of food
 dis crete'—distinct or separate
 dis creet'—wise in avoiding errors
 co los'sal—of immense size
 co los'sus—a gigantic statue
 aisle—a passageway, as in a church
 isle—an island
 prin'ci pal—first or highest in rank
 prin'ci ple—a source or cause from which a thing
 proceeds
 core—the central or innermost part of a thing
 corps—a number of persons acting together
 corpse—a dead body
 i'dyl—a short poem
 i'dle—not occupied: doing nothing
 i'dol—image of a heathen god
 de vi'sor—one who gives by will
 de vi' ser—one who devises or contrives
 di vi' sor—that by which a number is divided
 can'vas—a heavy, strong fabric, such as a sail
 can'vass—to solicit votes, orders, subscriptions, etc.
 ei'ther—one or the other of two
 e'ther—the upper air
 mus'cle—an organ composed of fibers the contraction of
 which causes bodily movement
 mus'sel—a small fish
 hu'me rus—the bone of the upper part of the arm
 hu'mor ous—adapted to excite laughter

Ec"ua dor	A"si at'ic	Tal"la has'see	Gèor'gi a
Vir gin'i a	Des Moines	Bor"deaux'	A'la mo
Mem'phis	Ven"ez ue'la	Ter're Haute	Fah'ren heit
Ches'a peake	Rap"pa han'nock	Lou"i si an'a	Ghent

49

trag'e dy	ir're triev'a ble	bar'ba rous	ag'i tate
un for'tu nate	ghast'ly	be reave'ment	hor'ri ble
tor'ture	des troy'er	dep're cate	ca rou'sal
curse	short'-lived"	tol'er ate	numb'ness
mis for'tune	marred	dis"ap point' ment	ac'ci dent
col lapse'	griev'ance	scan'dal	suc cumb'
tire'some	hin'drance	hid'e ous	mourn'ers

50—GRAMMATICAL WORDS

par'a phrase	syn op'sis	lan'guage
su per'la tive	rhyth'mic	smooth
an'a lyze	mon'o syl la ble	glos'sa ry
ab bre"vi á'tion	sum'ma ry	neu'ter
id"i o syn'cra sy	gram'mar	re quire'ment
gram mat'ic al	il lit'er ate	a nal'y sis
in"con sist'ent	col lo'qui al	am big'u ous
phrase	cor rect'	at'trib ute
di plo'ma	an"te ce'dent	sum'ma rize
ap plied'		

51

cou ra'geous	ex pe'ri ence	ex hib'it	ex er'tion
com pet'i tor	vig'or ous	a breast'	non"pa reil'
de fen'sive	en cour'age	ex ci'ting	vir'tue
con'quer or	pre par'a to ry	ex'er cise	pre ce'dence
ath'lete	skilled	out stripped'	vin'di cate
sports'man	tus'sle	hand'i capped	ful fil'ment
keen'ness	dis'tance	ar range'ment	pro ce'dure

52—DISEASES

gout	ca tarrh'	jaun'dice	hem'or rhage
croup	asth'ma	quin'sy	rheu'ma tism
a'gue	mea'sles	scur'vy	an'eu rism
mumps	ul'cer	ty'phoid	pneu mo'ni a
fe'ver	ab'scess	scrof'u la	dys pep'si a
grippe	in flu en'za	nau'se a	pa ral'y sis
can'cer	chil'blain	pleu'ri sy	diph the'ri a
col'ic	ver'ti go	de lir'i um	hy dro pho'bi a

53—HISTORY

writs	bul'let	ef'fi gy	in de pend'ent
re sist'	pow'der	al li'ance	dec la ra'tion
mobbed	ram'part	as sem'bly	ca lam'i ty
war'rant	car'tridge	pro hib'it	vol un teer'
un'ion	pa'tri ot	tax a'tion	e vac'u ate
suf'frage	re pealed'	tyr'an ny	rev'o lu'tion
of fi'cial	mi li'tia	op pres'sion	u ni ver'sal
re doubt'	lib'er ty	gov'ern ment	rep re sent'

54—ARMY WORDS

sol'dier	pla toon'	sen'try	siege
com'pa ny	bat tal'ion	pick'et	sut'ler
reg'i ment	sword	u'ni form	re cruit'
bri gade'	sa'ber	knap'sack	hos'pi tal
di vi'sion	bay'o net	can teen'	gar'ri son
corps	pis'tol	ep'au let	coun'ter sign
in'fan try	car'bine	bag'gage	court-mar'tial
cav'al ry	mus'ket	cais'son	am mu ni'tion
ar til'ler y	ri'fle	biv'ou ac	for ti fi ca'tion
en gi neers'	can'non	fur'lough	in trench'ment

55

Wednes'day	Ben'ja min	Cu'ban	Cin'cin na'ti
Feb'ru a ry	Chi nese'	Jap'a nese'	Con nect'i cut
Dan'iel	Chris'tian ize	A'pril	Min'ne so'ta
I tal'ia	Eng'land	Ken'ne bec'	Min'ne ap'o lis
Brit'ish	Swe'dish	Ni'ca ra'gua	Nar'ra gan'sett

56—TRANSPORTATION

car'goes	tar'iff	trans mit'ted	leas'a ble
freight	in stal'ment	a mount'	ex or'bi tant
route	for'eign	ti' tle	du' tia ble
leak'age	li'cense	min'i mum	charge'a ble
ship'ping	trans ferred'	busi'ness	traf'fic
ton'nage	vi'ce ver'sa	re mit'tance	des'ti na'tion

57—WORDS PERTAINING TO THE SICK

con"va les'cence	tem'per ance	al"co hol'ic	cur'a tive
phys'ic al ly	ail'ment	ben"e fi'cial	cleaned
lar'ynx	pes'ti lence	phy sique'	chlo'ro form
fa tigu' ing	heart'rend"ing	suf fer er	hem'or rhage
stim'u lus	vic'tim	con ta'gious	lau'da num
phar'ma cy	nurs'ing	par'a lyzed	neu ral'gi a
lin'i ment	liq'ue fy	mor'phine	pleu'ri sy
rheu'ma tism	quar"an tine'	liq'uor	a cous'tic

58

ex pense'	char'ging	des'ig na'tion	prob'a ble
in ad'e quate	plen'ti ful	am bi'tious	fa'vor a bie
as sur'ance	de scend'ant	av"a ri'cious	be com'ing
fi nan'cial ly	tax a'tion	po lit'ic al	nu'cle us
in tel'li gence	co in'ci dent	rep're sent'	read'i ly
en rolled'	con ve'nience	so lic'i ta'tion	re'al ize
ex am"i na'tion	civ'i lized	pre'vi ous	im pugn'
oc cur'ring	em ploy'ment	dis cre'tion	siege

59—NEWSPAPER TERMS

dai'ly	ed'i tor	ed i to'ri al
morn'ing	jour'nal ist	lead'er
eve'ning	con trib'u tor	ar'ti cle
sem"i-week'ly	re port'er	i'tem
week'ly	cor re spond'ent	lo'cal
bimonth'ly	sub scrib'er	tel'e grams
month'ly	ad'ver ti"ser	no'tic es
ex chang'es	car'ri er	gos'sip
e di'tion	news'boy	fi nan'cial
pro pri'e tor	ex'tra	a muse'ments
pub'lish er	col'umn	mis cel la'ne ous

60—REVIEW

war'rior	cyn'ic al	fuch'si a	phlox
sa'chem	cler'ic al	a za'le a	cap'tain
skil'ful	proph'e cy	wretch'ed	trea'cle
pro'ceeds	proph'e sy	an"te ce'dent	pre cede'
con sign'ee	mer'ri ment	par'ti ci ple	pa'tience
Mis sis sip'pi	prom'is so'ry	de clar'a tive	de cease'

61

or'i fice	rheu'ma tism	jeal'ous y	fron"tier'
pal i sade'	aux il'ia ry	mal'ice	scal'lop
cav a lier'	lin'e a ment	vi'cious	su'ture
nau'ti lus	Cin cin na'ti	ec'sta sy	si'phon
se'cre cy	dys pep'si a	pen'sion	mus'cle
con'ten tion	pneu mo'ni a	mis spell'	e'qual ly

62

league	bat'ter y	im ag'ine	niche
gui tar'	sal'a ble	fric"as see'	sparse
cor'nice	tab'er na cle	lat'i tude	clique
fa çade'	syn'a gogue	mul'lein	na'dir
ac crue'	pre cen'tor	gor'geous	eye'let
pres'sure	cer'e mo ny	tor'toise	mi rage'

63

Mis sou'ri	Atch'i son	Great Brit'ain	Cay enne'
Ten'nes see'	Del'a ware	Chris'ten dom	Ra"ciné'
Ha van'a	Mas'sa chu'setts	Por"tu guese'	Guin'ea
Mil wau'kee	Mis"sis sip'pi	Knox'ville	Sac"ra men'to
Ma ni'la	Eu"ro pe'an	Cal'i for'ni a	Vin cennes'

64—ARMY

re sist'ance	strat'e gy	en"gi neer'ing	un"der ta'king
rep'ri mand	dis charge'	co lo'ni al	vig'i lant
ir"re sist'i ble	haz'ard ous	col'umn	su pe'ri or
dis'ci pline	con ces'sion	fu'gi tive	con cil'i a to ry
bound'a ry	skil'ful	colo'nel	a ban'don
en'e my	vet'er an	u'til ize	fear'less ly
guard'ed	bat'tle	e quipped'	aux il'i ary
an tag'o nize	strug'gling	or'gan ized	tri'umph

65—HISTORY

pow'er ful	bul'le tin	as sist'ance	de fen'si ble
su prem'a cy	tour'na ment	baf'fled	rec'on cile
hos til'i ties	an ni'hi late	in"ef fi'cient	bar"ri cade'
his tor'ic al	dev'as tate	strat'a gem	can"non ade'
quar'el	mer'ce na ry	as sail'ant	col'on y
brig"a dier'	scheme	a lert'	e mer'gen cies
sur ren'der	hon'or a ble	suc cess'ful	sur round'
ac'ci dent	serv'ice a ble	lac'er ate	al le'giance

66—BUSINESS

com mis'sion	sur'plus	com par'i son	ir're deem'able
el'i gi ble	earn'ings	de vel'op ment	in val'u a ble
cur'ren cy	proc'ess	as sess'a ble	in'ter view
can"cel a'tion	suc ceed'	leg'a cy	con'fer ence
pur'chas a ble	ef face'a ble	ex on'er ate	ex change'a ble
mu'tu al	rec'om pense	sup press'ing	ac com'plish
the'o ry	col lat'er al	ap prais'er	wel'fare

67—BUSINESS

debts	dis solve	con trolled'
sure'ties	mon op'o lize	pro ce'dure
dis qual'i fied	cred'it	prompt
re paid'	an nul'	an'swer
ac crue'	un"der rate'	com"pe ti'tion
in'ter fere'	ex ceed'	per'son al
ac com'mo date	ac'cu rate	ig'nor ant
fun"da men'tal	an'nu al ly	ap pear'ance
con spic'u ous	for'feit ed	dem on'stra"ted
ex ag'ger ate		

68

where as'	doff	bar'ring	im ag'ine
wheth'er	oc curred'	gra'ded	dis pense'
here"to fore'	se cede'	lim'it ed	as"cer tain'
so'journ	u'sing	sham'rock	thank'ful
in'stance	in dulse'	them selves'	peace'ful
per turbs'	ex panse'	en a'bling	per tain'ing
al"to geth'er	sol'dier ly	mid'dle	piece'meal"

69

crys'tal lize	re quir'ing	niche	fu til'i ty
choos'ing	na"tion al'i ty	be gin'ning	en'vi ous
through	put'ting	curt'sy	re gard'ing
meer'schaum	sed'i ment	ad"van ta'geous	sha'ky
scin'til late	eas'i ly	in i'ti a tive	em bed'ded
pa la'tial	versed	ab hor'rence	con fused'

70

mis lead'ing	gun'ner y	nup'tials	co"a lesce'
dough	bur'den	con ceive'	o paque'
the"o log'ic al	per haps'	feoff	fil'ial
af fords'	dis taste'ful	che root'	bour geois'
e nough'	re pair'ing	in"ad vert'ence	bi zarre'
fe'ver ish	pas'time"	fal la'cious	par'al lel

71

main'te nance	tend'en cy	priv'i lege	sup"ple men'ta ry
per vade'	mon op'o lies	ac cru'ing	com mo'di ous
in"cu ba'tion	con cede'	pe'ri od	nar'ra tive
dis tin'guish	in"ter cede'	con ferred'	im'ple ment
con trol'	ma te'ri al ly	se'cre cy	hy drau'lic
stead'i er	stud'y ing	leath'er	lau'rel

72—WORDS PERTAINING TO NAVIGATION

buoy'an cy	im per'iled	source	re gat'ta
fur'lough	aq'ue duct	pro pel'	cruis'er
stream	ex er'tion	trav'el ing	o"ce an'ic
ca nal'	ob'sta cles	voy'age	wa'ter course"
wa'ter	at'mos phere	schoon'er	har'bor
o'cean	ir"ri ga'tion	sea'far'ing	mar'i time
is'land er	jour'neys	nau'tic al	nav"i ga'tion

73

con"sti tu'tion	suf fi'cient	eq'ui ty	con sist'en cy
per mis'si ble	rar'e fy	ac cede'	as cend'
re spon"si bil'i ty	right'eous	ac quire'	pro cure'
re cur'ence	pre ten'tious	re ceive'	com mit'
ef fi'cien cy	in cip'i ent	en joined'	de pend'ent
es sen'tial	im'i tate	pre pared'	con cede'

74

car'i ca ture	pri'vate	im me'di ate ly
ru'di ment	vol'ume	sup"po si'tion
sim'i lar	reg"u lar'i ty	pos'i tive
pag'eant	de cide'	prom'i nent
in"tel lec'tu al	pro gress'ive	es pe'cial ly
ac knowl'edg ment	tem'po ra ry	ex treme'
pam'phlet	ad vi'sa ble	va'ri ous
cat'a log	ref'er ence	con sid'er

75

coup'le	pau'ci ty	nui'sance	sues
fro'zen	venge'ance	mar'riage	route
vict'uals	griev'ance	wretch'ed	choked
bou quet'	ni'tro gen	ap'pe tite	ra vine'
bru nette'	cap'il la ry	ha rangue'	rou tine'
drug'gist	es pe'cial ly	phy sique'	pat'ent

76—REVIEW

ca tal'pa	dis ap pear'	sep'a rate	sphinx
mi li'tia	dis'si pate	re ceived'	can'cer
ver'ti cal	glyc'er ine	sur'geon	ca tarrh'
cal'en dar	ben'e fit ed	sol'dier	cap size'
ex'er cise	nec'es sa ry	bag'gage	bea'con
con'science	re bel'lion	fur'lough	bod'ice

77

rec'i pe	in sur'er	fag'ot	dis cern'
def'i nite	ep'au let	for'feit	ex haust'
sac'ri lege	ma neu'ver	fer'rule	crip'ple
right'eous	ar'chi tect	for bade'	cau'tious
gra'cious	guar an tee'	sur'plice	symp'tom
en gi neer'	chrys'a lis	hic'cough	com'ment
chal'ice	con'fis cate	ton'sil	con'crete
chiv'al ry	con va les'cent	per spire'	poul'tice

78—REVIEW

cha rade'	bil'liards	al lege'	whey
po'rous	am'a teur	ax'i om	vig'or
plov'er	per se vere'	pur'ple	vic'ar
scep'ter	beau'te ous	ter'race	sol'der
lar'ynx	prej'u dice	spig'ot	bil'ious
tra'che a	ac com'plice	suc ceed'	su'mac

79

pit'y	con'duit	bre vier'	siege
a byss'	col'umn	wrin'kle	o'gre
sol'ace	brick'kiln	tres'tle	trip'le
er'ror	ban dan'na	ten'ant	sher'iff
busi'ness	pam'phlet	shud'der	pal'ace
re scind'	cat'er pil lar	res'er voir'	pi az'za
Af'ghan	con ge'ni al	wor'shiped	quin'ine
bi'cy cle	chi rop'o dist	chan de lier'	fla'grant

80

per suade'	per'fi dy	pur'ga to ry	purge
per form'	per se vere'	pur vey'or	pur'port
per'jure	per pet'u al	per'pè trate	pur'pose
per plex'	per son'i fy	per'ti nent	pur suit'

81—RAILROAD

mail	de'pot	lug'gage	tel'e graph
train	sig'nal	dis patch'	con duct'or
track	tick'et	sta'tion	post'al clerk
check	bun'dle	ex'press	pe ri od'ic als
freight	pack'age	brake'man	lo co mo'tive

82

at tain'a ble	el'i gi ble	con tempt'i ble	beau'te ous
pit'i a ble	suit'a ble	ter'ri ble	be gin'ning
a gree'a ble	al'ma nac	vis'i ble	be ha'vior
sec're ta ry	boun'da ry	cred'i ble	ref'er a ble
spec'i men	as cer tain'	cer tif'i cate	cu ri os'i ty
ex pi'ra'tion	ex treme'ly	dif fer ent	treach'er y
grat'i tude	sum'moned	co lo'ni al	re it'er ate
ob serv'ance	re ceiv'a ble	ex cus'a ble	cer'e mony
av'er age	al read'y	al'pha bet	ac knowl'edge
ex pla na'tion	an'thra cite	ap pren'tice	rel'e vant

83—WORDS LIABLE TO BE CONFOUNDED

sculp'tor—a carver of stone	light'en ing—to make light
sculp'ture—carved work	light'ning—electric flash
proph'e sy—to foretell	pa'tients—sick people
proph'e cy—a prediction	pa'tience—endurance
pre cede'—to go before	dis ease'—illness
pro ceed'—to advance	de cease'—death

Write the following sentences, selecting the right word:

1. His (prophecy, prophesy) was fulfilled.
2. Let us run with (patience, patients) the race that is set before us.—*Bible*.
3. (Lightening, lightning) must always (proceed, precede) thunder.
4. Enjoy the kingdom after my (decease, disease).—*Shakespeare*.
5. Phidias was a famous (sculpture, sculptor) of ancient Greece.
6. The captain ordered the (lightning,

lightening) of the vessel. 7. The remedy is worse than the (disease, decease).—*Shakespeare*. 8. The physician cured many (patience, patients). 9. He forth on his journey did (precede, proceed). 10. The Greeks ornamented their temples with (sculptor, sculpture).

84—WORDS LIABLE TO BE CONFOUNDED

1 {	ac cept'—to take	4 {	for' mer ly—time past
	ex cept'—to leave out		form' al ly—in a formal way
2 {	ad vice'—counsel		
	ad vise'—to give counsel	5 {	sta' tion a ry—fixed
	at tend' ance—the persons		sta' tion er y—paper, pens,
	who attend any service,		etc
	etc.		
3 {	at tend' ants—those who at-	6 {	pop' u lous—full of people
	tend as servants, com-		pop' u lace—the people
	panions, etc.		

Write the following sentences, using the right word from the list above:

China is a (6) country. Will you (1) my (2)? King Arthur had brave (3). The (6) swarmed in the streets. (4) buffaloes roamed over the Great Plains. A (5) engine drew a car to the top of the hill. The (3) was large at every lecture (1) the first. I shall no more (2) thee. A stationer sells (5). The meeting was (4) opened by the president.

85—WORDS LIABLE TO BE CONFOUNDED

ac cede'—to agree to	close—to shut
ex ceed'—to go beyond	clothes—articles of dress
af fect'—to act upon	cen' tu ry—hundred years
ef fect'—to accomplish	sen' try—a sentinel
ad di' tion—process of adding	cel' e ry—a vegetable
e di' tion—publication	sal' a ry—wages
as say'—to test metals	de scent'—a going down
es say'—to try	dis sent'—to disagree
bal' lad—a song	e lic' it—to draw out
bal' lot—a vote	il lic' it—unlawful

em'i nent—distinguished
 im'mi nent—threatening
 e lude'—to escape from
 al lude'—to refer to
 e rup'tion—a bursting forth
 ir rup'tion—an invasion

em'i grate—to leave
 im'mi grate—to move into
 ex'er cise—to use
 ex'or cise—to drive away
 gla'cier—an ice field
 gla'zier—a glass setter

86—WORDS LIABLE TO BE CONFOUNDED

in gen'ious—skilful
 in gen'u ous—honest
 jest'er—one who jests
 ges'ture—action
 lin'i ment—liquid ointment
 lin'e a ment—a feature
 lose—to suffer loss
 loose—to untie
 pas'tor—a minister
 pas'ture—a field for cattle
 pres'ence—nearness
 pres'ents—gifts
 pop'lar—kind of tree
 pop'u lar—agreeable
 prec'e dent—an example
 pre ced'ence—superiority
 pres'i dent—chief magistrate
 par ti'tion—division

pe ti'tion—a request
 rel'ic—a memorial
 rel'ict—a widow
 stat'ue—an image
 stat'ure—height
 stat'ute—a law
 sur'plus—the remainder
 sur'plice—clergyman's robe
 se'ries—a succession
 se'ri ous—solemn
 spe'cies—a kind
 spe'cious—plausible
 track—a footstep
 tract—a region [lands
 ten'ure—manner of holding
 ten'or—part in music
 ve rac'i ty—truthfulness
 vo rac'i ty—greediness

87

in'ex haust'i ble
 for bear'ance
 clem'en cy
 re sus'ci tate
 in fal'li ble
 pre ca'ri ous
 ne ces'si tate
 un whole'some
 con'sci en'tious
 at tend'ant

im mu'ni ty
 tre men'dous
 awk'ward
 in'tri cate
 ex tor'tion
 e nun'ci ate
 in ten'tion al ly
 in'ex cu'sa ble
 em bar'rass

im pu'ta ble
 ab'di cate
 ob'sti na cy
 in'ter rupt'
 de ceiv'ing
 dom'i neer'
 ex cess'es
 wrought
 ret'i cent

88

ac cel'er ate	round'a bout'	search'ing
spon ta'ne ous	en croach'	sa gac'i ty
ve loc'i ty	in creas'ing	de scend'
for'ci ble	fore run'ner	sim"ul ta'ne ous
mov'a ble	shrewd'ness	un tir'ing ly
re vers'i ble	con tin'u ance	strat'e gy
fol'low er	mile'age	

89

taught	qui e'tus	sought	brought
men ag'e rie	caught	rev'er ent	hap'pened
val'leys	un couth'	stam'i na	si'ren
vict'uals	throt'tle	mar'riage a ble	me'ni al
let'tuce	no'tice a ble	in graft'ed	typ'i fy
re"tro cede'	del'i cate	lu'di crous	be siege'
ap'pe tite	serf'dom	dom'i nant	your self'

90—BUILDINGS

ware'house"	post' of'fice	home'stead	op'e ra-house
fac'tor ies	a sy'lum	saw'mill"	con serv'a to ry
a cad'e my	kin'der gar'ten	ten'e ment	man'sion
col'lege	sem'i na ry	brew'er ies	dwel'ling
a re'na	res'tau rant	li'bra rie's	cot'tage

91

re frig'er a'tor	tel'e phone	mag"a zine'	dic'tion a ry
type'wri'ter	dy'na mo	pe"ri od'ic al	awn'ing
um brel'la	jew'el ry	can'o py	en cy"clo pe'di a
par'a chute	port fo'li os	pho'to graph	va lise'

92

moun"tain eer'	sum'moned	de signed'
im par'tial	fea'si ble	mon ot'o nous
in"de fen'si ble	ap"pre hen'sion	op'po site
dis"po si'tion	el'o quent	con cep'tion
ce ler'i ty	ad van'ta ges	hes'i tan cy
e nor'mous	com bi'ning	un'en light'ened
re cip'i ent	sat"is fac'to ry	com pel'ling
im'pu dence	sa lu'ta to ry	dis"ar range'
pen'ni less	su per'flu ous	a vow'al
in duct'ive		

93

pho nog'ra phy
chem'is try
ir'ri ga'tion
mer'can tile
con fec'tion ary
e lec'tric al
pot'ter ies
ma chin'er y
mil'li ner y
man"u fac'tur ing

ho"me o path'ic
ag"ri cul'tur al
ad'ver ti"sing
ar'chi tec"ture
au'to mo"biles
launch
trol'ley
ve'hi cles
bug'gy

steam' en"gine
con vey'ance
bi'cy cle
am'bu lance
car'riage
mon'i tor
yacht
air-ship
mo'tor-car"

94—LAW

ju di'cial
a dopt'
in'sti tute
cen'sus
ver'i fy
dis cuss'

rec"om mend'
in"de pend'ent
es"ti ma'tion
cor rob"o ra'tion
prac'ti cal ly
sov'er eign ty

fis'cal
in'ju ry
scoun'drel
con vene'
rob'ber
ret'ro grade

hon'es ty
rogu'ish
ca reer'
im per'a tive
ma jor'i ty
emp'ty ing

95—WORDS PERTAINING TO WRITING

pen'man ship
leg'i ble
in tel'li gi ble
flour'ish es
in el'i gi ble
ver'ti cal

in del'i ble
fac'ile
spec"i fi ca'tion
com mu"ni ca'tion
wri'ting
cor're spond'ence

sta'tion er'y
ac'cu ra cy
trace'a ble
rec'ord
cred'i bly
per fec'tion

96

nui'sance
in her'ent
com mit'ted
dis hon'or
em bar'rass ment
griev'ous
shunned
ma li'cious
pro hib'it ive
mea'ger
pre vent'ive

un rea'son a ble
in"ter vene'
de liv'er ance
ob'so lete
im'pu dence
dis sat'is fied
con ceit'ed
mis'chie vous
bla'ma ble
te na'cious
dis"a vow'al

hyp'o crite
in tox'i ca'ting
in"com pat'i ble
er ro'ne ous
mel'an chol y
dis'al low'
vy'ing
mys'ter y
im'bec ile
ex pel'

97—LAW

mort'gage
val'ue less
ad'ver tise"
share'hold'er
fin"an cier'
spec'u la"tor
cap'i ta list
pro pri'et or

in i'ti ate
ex plic'it
un wield'y
neu'tral ize
bought
in def'i nite
pe cul'iar
dis crep'ancy

sub stan'tial
sat"is fac'to ri ly
ca"pa bil'i ties
e quiv'a lent
de sir'a ble
tech'nic al
pro fes'sion al
im pla'ca ble

98

nec'es sa ries
or'ches tra
pa vil'ion
in au'gu rate
glimpse
ar"ti fi'cial
re cep'ta cle
sam'ple

sus'te nance
fas'ci nate
vi cis'si tude
trip'li cate
phi lip'pic
in"ci den'tal
dropped
midg'et

bel lig'er ent
per suade'
sou"brette'
con sen'sus
fu'ri ous ly
frac'tious
brought
in"de struc'ti ble

fought
ap par'ent
e gre'gious
non'sense
co er'cion
con"de scend'
hes'i tate
ex ist' ence

99

in ef'fa ble
be lieve'
em'a nate
be seech'
lu'cra tive
re trieve'
al low'ance

off'set"
re scind'
con cerned'
rou tine'
al lege'
pa cif'ic
a chieve'

e quiv'o cal
pe cu'ni a ry
chief'ly
ben'e fit ed
prim'i tive
in an'i mate
fore go'ing

prop'er ly
per ceive'
con'stant
man'i fold
un cer'tain
nec'es-sa ry
me chan'ics

100

eight'i eth
sec'ond ly
six'teen"
thir'ty
fif'ti eth

eight
e lev'enth
nine'ty
coup'let
un par'al leled

guer ril'la
un touched'
par"ti al'i ty
suc cinct'
def'er ence

il lic'it
cres'cent
a dieu'
eq'ui ta ble
in"dis creet'

101

an"ni ver'sa ry
sub'urb
out'skirts"
dawn'ing
con tri'vance
mech'a nism
su"per se'ded
in ces'sant

au'di ence
sump'tu ous ly
en thu'si asm
pros'per ous
a man"u en'sis
in"flu en'tial
sen'sa'tion al ism
grat"i fi ca'tion

de sir'a ble
o rig'i nate
lo cal'i ty
pre'cious
mag'ni tude
com mu'ni ty
eve'ning
ex u'ber ant

102

pur sue'
a lac'ri ty
ac ces'si ble
prec'i pice
thor'ough fare"

re cede'
stren'u ous
prox im'i ty
ir rel'e vant
det'ri ment
in dus'tri ous
ex ten'sion
pur'pose
de sir'ous
ex pect'an cy

jeop'ard y
guid'ance
bou'le vard
fa tigue'
re liev'ing

103—HISTORY

ep'och
ar"is toc'ra cy
rec"on noi'ter
com mand'er
pa tri'cian
os'tra cism

mar'shal
pa trol'ling
pen'sion
stand'ard
lieu ten'ant
yeo'man
he'roes
ser'geant
ter"ri to'ri al
in au'gu ral
a'lien ate
nul'li fy

ret'i nue
ju'bi lee
im pe'ri al ist
sta tis'tics
com'mis sa ry
me"di e'val

104

om niv'o rous
psy chol'o gy
pur su'ance
guid'ance
in el'i gi ble
im mov'a ble

im pan'el
gre ga'ri ous
mam'mal
al might'y
with al'
hon'or a ry

mal'ice
mon'key
coun'ter feit
trans'it
com'pos ite
sulk'y

105

con spir'a cy
tyr'an ny
in sep'a ra ble
du'te ous
de co'rous
tend'en cy
syn on'y mous
mel o'di ous

pre ten'tious
wit'ti cism
pro ceed'ing
e'qual ize
de mon'e tize
cat'e chize
vil'lain
wool'ly

def'i nite
a me'na ble
au'di ble
lab'o ra to'ry
vac'u um
scru'ti nize
mel o'de on
ces'sion

in dict'ment
ac"qui esce'
ver nac'u lar
tran'sient
con vey'ing
cri'sis
lil'ies

pri'mer
met'al
aux il'i a ry
Teu ton'ic
deg"ra da'tion
di"a bol'ic al
Phil'ip

Med"i ter ra'ne an
cop'y right"
hei'nous
Hel'en
dil'a to ry
dis crep'an cy
eu pho'ni ous

UNITED STATES GEOGRAPHY

INTRODUCTION

1. The object of this Paper is to prepare the student in the subject of Geography, as laid down by the United States Civil Service Commission at Washington, D. C., and to outline a clear method for the study of this subject.


2. In studying the following work, first memorize the definitions, then spread the map on a flat surface, study the general descriptions of the river systems, mountain systems, and the Great Lakes, as given in the text, and trace each statement on the map, noting the general direction of flow of rivers, the area drained by each system, the states included within the area, and the principal rivers belonging to each system. In tracing the mountain systems, note the general direction in which they extend, the principal ranges, peaks, and the states through which each system extends. In studying the Great Lakes, note carefully their position, comparative size and shape, their connection one with another, their outlet, and the states and country by which they are bounded.

3. In the tabulated synopses of the states and territories, we have given the ten largest cities, in the order of their population, and the principal physical features of each state and territory within the United States, such as the interior and boundary rivers, mountains, etc. In studying this synopses, trace, as before, each statement on the map. Locate each city, noting if it is situated on a river, lake, or ocean; trace each boundary or interior river its entire length, and read the description of each river as given in the text; also locate the mountains, lakes, etc. that are given. In studying

each state, always note its position, comparative size and shape, boundaries, capital, principal cities, and rivers.

4. For the convenience of the student, we group the states in their natural divisions, giving a short description of each group, and a tabulated synopsis of each state in the group; this is followed by Questions for Home Study. When the outline and principal features of the map have been familiarized, these questions should be taken up. If this work is thoroughly studied and each statement traced on the map until it forms a clear picture in the mind, the student is then prepared to answer the Examination Questions without any difficulty.

5. In locating places on the map, it is a help to have before you a drawing, similar to the one here given, in which



the directions are marked. In finding direction, always start from the center and follow the line in the direction indicated. If the place is in the east from the center of the drawing, follow the line that leads to the east. If it lies half way between the north and east, the direction is northeast; or if half way between the east and south, it is southeast; and so on.

If you wish to find what state is in the extreme northeastern part of the United States, look at the drawing, find the center, and follow the line that points northeast; then find the center of the United States, and from that point follow the same direction as you did in the drawing and you will find Maine.

DEFINITIONS

6. **Geography** is a study of the earth's surface.

7. A **map** is a drawing or representation of the whole or a part of the earth's surface.

8. The different forms of land are: *continents, islands, peninsulas, capes, and isthmuses.*

A **continent** is one of the great bodies of land. There are six continents: North America, South America, Europe, Asia, Africa, and Australia.

An **island** is a smaller body of land entirely surrounded by water.

A **peninsula** is a body of land almost surrounded by water.

A **cape** is a point of land extending out into the water.

An **isthmus** is a narrow neck of land connecting two larger bodies of land.

9. The different forms of water are: *oceans, seas, bays, gulfs, straits, channels, lakes, and rivers.*

An **ocean** is the largest body of water.

A **sea** is a large body of water nearly shut in by land.

A **bay** or **gulf** is a body of water extending into the land.

A **strait** is a narrow body of water connecting two larger bodies of water.

A **channel** is a wide strait.

A **lake** is a body of water surrounded by land.

A **river** is a stream of fresh water that flows into the sea or other body of water.

10. The **source** of a river is the place where it rises. Its **mouth** is the place where it flows into some other body of water.

11. A **river system** is a large river having a number of tributary rivers.

12. A **desert** is a tract of land that is nearly or wholly barren.

13. An **archipelago** is a sea of islands.

14. A **mountain** is an elevation of land that rises considerably above the general surface.

15. A **mountain range** is a chain of mountains.

16. A **mountain system** consists of a number of mountain ranges extending in the same general direction.

DESCRIPTION OF THE UNITED STATES

17. The United States is situated in the south-central part of the continent of North America. It is bounded by Canada, Atlantic Ocean, Gulf of Mexico, Mexico, and the Pacific Ocean. The surface shows three natural divisions: the Eastern Highlands, the Western Highlands, and the Great Central Plain. The Eastern Highlands comprise the Appalachian Mountain system, the Western Highlands comprise the Rocky and Sierra Nevada systems, and the Great Central Plain is the region included between these highlands. It consists of a comparatively level surface called *prairies*. This territory is also called the Mississippi Basin, and is drained by the Mississippi River system.

The two mountain systems that constitute the Western Highlands nearly enclose a plateau, which is called the *Great Basin*. This Great Basin is drained by the Sacramento, Columbia, and the Colorado River systems.

The region east of the Eastern Highlands is drained by smaller river systems that flow into the Atlantic Ocean.

The United States consists of forty-six states, four territories, one district, and a number of detached possessions.

The territories are: Arizona, New Mexico, Alaska, and Hawaii.

The District of Columbia contains Washington, the capital of the United States.

The most important of the detached possessions are: the Philippines, Porto Rico, and Guam.

The largest state in the United States is Texas; the smallest is Rhode Island.

Kansas is nearly in the center of the United States.

Michigan consists of two peninsulas designated as the upper peninsula and the lower peninsula.

Key West, the most southerly city in the United States, is situated on the Florida Keys, which consist of a chain of islands south of Florida.

RIVER SYSTEMS OF THE UNITED STATES

18. The three principal river systems of the United States are: *Mississippi*, *Colorado*, and *Columbia*.

The **Mississippi River system**, which drains the largest area of any in the United States, consists of several secondary river systems that are tributary to the Mississippi River. The most important of them are: the Missouri, Ohio, Arkansas, and Red Rivers. The Mississippi, the principal river of the system, rises in the northern part of Minnesota, and flows south into the Gulf of Mexico. This river, with its tributaries, drains the Great Central Plain that lies between the Eastern and Western Highlands.

The **Missouri River system** drains the northern part of the United States that lies between the Mississippi River and the Rocky Mountains. The Missouri River, the principal river of the system, rises in the southwestern part of Montana, and flows generally east and southeast into the Mississippi River. Its principal tributaries are: Yellowstone, Dakota, Big Cheyenne, Platte, and Kansas Rivers.

The **Ohio River system** drains that part of the United States that lies south of the Great Lakes and between the Mississippi River and the Appalachian Mountain system. The Ohio, the principal river, is formed by the junction of the Monongahela and Alleghany Rivers in the western part of Pennsylvania, and flows southwest into the Mississippi River. Its principal tributaries are: Muskingum, Kanawha, Big Sandy, Wabash, Tennessee, and Cumberland Rivers.

The **Arkansas and Red River systems** drain a large region west of the Mississippi River and flow in a southeasterly direction. The Arkansas River rises in the central part of Colorado, in the Rocky Mountains, and flows southeast into the Mississippi River. The Canadian River is one of its tributaries. The Red River rises in the northern part of Texas and flows southeast into the Mississippi River.

The **Colorado River system** drains the southwestern part of the United States. The Colorado River is formed by the junction of the Green and Grand Rivers in the eastern

part of Utah, and flows southwest into the Gulf of California. Its principal tributaries are: the Gila and San Juan Rivers. The Colorado River flows through a high sandstone plateau through which it has cut a deep narrow channel with almost vertical sides; this channel is known as the *Grand Cañon*.

The **Columbia River system** drains the northwestern part of the United States. The Columbia River rises in Canada, and flows in a generally southwestern direction into the Pacific Ocean. The Snake and Willamette Rivers are two of its tributaries.

MOUNTAIN SYSTEMS OF THE UNITED STATES

19. The three great mountain systems are the *Sierra Nevada* and *Rocky Mountain systems* in the western part, and the *Appalachian Mountain system* in the eastern part.

The **Sierra Nevada system** extends near the coast through Washington, Oregon, and California. It includes the Sierra Nevada and Cascade Mountains.

A low coast range extends between the Sierra Nevada system and the Pacific Coast.

The **Rocky Mountain system** extends nearly across the United States from northwest to southeast at an average distance of 800 miles from the Pacific Ocean. Some of the mountain ranges included in the Rocky Mountain system are: Bitter Root, Wind River, and Big Horn Mountains.

Some of the peaks in the United States are: Long's, Pike's, and the Spanish Peaks, which are in Colorado.

The Bitter Root Mountains form the boundary between Idaho and Montana.

The Wind River Mountains are in the western part of Wyoming.

The Big Horn Mountains extend through Wyoming and the southern part of Montana.

The **Appalachian Mountain system** extends southwest from the Gulf of St. Lawrence nearly to the Gulf of Mexico. It consists of several parallel ranges, of which the Alleghany Mountains are the highest. Some of the ranges in the Appalachian Mountain system are: Alleghany, Blue,

Cumberland, Great Smoky, Adirondack, Catskill, Green, and the White Mountains.

Some of the peaks are: Mt. Washington in the White Mountains, Mt. Mansfield in the Green Mountains, and Mt. Marcy in the Adirondack Mountains.

The Alleghany Mountains extend from northeast to southwest through Pennsylvania, Maryland, West Virginia, and Virginia, and form the boundary between Tennessee and North Carolina.

The Blue Mountains extend through Pennsylvania, Maryland, Virginia, North Carolina, and Georgia.

The Cumberland Mountains extend through Kentucky and Tennessee.

The Great Smoky Mountains are a range of the Alleghany Mountains, and form part of the boundary between Tennessee and North Carolina.

The Adirondack Mountains form a group in the northeastern part of New York.

The Catskill Mountains form a group in the southeastern part of New York.

The Green Mountains extend from northeast to southwest, separating Canada from Maine and New Hampshire, and extending through Vermont.

The White Mountains form a group in the northern part of New Hampshire.

THE GREAT LAKES

20. The Great Lakes are in the northeastern part of North America, between the United States and Canada. They are five in number: Lake Superior, Lake Michigan, Lake Huron, Lake Erie, and Lake Ontario. Their outlet is the St. Lawrence River, which flows from Lake Ontario in a northeasterly direction into the Gulf of St. Lawrence.

Lake Superior is bounded by Canada, Michigan, Wisconsin, and Minnesota. It is connected with Lake Huron by St. Mary's River.

Lake Michigan is wholly within the United States and is bounded by Michigan, Indiana, Illinois, and Wisconsin. It is

connected with Lake Huron by the Straits of Mackinac. Green Bay, an arm of Lake Michigan, is in the northwestern part of the lake.

Lake Huron is bounded by Canada and Michigan. It is connected with Lake Erie by St. Clair River, Lake St. Clair, and Detroit River. Two important arms of Lake Huron are Georgian Bay, in the northeastern part, and Saginaw Bay in the southwestern part of the lake.

Lake Erie is bounded by Canada, New York, Pennsylvania, Ohio, and Michigan. It is connected with Lake Ontario by Niagara River.

Lake Ontario is bounded by Canada and New York. Its outlet is the St. Lawrence River.

DIVISIONS OF THE UNITED STATES

NEW ENGLAND STATES

21. The New England States are situated in the extreme northeastern part of the United States. They comprise *Maine, New Hampshire, Vermont, Massachusetts, Connecticut,* and *Rhode Island*. On account of their situation, abundant waterpower, and good harbors, they occupy an important position in regard to commerce and manufactures.

QUESTIONS FOR HOME STUDY

Where are the New England States?

Which of these states has the most coast?

Which has no coast?

What river flows into Penobscot Bay?

What is the capital of each of these states?

What mountains are in: (a) Vermont? (b) New Hampshire?

What states are separated by the Connecticut River?

Where are the White Mountains?

What is the largest city of: (a) Massachusetts? (b) Maine? (c) Vermont? Locate each city.

Where is: (a) Cape Cod? (b) Cape Ann?

MAINE
BOUNDARY: CANADA, ATLANTIC OCEAN, NEW HAMPSHIRE
CAPITAL: AUGUSTA

Largest Cities	Interior Rivers	Boundary Rivers	Lakes	Bays
Portland, Lewiston, Bangor, Biddeford, Auburn,	Kennebec Penobscot Androscoggin	St. John St. Croix Salmon Falls St. Francis	Moosehead Grand	Penobscot Casco

NEW HAMPSHIRE
BOUNDARY: CANADA, MAINE, ATLANTIC OCEAN, MASSACHUSETTS, VERMONT
CAPITAL: CONCORD

Largest Cities	Interior Rivers	Boundary Rivers	Lakes	Mountains
Manchester, Nashua, Concord, Dover, Portsmouth, Keene, Berlin, Rochester, Laconia, Somersworth.	Merrimac Androscoggin	Connecticut Salmon Falls	Winnipiseogee	White

VERMONT

BOUNDARY: CANADA, NEW HAMPSHIRE, MASSACHUSETTS, NEW YORK
CAPITAL: MONTPELIER

Largest Cities	Interior Rivers	Boundary Rivers	Lakes	Mountains
Burlington, Rutland, Barre, Montpelier, St. Albans,	Otter Creek Winooski	Connecticut	Champlain	Green

MASSACHUSETTS

BOUNDARY: VERMONT, NEW HAMPSHIRE, ATLANTIC OCEAN, CONNECTICUT, RHODE ISLAND, NEW YORK
CAPITAL: BOSTON

Largest Cities	Interior Rivers	Islands	Bays	Capes
Boston, Worcester, Fall River, Lowell, Cambridge,	Connecticut	Nantucket Martha's Vine- yard	Cape Cod Buzzards Boston	Cape Cod Cape Ann

CONNECTICUT

BOUNDARY: MASSACHUSETTS, RHODE ISLAND, LONG ISLAND SOUND, NEW YORK
CAPITAL: HARTFORD

Largest Cities	Interior Rivers
New Haven, Hartford, Bridgeport, Waterbury, New Britain, Stamford.	Connecticut Willimantic Naugatuck

RHODE ISLAND

BOUNDARY: MASSACHUSETTS, ATLANTIC OCEAN, CONNECTICUT
CAPITAL: PROVIDENCE

Largest Cities	Interior Rivers	Islands	Bays	Sounds
Providence, Pawtucket, Woonsocket, Newport, Warwick,	Central Falls, East Providence, Cranston, Westerly, Bristol.	Block	Narragansett	Block Island

MIDDLE ATLANTIC STATES

22. This group of states borders on the Atlantic Ocean and lies between the New England States and the South Atlantic States. It includes *New York, Pennsylvania, New Jersey, Delaware, Maryland, Virginia, West Virginia, and District of Columbia.*

The ranges of the Appalachian Mountain system cross this section from northeast to southwest. The principal ranges are the Alleghany, Blue, and Cumberland Mountains.

The surface slopes in three general directions: the northern part toward the Great Lakes, the western part toward the Ohio River, and the eastern part toward the Atlantic Ocean.

QUESTIONS FOR HOME STUDY

What is the capital and largest city of each state?

What river forms the eastern boundary of Pennsylvania?

What large river flows through the eastern part of Pennsylvania? Where does it rise?

What two rivers unite to form the Ohio River? Where do they rise?

What lakes are on the northern boundary of New York?

Where are the: (a) Adirondack Mountains? (b) Catskill Mountains?

What is the largest river in New York? Where does it rise?

What large river is in Virginia? In what direction does it flow?

What and where is Washington?

What states bound: (a) Pennsylvania? (b) New York?

What two states are on the south bank of the Potomac River?

What two rivers form the western boundary of West Virginia?

Where is: (a) Chesapeake Bay? (b) Delaware Bay? (c) New York Bay?

Which is the smallest state in this section?

On what river is the capital of New York state situated? In what mountains does this river rise and into what bay does it flow?

NEW YORK

BOUNDARY: CANADA, VERMONT, MASSACHUSETTS, CONNECTICUT, ATLANTIC OCEAN, NEW JERSEY,
PENNSYLVANIA, LAKE ERIE, LAKE ONTARIO

CAPITAL: ALBANY

Largest Cities	Interior Rivers	Boundary Rivers	Lakes	Sounds	Mountains
New York, Troy, Buffalo, Utica, Rochester, Yonkers, Syracuse, Binghamton, Albany, Elmira.	Hudson Mohawk	St. Lawrence Niagara	Oneida George Cayuga Seneca Champlain	Long Island	Adirondack Catskill

PENNSYLVANIA

BOUNDARY: LAKE ERIE, NEW YORK, NEW JERSEY, DELAWARE, MARYLAND, WEST VIRGINIA, OHIO
CAPITAL: HARRISBURG

Largest Cities	Interior Rivers	Boundary Rivers	Mountains
Philadelphia, Pittsburg, Scranton, Reading, Erie,	Susquehanna Alleghany Monongahela Ohio	Delaware	Alleghany Blue

NEW JERSEY

BOUNDARY: NEW YORK, ATLANTIC OCEAN, DELAWARE BAY, PENNSYLVANIA, DELAWARE
CAPITAL: TRENTON

Largest Cities	Interior Rivers	Boundary Rivers	Bays
Newark, Jersey City, Paterson, Camden, Trenton,	Raritan	Delaware	New York Delaware

DELAWARE

BOUNDARY: PENNSYLVANIA, NEW JERSEY, DELAWARE BAY, ATLANTIC OCEAN, MARYLAND
CAPITAL: DOVER

Largest Cities	Bays
Wilmington, New Castle, Dover, Milford, Lewes,	Delaware

MARYLAND

BOUNDARY: PENNSYLVANIA, DELAWARE, ATLANTIC OCEAN, VIRGINIA, WEST VIRGINIA
CAPITAL: ANNAPOLIS

Largest Cities	Interior Rivers	Boundary Rivers	Bays
Baltimore, Cumberland, Hagerstown, Frederick, Annapolis,	Susquehanna	Potomac	Chesapeake

VIRGINIA

BOUNDARY: MARYLAND, ATLANTIC OCEAN, NORTH CAROLINA, TENNESSEE, KENTUCKY, WEST VIRGINIA
CAPITAL: RICHMOND

Largest Cities	Interior Rivers	Boundary Rivers	Mountains
Richmond, Norfolk, Petersburg, Roanoke, Newport News,	Lynchburg, Portsmouth, Danville, Alexandria, Manchester.	Potomac	Alleghany Blue Ridge

WEST VIRGINIA

BOUNDARY: PENNSYLVANIA, MARYLAND, VIRGINIA, KENTUCKY, OHIO
CAPITAL: CHARLESTON

Largest Cities	Interior Rivers	Boundary Rivers	Mountains
Wheeling, Huntington, Parkersburg, Charleston, Martinsburg,	Fairmont, Grafton, Moundsville, Bluefield, Benwood.	Ohio	Alleghany

DISTRICT OF COLUMBIA**BOUNDARY: MARYLAND, VIRGINIA****Contains Washington, the capital of the United States.**

SOUTH ATLANTIC AND GULF STATES

23. This group of states and territories is in the southern part of the United States. It consists of *Tennessee, North Carolina, South Carolina, Georgia, Florida, Alabama, Mississippi, Louisiana, Texas, Arkansas, and Oklahoma.*

The Appalachian Mountain system extends through Tennessee and North Carolina into Georgia. The surface slopes in two general directions, the eastern part, consisting of North Carolina, South Carolina, and a part of Georgia and Florida, slopes toward the Atlantic Ocean; all the remaining surface slopes toward the Gulf of Mexico.

QUESTIONS FOR HOME STUDY

What large river is on the southwestern boundary of this section? What gulf is on the south? What ocean is on the east?

What states bound Tennessee? What mountains are in the eastern part of this state?

Locate the following cities: Nashville, Chattanooga, Raleigh, Jackson, Montgomery, Charleston, Columbia, Atlanta, Tallahassee.

What large lake is in Florida?

What two rivers flow into Mobile Bay?

Where is the Savannah River? Into what does it flow?

By what large bodies of water is Florida bounded? By what states?

What city is at the mouth of the Cape Fear River?

What states bound Texas? What rivers?

Name three large rivers in Texas.

TENNESSEE

BOUNDARY: KENTUCKY, VIRGINIA, NORTH CAROLINA, GEORGIA, ALABAMA, MISSISSIPPI, ARKANSAS, MISSOURI
CAPITAL: NASHVILLE

Largest Cities	Interior Rivers	Boundary Rivers	Mountains
Memphis, Nashville, Knoxville, Chattanooga, Jackson,	Tennessee Cumberland	Mississippi Tennessee	Cumberland Great Smoky

NORTH CAROLINA
BOUNDARY: VIRGINIA, ATLANTIC OCEAN, SOUTH CAROLINA, GEORGIA, TENNESSEE
CAPITAL: RALEIGH

Largest Cities	Interior Rivers	Capes	Sounds	Mountains
Wilmington, Charlotte, Asheville, Winston-Salem, Raleigh,	Cape Fear Roanoke	Hatteras Lookout Fear	Albemarle Pamlico	Blue Ridge

SOUTH CAROLINA
BOUNDARY: NORTH CAROLINA, ATLANTIC OCEAN, GEORGIA
CAPITAL: COLUMBIA

Largest Cities	Interior Rivers	Boundary Rivers	Mountains
Charleston, Columbia, Greenville, Spartanburg, Sumter,	Santee	Savannah	Blue Ridge

GEORGIA

BOUNDARY: TENNESSEE, NORTH CAROLINA, SOUTH CAROLINA, ATLANTIC OCEAN, FLORIDA, ALABAMA

CAPITAL: ATLANTA

Largest Cities	Interior Rivers	Boundary Rivers	Swamp	Mountains
Atlanta, Savannah, Augusta, Macon, Columbus, Griffin.	Chattahoochee	Chattahoochee Savannah	Okefinokee	Blue Ridge

FLORIDA

BOUNDARY: GEORGIA, ATLANTIC OCEAN, GULF OF MEXICO, ALABAMA

CAPITAL: TALLAHASSEE

Largest Cities	Interior Rivers	Boundary Rivers	Lakes	Capes
Jacksonville, Pensacola, Key West, Tampa, St. Augustine, Fernandina.	Suwannee	St. Mary's Chattahoochee	Okeechobee	Sable

ALABAMA
BOUNDARY: TENNESSEE, GEORGIA, FLORIDA, GULF OF MEXICO, MISSISSIPPI
CAPITAL: MONTGOMERY

Largest Cities	Interior Rivers	Boundary Rivers	Bays
Mobile, Birmingham, Montgomery, Anniston, Selma,	Alabama Tombigbee Mobile Apalachee	Chattahoochee	Mobile

MISSISSIPPI
BOUNDARY: TENNESSEE, ALABAMA, GULF OF MEXICO, LOUISIANA, ARKANSAS
CAPITAL: JACKSON

Largest Cities	Interior Rivers	Boundary Rivers
Vicksburg, Meridian, Natchez, Jackson, Greenville,	Pearl Yazoo	Mississippi Pearl Tennessee

LOUISIANA

BOUNDARY: ARKANSAS, MISSISSIPPI, GULF OF MEXICO, TEXAS
CAPITAL: BATON ROUGE

Largest Cities	Interior Rivers	Boundary Rivers	Lakes	Bays
New Orleans, Shreveport, Baton Rouge, New Iberia, Lake Charles,	Mississippi Red	Mississippi Sabine Pearl	Pontchartrain	Atchafalaya Barataria

TEXAS

BOUNDARY: OKLAHOMA, ARKANSAS, LOUISIANA, GULF OF MEXICO, MEXICO,
NEW MEXICO
CAPITAL: AUSTIN

Largest Cities	Interior Rivers	Boundary Rivers	Bays
San Antonio Houston, Dallas, Galveston, Ft. Worth,	Brazos Colorado Pecos Nueces	Rio Grande Red Sabine	Galveston Corpus Christi Matagorda

ARKANSAS

BOUNDARY: MISSOURI, TENNESSEE, MISSISSIPPI, LOUISIANA,
TEXAS, OKLAHOMA

CAPITAL: LITTLE ROCK

Largest Cities	Interior Rivers	Boundary Rivers
Little Rock, Texarkana, Fort Smith, Jonesboro, Pine Bluff, Fayetteville, Hot Springs, Eureka Springs, Helena, Mena.	Arkansas	Mississippi Red

OKLAHOMA

BOUNDARY: COLORADO, KANSAS, MISSOURI, ARKANSAS,
TEXAS, NEW MEXICO

CAPITAL: GUTHRIE

Largest Cities	Interior Rivers	Boundary Rivers
Oklahoma City, Guthrie, Shawnee, Enid, Tulsa, Lawton, Ardmore, Elreno, South McAlester, Hobart.	Arkansas Canadian	Red

Name the capitals of each of the following states and tell on what waters they are located: Texas, Louisiana, Arkansas, Tennessee.

What large lake is in Louisiana?

What two bays are east of Texas?

CENTRAL STATES

24. The states of this group extend from the Eastern almost to the Western Highlands. On this account they are called the **Central States**. They include *Michigan, Wisconsin, Ohio, Indiana, Illinois, Kentucky, Minnesota, Missouri, Iowa, Kansas, Nebraska, South Dakota, and North Dakota.*

MICHIGAN

BOUNDARY: LAKE SUPERIOR, LAKE HURON, CANADA, LAKE ST. CLAIR, LAKE ERIE, OHIO, INDIANA, LAKE MICHIGAN, WISCONSIN

CAPITAL: LANSING

Largest Cities		Interior Rivers	Bays
Detroit, Grand Rapids, Saginaw, Bay City, Kalamazoo,	Jackson, Battle Creek, Muskegon, Lansing, Port Huron.	Grand	Saginaw

WISCONSIN
BOUNDARY: LAKE SUPERIOR, MICHIGAN, ILLINOIS, IOWA, MINNESOTA
CAPITAL: MADISON

Largest Cities		Interior Rivers	Boundary Rivers	Bays
Milwaukee, Superior, Racine, Oshkosh, La Crosse,	Madison, Sheboygan, Green Bay, Eau Claire, Fond du Lac.	Wisconsin Chippewa	Mississippi	Green

OHIO

BOUNDARY: MICHIGAN, LAKE ERIE, PENNSYLVANIA, WEST VIRGINIA, KENTUCKY, INDIANA

CAPITAL: COLUMBUS

Largest Cities		Interior Rivers	Boundary Rivers
Cleveland, Cincinnati, Toledo, Columbus. Dayton,	Youngstown, Akron, Springfield, Canton, Hamilton.	Muskingum Scioto	Ohio

INDIANA

BOUNDARY: LAKE MICHIGAN, MICHIGAN, OHIO, KENTUCKY, ILLINOIS

CAPITAL: INDIANAPOLIS

Largest Cities		Interior Rivers	Boundary Rivers
Indianapolis, Evansville, Ft. Wayne, Terre Haute, South Bend,	Muncie, New Albany, Anderson, Richmond, Lafayette.	Wabash	Ohio Wabash

ILLINOIS

BOUNDARY: WISCONSIN, LAKE MICHIGAN, INDIANA, KENTUCKY, MISSOURI, IOWA

CAPITAL: SPRINGFIELD

Largest Cities		Interior Rivers	Boundary Rivers
Chicago, Peoria, Quincy, Springfield, Rockford,	East St. Louis, Joilet, Aurora, Bloomington, Elgin.	Illinois Kaskaskia	Mississippi Ohio Wabash

KENTUCKY

BOUNDARY: ILLINOIS, INDIANA, OHIO, WEST VIRGINIA, VIRGINIA, TENNESSEE, MISSOURI
CAPITAL: FRANKFORT

Largest Cities	Interior Rivers	Boundary Rivers	Mountains
Louisville, Covington, Newport, Lexington, Paducah,	Green	Mississippi Ohio Big Sandy	Cumberland

MINNESOTA

BOUNDARY: CANADA, LAKE SUPERIOR, WISCONSIN, IOWA, SOUTH DAKOTA, NORTH DAKOTA
CAPITAL: ST. PAUL

Largest Cities	Interior Rivers	Boundary Rivers	Lakes
Minneapolis, St. Paul, Duluth, Winona, Stillwater,	Mississippi Minnesota	Mississippi Red River of the North	Red Itasca Mille Lacs

MISSOURI

BOUNDARY: IOWA, ILLINOIS, KENTUCKY, TENNESSEE, ARKANSAS, OKLAHOMA, KANSAS, NEBRASKA
CAPITAL: JEFFERSON CITY

Largest Cities	Interior Rivers	Boundary Rivers	Mountains
St. Louis, Kansas City, St. Joseph, Joplin, Springfield,	Sedalia, Hannibal, Jefferson City, Carthage, Webb City.	Mississippi Missouri	Ozark

IOWA

BOUNDARY: MINNESOTA, WISCONSIN, ILLINOIS, MISSOURI,
NEBRASKA, SOUTH DAKOTA

CAPITAL: DES MOINES

Largest Cities		Interior Rivers	Boundary Rivers
Des Moines, Dubuque, Sioux City, Davenport, Cedar Rapids,	Burlington, Council Bluffs, Clinton, Ottumwa, Waterloo.	Des Moines	Mississippi Missouri Des Moines

KANSAS

BOUNDARY: NEBRASKA, MISSOURI, OKLAHOMA, COLORADO

CAPITAL: TOPEKA

Largest Cities		Interior Rivers	Boundary Rivers
Kansas City, Topeka, Wichita, Leavenworth, Atchison,	Lawrence, Fort Scott, Galena, Pittsburg, Hutchinson.	Arkansas Kansas	Missouri

NEBRASKA

BOUNDARY: SOUTH DAKOTA, IOWA, MISSOURI, KANSAS,
COLORADO, WYOMING

CAPITAL: LINCOLN

Largest Cities		Interior Rivers	Boundary Rivers
Omaha, Lincoln, South Omaha, Beatrice, Grand Island,	Nebraska City, Fremont, Hastings, Kearney, York.	Platte	Missouri

SOUTH DAKOTA

BOUNDARY: NORTH DAKOTA, MINNESOTA, IOWA, NEBRASKA, WYOMING, MONTANA
CAPITAL: PIERRE

Largest Cities	Interior Rivers	Boundary Rivers	Mountains
Sioux Falls, Lead, Aberdeen, Mitchell, Watertown	Missouri Dakota Big Cheyenne	Missouri	Black Hills

NORTH DAKOTA

BOUNDARY: CANADA, MINNESOTA, SOUTH DAKOTA, MONTANA
CAPITAL: BISMARCK

Largest Cities	Interior Rivers	Boundary Rivers	Lakes
Fargo, Grand Forks, Bismarck, Jamestown, Valley City,	Missouri Dakota	Red River of the North	Devil's Lake

QUESTIONS FOR HOME STUDY

What great lakes form part of the northern boundary of this section? Which lake is the largest?

What large lake is entirely within this section?

Name and locate the capital of each state.

Name three lakes in Minnesota. What large river rises in Minnesota?

What three capital cities are located on the Missouri River?

Which state forms two peninsulas and is nearly surrounded by water? What bay indents the eastern coast of this state?

Bound Indiana. What river is between Indiana and Kentucky?

What important commercial city is in Illinois? On what lake is it situated?

Name two rivers in each of the following states: Illinois, Wisconsin, Minnesota, North Dakota, South Dakota.

What river forms the eastern boundary of Nebraska?

What states are separated from Kentucky by the Ohio River? Describe the Ohio River.

What river lies between Indiana and Illinois?

What mountains are in the southwestern part of South Dakota?

Locate Minneapolis, Dubuque, Sioux City, St. Louis, Lacrosse, Racine, Chicago, Rock Island, Evansville, Lexington, Louisville, Cleveland, Cincinnati, Deadwood, Fargo, Atchison.

ROCKY MOUNTAIN AND PACIFIC STATES AND TERRITORIES

25. This group covers the entire Western Highlands of the United States. The Rocky Mountain and the Sierra Nevada systems extend through this section and nearly enclose a plateau, called the Great Basin. The states and territories included in this section are: *Washington, Oregon, California, Idaho, Wyoming, Montana, Utah, Arizona, Nevada, Colorado, and New Mexico.*

WASHINGTON

BOUNDARY: CANADA, IDAHO, OREGON, PACIFIC OCEAN
CAPITAL: OLYMPIA

Largest Cities	Interior Rivers	Boundary Rivers	Mountains	Sounds
Seattle, Everett, Tacoma, Ballard, Spokane, Olympia, Bellingham, Aberdeen, WallaWalla, Port Townsend.	Columbia	Columbia	Cascade Range	Puget

OREGON

BOUNDARY: WASHINGTON, IDAHO, NEVADA, CALIFORNIA, PACIFIC OCEAN
CAPITAL: SALEM

Largest Cities	Interior Rivers	Boundary Rivers	Mountains	Lakes
Portland, The Dalles, Astoria, Oregon City, Baker City, Eugene, Pendleton, Albany, Salem, La Grande.	Willamette	Columbia Snake	Cascade Range Coast Range	Klamath

CALIFORNIA

BOUNDARY: OREGON, NEVADA, ARIZONA, MEXICO, PACIFIC OCEAN

CAPITAL: SACRAMENTO

Largest Cities	Interior Rivers	Boundary Rivers	Mountains	Valleys
San Francisco, Los Angeles, Oakland, Sacramento, San Jose,	Sacramento San Joaquin	Colorado	Sierra Nevada Coast Range	Dead Yosemite

IDAHO

BOUNDARY: CANADA, MONTANA, WYOMING, UTAH, NEVADA, OREGON, WASHINGTON

CAPITAL: BOISE CITY

Largest Cities	Interior Rivers	Boundary Rivers	Mountains
Boise City, Pocatello, Lewiston, Moscow, Wallace,	Wardner, Montpelier, Weiser, Idaho Falls, Hailey.	Snake	Bitter Root

WYOMING

BOUNDARY: MONTANA, SOUTH DAKOTA, NEBRASKA, COLORADO, UTAH, IDAHO
 CAPITAL: CHEYENNE

Largest Cities	Interior Rivers	Mountains	Parks
Cheyenne, Laramie, Rock Springs, Rawlins, Evanston,	Sheridan, Green River, Diamondville, Casper, Kemmerer.	Rocky Black Hills	Yellowstone, or National, Park

MONTANA

BOUNDARY: CANADA, NORTH DAKOTA, SOUTH DAKOTA,
WYOMING, IDAHO

CAPITAL: HELENA

Largest Cities		Interior Rivers	Mountains
Butte, Great Falls, Helena, Anaconda, Missoula,	Bozeman, Billings, Livingston, Walkerville, Kalispell.	Missouri Yellowstone	Rocky

UTAH

BOUNDARY: IDAHO, WYOMING, COLORADO, ARIZONA, NEVADA

CAPITAL: SALT LAKE CITY

Largest Cities		Interior Rivers	Lakes
Salt Lake City, Springville, Ogden, Eureka, Provo City, Brigham, Logan, Spanish Fork, Park City, American Fork.		Colorado Green Grand	Great Salt Lake

ARIZONA

BOUNDARY: UTAH, NEW MEXICO, MEXICO, CALIFORNIA, NEVADA

CAPITAL: PHOENIX

Largest Cities		Interior Rivers	Boundary Rivers
Tucson, Jerome, Bisbee, Nogales, Phoenix, Yuma, Prescott, Florence, San Carlos, Globe.		Colorado Gila	Colorado

NEVADA

BOUNDARY: OREGON, IDAHO, UTAH, ARIZONA, CALIFORNIA

CAPITAL: CARSON CITY

Largest Cities	Interior Rivers	Boundary Rivers	Lakes
Reno, Virginia City, Carson City, Lovelock, Wadsworth,	Winnemucca, Delamar, Eureka, Austin, Elko.	Humboldt	Colorado
			Walkers Humboldt

COLORADO

BOUNDARY: WYOMING, NEBRASKA, KANSAS, OKLAHOMA, NEW MEXICO, UTAH

CAPITAL: DENVER

Largest Cities	Interior Rivers	Mountains	Mountain Peaks
Denver, Pueblo, Colorado Springs, Leadville, Cripple Creek,	Boulder, Trinidad, Victor, Canon City, Florence.	Arkansas Grand	Rocky
			Long's Pike's Spanish

NEW MEXICO

BOUNDARY: COLORADO, OKLAHOMA, TEXAS, MEXICO, ARIZONA

CAPITAL: SANTA FE

Largest Cities		Interior Rivers	Mountains
Albuquerque,	East Las Vegas,	Rio Grande Rio Pecos	Rocky
Santa Fe,	Silver City,		
Las Vegas,	Roswell,		
Raton,	Socorro,		
Gallup,	Mora.		

QUESTIONS FOR HOME STUDY

What ocean forms the western boundary of this section? What two mountain systems extend through it? What are the principal rivers? What country is north of it?

Name and locate the capital of each state and territory in this section.

Bound Washington. What sound is in the northwestern part of Washington? Name and locate the largest city in Washington?

What river partially separates Oregon from Washington?

What mountains form the boundary between Montana and Idaho?

Name two rivers in each of the following states: California, Arizona, New Mexico, Montana, Wyoming, and Utah.

Name three mountain peaks in Colorado, two ranges in Wyoming, and two ranges in California.

Where is Yellowstone, or the National, Park?

What large lake is in Utah? Name three cities near this lake.

Where is the Grand Cañon of the Colorado River?

Locate Yosemite Valley and Dead Valley.

Where is San Francisco?

What three cities are situated on or near the southwestern coast of California?

Locate: Wallawalla, Ft. Assinniboine, Provo City, Lewistown, Laramie, Canyon City, Delamar, Virginia City, Oakland, San Jose, San Carlos, Albuquerque.

IMPORTANT RIVERS IN THE UNITED STATES

26. The **Alabama River** is formed by the junction of two smaller rivers in the central part of Alabama. It flows southwest through Alabama into Tombigbee River.

The **Alleghany River** rises in the northern part of Pennsylvania and flows in a generally southwestern direction through New York and Pennsylvania into the Ohio River.

The **Altamaha River** is formed by the junction of two streams in the south-central part of Georgia. It flows southeast through Georgia into the Atlantic Ocean.

The **Androscoggin River** is formed by the junction of two rivers in northeastern New Hampshire and flows in a generally southeastern direction through New Hampshire and Maine into the Kennebec River.

The **Apalachicola River** is formed by the junction of the Chattahoochee and Flint Rivers in northern Florida. It flows south across Florida into the Gulf of Mexico.

The **Arkansas River** rises in Colorado in the Rocky Mountains. It flows in a southeasterly direction through Colorado, Kansas, Oklahoma, and Arkansas into the Mississippi River.

The **Big Cheyenne River** is formed by the junction of the North and South forks in the southwestern part of South Dakota and flows northeast through South Dakota into the Missouri River.

The **Big Horn River** rises in central Wyoming and flows north through Wyoming and Montana into the Yellowstone River.

The **Big Sandy River** is formed by the junction of two streams on the boundary between Kentucky and West Virginia. It flows north between Kentucky and West Virginia into the Ohio River.

The **Brazos River** rises in the northwestern part of Texas and flows southeast through Texas into the Gulf of Mexico.

The **Canadian River** rises in the northern part of New Mexico and flows east through New Mexico, Texas, and Oklahoma into the Arkansas River.

The **Cape Fear River** is formed by the junction of two streams in the central part of North Carolina. It flows southeast through North Carolina into the Atlantic Ocean.

The **Chattahoochee River** rises in the mountains in the northern part of Georgia. It flows southwest through Georgia, then south, separating Georgia from Alabama and Florida, into the Apalachicola River.

The **Chippewa River** rises in northern Wisconsin and flows southwest through Wisconsin into the Mississippi River.

The **Colorado River** rises in northwestern Texas and flows southeast through Texas into Matagorda Bay.

The **Colorado River** is formed by the junction of the Green and Grand Rivers in the eastern part of Utah and flows in a southwesterly direction into the Gulf of California, crossing Utah, Arizona, and Mexico and separating California from Arizona, and partially separating Nevada and Mexico from Arizona.

The **Columbia River** rises in southern Canada in the Rocky Mountains. It flows in a southerly and westerly direction into the Pacific Ocean. It flows through Canada, crosses Washington, and forms part of the boundary between Washington and Oregon.

The **Connecticut River** rises in northern New Hampshire and flows south into Long Island Sound, crossing New Hampshire, Massachusetts, and Connecticut, and forming the boundary between Vermont and New Hampshire.

The **Cumberland River** rises in the Cumberland Mountains in the eastern part of Kentucky and flows west through Kentucky and Tennessee into the Ohio River.

The **Dakota, or James, River** rises in the central part

of North Dakota and flows south through North and South Dakota into the Missouri River.

The **Delaware River** rises in the southeastern part of New York and flows south, through New York, separating Pennsylvania from New York and New Jersey, and New Jersey from Delaware, then flowing into Delaware Bay.

The **Des Moines River** rises in the southwestern part of Minnesota and flows southeast into the Mississippi River, crossing Minnesota and Iowa, and forming the boundary between Iowa and Missouri.

The **Detroit River** connects Lake St. Clair and Lake Erie and flows between Michigan and Canada.

The **Gila River** rises in the southwestern part of New Mexico and flows west through New Mexico and Arizona into the Colorado River.

The **Grand River** rises in the south-central part of Michigan and flows northwest through Michigan into Lake Michigan.

The **Grand River** rises in the central part of Colorado and flows southwest through Colorado and Utah into the Colorado River.

The **Great Kanawha River** is formed by two streams in the central part of West Virginia and flows northwest through West Virginia into the Ohio River.

The **Rio Grande** rises in southwestern Colorado, flows in a southeasterly direction, into the Gulf of Mexico, crossing Colorado and New Mexico, and forming the boundary between Texas and Mexico.

The **Green River** rises in central Kentucky and flows in a northwesterly direction through Kentucky into the Ohio River.

The **Green River** rises in the western part of Wyoming and flows south through Wyoming, Colorado, and Utah into the Colorado River.

The **Housatonic River** rises in the northwestern part of Massachusetts and flows south through Massachusetts and Connecticut into Long Island Sound.

The **Hudson River** rises in the Adirondack Mountains in

the northeastern part of New York and flows south through New York and between New Jersey and New York into New York Bay.

The **Humboldt River** rises in the northeastern part of Nevada and flows southwest through Nevada into Humboldt Lake.

The **Illinois River** is formed by the junction of three rivers in the north-central part of Illinois and flows southwest through Illinois into the Mississippi River.

The **James River** is formed by the junction of two streams in the western part of Virginia and flows east through Virginia into Chesapeake Bay.

The **Kansas River** is formed by the junction of two rivers in the eastern part of Kansas, and flows east through Kansas into the Missouri River.

The **Kaskaskia River** rises in the eastern part of Illinois and flows southwest across Illinois into the Mississippi River.

The **Kennebec River** rises in Moosehead Lake in the northwestern part of Maine and flows south through Maine into Sheepscott Bay.

The **Merrimac River** is formed by the junction of two streams in central New Hampshire and flows south into Massachusetts, then northeast through Massachusetts into the Atlantic Ocean.

The **Minnesota River** rises in the western part of Minnesota and flows east through Minnesota into the Mississippi River.

The **Missouri River** is formed by the junction of three small streams in the northwestern part of Montana in the Rocky Mountains and flows generally east and southeast into the Mississippi River. It flows through Montana, North Dakota, South Dakota, and Missouri, and separates Nebraska from South Dakota, Iowa and Missouri, and Kansas from Missouri.

The **Mississippi River** rises in the Mississippi Springs in the vicinity of Lake Itasca in northern Minnesota, and flows in a southerly direction into the Gulf of Mexico. The states of Wisconsin, Illinois, Kentucky, Tennessee,

Mississippi, and parts of Minnesota and Louisiana are on the east bank; Iowa, Missouri, Arkansas, and parts of Minnesota and Louisiana are on the west bank.

The **Mohawk River** rises in central New York and flows east through New York into the Hudson River.

The **Monongahela River** rises in the northern part of West Virginia and flows north through West Virginia and Pennsylvania into the Ohio River.

The **Muskingum River** is formed by the junction of two streams in the eastern part of Ohio and flows south through Ohio into the Ohio River.

The **Naugatuck River** rises in the northwestern part of Connecticut and flows south through Connecticut into the Housatonic River.

The **Niagara River** flows from Lake Erie into Lake Ontario between New York and Canada.

The **North Platte River** rises in the northern part of Colorado, and flows north through Colorado and Wyoming, then east through Wyoming and Nebraska into the Platte River.

The **Nueces River** rises in the southwestern part of Texas and flows east through Texas into Corpus Christi Bay.

The **Ohio River** is formed by the junction of the Alleghany and Monongahela Rivers in the western part of Pennsylvania and flows in a southwesterly direction into the Mississippi River. The states of Ohio, Indiana, Illinois, and part of Pennsylvania are on the north bank; West Virginia, Kentucky, and part of Pennsylvania are on the south bank.

Otter Creek rises in the southwestern part of Vermont and flows north, through Vermont, into Lake Champlain.

The **Pearl River** rises in the central part of Mississippi and flows south through Mississippi, and between Mississippi and Louisiana, into the Gulf of Mexico.

The **Pecos River** rises in the northern part of New Mexico and flows in a southeasterly direction through New Mexico and Texas into the Rio Grande.

The **Penobscot River** rises near the northwestern

boundary of Maine and flows in a generally eastern then southeastern direction into Penobscot Bay.

The **Platte River** is formed by the junction of the North Platte and South Platte Rivers in central Nebraska and flows in an easterly direction through Nebraska into the Missouri River.

The **Potomac River** rises in the northeastern part of West Virginia and flows southeast into Chesapeake Bay, separating Maryland from West Virginia and Virginia.

The **Rappahannock River** rises in the Blue Mountains in Virginia and flows southeast through Virginia into Chesapeake Bay.

The **Raritan River** rises in the northern part of New Jersey and flows southeast through New Jersey into the Atlantic Ocean.

The **Red River** rises in northern Texas and flows east into the Mississippi River, crossing Texas, Arkansas, and Louisiana and separating Oklahoma from Texas, and partially separating Oklahoma and Arkansas from Texas.

The **Red River of the North** rises in Elbow Lake, Minnesota, flows north between Minnesota and North Dakota, and through Canada into Lake Winnipeg.

The **Roanoke River** is formed by the junction of two streams in the southern part of Virginia and flows east through Virginia and North Carolina into Albemarle Sound.

The **Sabine River** rises in northeastern Texas and flows southeast through Texas and between Texas and Louisiana into the Gulf of Mexico.

The **Sacramento River** rises in the northern part of California and flows south through California into San Francisco Bay.

The **Salmon River** rises in the central part of Idaho and flows northwest through Idaho into the Snake River.

The **Salmon Falls River** rises between New Hampshire and Maine and flows south between Maine and New Hampshire into the Piscataqua River.

The **Santee River** is formed by the junction of two

streams in the central part of South Carolina and flows southeast through South Carolina into the Atlantic Ocean.

The **San Joaquin River** rises in the eastern part of California and flows northwest through California into the Pacific Ocean.

The **Savannah River** is formed by the junction of two streams on the boundary between South Carolina and Georgia and flows southeast between South Carolina and Georgia into the Atlantic Ocean.

The **Snake River** rises in northern Wyoming, in the Rocky Mountains, and flows northwest through the states of Wyoming and Idaho, north between Idaho and Oregon, and west through Washington into the Columbia River.

The **St. Clair River** flows from Lake Huron into Lake St. Clair, and forms the boundary between Michigan and Canada.

The **St. Croix River** rises on the boundary between Maine and Canada and flows southeast into Passamaquoddy Bay, forming part of the boundary between Maine and Canada.

The **St. Francis River** rises on the boundary between Maine and Canada and flows southeast into the St. John River, forming part of the boundary between Maine and Canada.

The **St. John River** rises in the highlands between Maine and Canada and flows northeast through Maine, then southeast, forming part of the boundary between Maine and Canada, then southeast through Canada into the Bay of Fundy.

The **St. Lawrence River** rises in Lake Ontario and flows northeast between New York and Canada and through Canada into the Gulf of St. Lawrence.

The **St. Mary's River** rises in Okefinokee Swamp, between Georgia and Florida, and flows east into the Atlantic Ocean. It forms part of the boundary between Georgia and Florida.

The **St. Mary's River** connects Lake Superior and Lake Huron. It flows between Michigan and Canada.

The **Susquehanna River** rises in Lake Otsego in the central part of New York and flows south through New York, Pennsylvania, and Maryland into Chesapeake Bay.

The **Suwannee River** rises in the southern part of Georgia and flows southwest through Georgia and Florida into the Gulf of Mexico.

The **Tennessee River** rises in the southwestern part of North Carolina, in the Blue Mountains, and flows northwest through North Carolina, Tennessee, Alabama, and Kentucky into the Ohio River.

The **Thames River** is formed by the junction of three streams in the southeastern part of Connecticut and flows south through Connecticut into the Atlantic Ocean.

The **Tombigbee River** rises in the northeastern part of Mississippi and flows south through Mississippi and Alabama into the Mobile River.

The **Wabash River** rises in western Ohio and flows southwest through Ohio and Indiana, and between Illinois and Indiana, into the Ohio River.

The **Willamette River** rises in the Cascade Mountains in the western part of Oregon and flows north through Oregon into the Columbia River.

The **Willimantic River** rises in the northeastern part of Connecticut and flows south through Connecticut into the Quinebaug River.

The **Wisconsin River** rises on the northern boundary of Wisconsin and flows southwest through Wisconsin into the Mississippi River.

The **Yazoo River** is formed by the junction of two rivers in the western part of Mississippi and flows southwest through Mississippi into the Mississippi River.

The **Yellowstone River** rises in Yellowstone, or the National, Park, in Wyoming, and flows northeast through Yellowstone Park, Montana, and North Dakota into the Missouri River.

CANALS

27. Below is a table showing the principal canals of the United States used for commercial purposes:

Canals	Length Miles	Location
Albemarle and Chesapeake	44	Norfolk, Va., to Currituck Sound, N. C.
Augusta	9	Savannah River, Ga., to Augusta, Ga.
Black River	35	Rome, N. Y., to Lyons Falls, N. Y.
Cayuga and Seneca	25	Montezuma, N. Y., to Cayuga and Seneca Lakes, N. Y.
Champlain	81	Whitehall, N. Y., to West Troy, N. Y.
Chesapeake and Delaware	14	Chesapeake City, Md., to Delaware City, Del.
Chesapeake and Ohio	184	Cumberland, Md., to Washington, D. C.
Compans	22	Mississippi River, La., to Bayou Black, La.
Delaware and Raritan	66	New Brunswick, N. J., to Trenton, N. J.
Delaware Division	60	Easton, Pa., to Bristol, Pa.
Des Moines Rapids	7½	At Des Moines Rapids, Mississippi River.
Dismal Swamp	22	Connects Chesapeake Bay with Albe- marle Sound.
Erie	387	Albany, N. Y., to Buffalo, N. Y.
Fairfield	4½	Alligator River to Lake Mattimuskeet, N. C.
Galveston and Brazos	38	Galveston, Tex., to Brazos River, Tex.
Hocking	42	Carroll, Ohio, to Nelsonville, Ohio.
Illinois and Michigan	102	Chicago, Ill., to La Salle, Ill.
Illinois and Mississippi	4½	Around lower rapids of Rock River, Ill. Connects with Mississippi River.
Lehigh Coal and Navigation Co.	108	Coalport, Pa., to Easton, Pa.
Louisville and Portland	2½	At Falls of Ohio River, Louisville, Ky.
Miami and Erie	274	Cincinnati, Ohio, to Toledo, Ohio.
Morris	103	Easton, Pa., to Jersey City, N. J.
Muscle Shoals and Elk R. Shoals	16	Big Muscle Shoals, Tenn., to Elk River Shoals, Tenn.
Newberne and Beaufort	3	Clubfoot Creek to Harlow Creek, N. C.
Ogeechee	16	Savannah River, Ga., to Ogeechee River, Ga.
Ohio	317	Cleveland, Ohio, to Portsmouth, Ohio.
Oswego	38	Oswego, N. Y., to Syracuse, N. Y.
Pennsylvania	193	Columbia, Northumberland, Wilkes- Barre, Huntingdon, Pa.
Portage Lake and Lake Superior	25	From Keweenaw Bay to Lake Superior.
Port Arthur	7	Port Arthur, Tex., to Gulf of Mexico.
Santa Fe	10	Waldo, Fla., to Melrose, Fla.
Sault Ste. Marie (ship canal)	3	Connects Lakes Superior and Huron at St. Mary's River.
Schuylkill Navigation Company	108	Mill Creek, Pa., to Philadelphia, Pa.
Sturgeon Bay and Lake Michigan	1½	Between Green Bay and Lake Michigan.
St. Mary's Falls	1½	Connects Lakes Superior and Huron at Sault Ste. Marie, Mich.
Susquehanna and Tidewater	45	Columbia, Pa., to Havre de Grace, Md.
Walhonding	25	Rochester, Ohio, to Roscoe, Ohio.
Welland (ship canal)	26½	Connects Lake Ontario and Lake Erie.

INSULAR POSSESSIONS OF THE UNITED STATES

PHILIPPINES

28. The **Philippine group** lies off the southern coast of Asia and numbers about two thousand islands, covering an area of 140,000 square miles, equal to the combined area of New York, New Jersey, Maine, New Hampshire, Vermont, Massachusetts, Rhode Island, and Connecticut.

The larger islands of this group are given below in the order of their size. The largest city on each island is given opposite the name of each island.

PHILIPPINE ISLANDS

Islands	Largest City	Islands	Largest City
Luzon	Manila	Leyte	Masin
Mindanao	Davao	Negros	Tolon
Samar	Basey	Cebu	Cebu
Panay	Iloilo	Sulu	Sulu
Mindoro	Calapan		

PORTO RICO

29. The island of **Porto Rico** is one of the West Indies group and lies about 50 miles east of the island of Hayti. This island is about one-half the size of the state of New Jersey. **San Juan** on the northeastern coast is the largest city, and **Ponce** on the southern coast is the next largest city.

GUAM

30. The island of **Guam** is the largest of the Ladrone group. It is situated east of the island of Luzon in the Pacific Ocean. **Agana** is the largest city on the island.

TUTUILA

31. The island of **Tutuila** is one of the Samoan group situated in the Southern Pacific Ocean northeast of New Zealand. The largest city is **Pago-Pago**.

HAWAIIAN ISLANDS

32. The Hawaiian Islands are situated in the North Pacific Ocean southwest of the United States.

The Hawaiian group is composed of the following islands, arranged according to area:

HAWAIIAN ISLANDS

Islands	Largest City	Islands	Largest City
Hawaii	Hilo	Molokai	Wailau
Maui	Lahania	Lanai	Keomuku
Oahu	Honolulu	Niihau	No cities.
Kauai	Lihue	Kahoolawe	No cities

**IMPORTANT CITIES OF THE UNITED STATES
ACCORDING TO POPULATION**

MAINE

Portland	Rockland	Eastport
Lewiston	Calais	Brunswick
Bangor	Westbrook	Brewer
Biddeford	South Portland	Caribou
Auburn	Saco	Houlton
Augusta	Sanford	Belfast
Bath	Old Town	Eden
Waterville	Gardiner	Ellsworth

NEW HAMPSHIRE

Manchester	Rochester	Littleton
Nashua	Laconia	Milford
Concord	Somersworth	Derry
Dover	Claremont	Franklin Falls
Portsmouth	Franklin	Haverhill
Keene	Lebanon	Lancaster
Berlin	Exeter	Pembroke

VERMONT

Burlington	Colchester	Brandon
Rutland	Brattleboro	Morristown
Barre	Bellows Falls	Fairhaven
Montpelier	Hartford	Essex
St. Albans	Winooski	Newbury
Rockingham	Poultney	Castleton
St. Johnsbury	Lyndon	Bristol
Bennington	West Rutland	Enosburg

MASSACHUSETTS

Boston	Brockton	Quincy
Worcester	Haverhill	Waltham
Fall River	Salem	Pittsfield
Lowell	Chelsea	Brookline
Cambridge	Malden	Chicopee
Lynn	Newton	Northampton
Lawrence	Fitchburg	Medford
New Bedford	Taunton	Newburyport
Springfield	Gloucester	Woburn
Somerville	Everett	Beverly
Holyoke	North Adams	Clinton

CONNECTICUT

New Haven	Manchester	Putnam
Hartford	Naugatuck	South Norwalk
Bridgeport	Middletown	Thompson
Waterbury	Willimantic	East Hartford
New Britain	Torrington	Bristol
Meridan	Derby	Norwalk
New London	Rockville	Groton
Norwich	South Manchester	Huntington
Danbury	Winsted	Westhaven
Stamford	Wallingford	Plainfield
Ansonia	Enfield	New Milford

RHODE ISLAND

Providence	Central Falls	Coventry
Pawtucket	East Providence	Warren
Woonsocket	Cranston	Manville
Newport	Westerly	Lonsdale
Warwick	Bristol	Valley Falls

NEW YORK

New York	Kingston	Middletown
Buffalo	Poughkeepsie	Watervliet
Rochester	Cohoes	Ithaca
Syracuse	Jamestown	Ogdensburg
Albany	Oswego	Glens Falls
Troy	Watertown	Lansingburg
Utica	Mount Vernon	Saratoga Springs
Yonkers	Amsterdam	Hornellsville
Binghamton	Niagara Falls	Belmont
Elmira	Gloversville	Dunkirk
Schenectady	Lockport	Corning
Auburn	Rome	Geneva
Newburg	New Rochelle	Peekskill

PENNSYLVANIA

Philadelphia	York	Plymouth
Pittsburg	Williamsport	Carbondale
Scranton	New Castle	Mahanoy City
Reading	Easton	Oil City
Erie	Norristown	South Bethlehem
Wilkes-Barre	Shenandoah	Mount Carmel
Harrisburg	Shamokin	Dunmore
Lancaster	Lebanon	Pittston
Altoona	Pottsville	Homestead
Johnstown	Braddock	Columbia
Allentown	Bradford	Nanticoke
McKeesport	Hazleton	Steelton
Chester	Pottstown	Wilkinsburg

NEW JERSEY

Newark	West Hoboken	Millville
Jersey City	East Orange	Phillipsburg
Paterson	New Brunswick	Bloomfield
Camden	Perth Amboy	Hackensack
Trenton	Plainfield	Long Branch
Hoboken	Union	Rahway
Elizabeth	Montclair	Burlington
Bayonne	Bridgeton	W. Orange
Atlantic City	Morristown	Gloucester
Passaic	Kearney	South Amboy
Orange	Harrison	Englewood

DELAWARE

Wilmington	Lewes	Georgetown
Newcastle	Smyrna	Middletown
Dover	Laurel	Harrington
Milford	Seaford	Newark

MARYLAND

Baltimore	Frostburg	Chestertown
Cumberland	Salisbury	Elkton
Hagerstown	Havre de Grace	Brunswick
Frederick	Westminster	Lonaconing
Annapolis	Crisfield	Pocomoke
Cambridge	Easton	Laurel

VIRGINIA

Richmond	Portsmouth	Winchester
Norfolk	Danville	Fredericksburg
Petersburg	Alexandria	Berkley
Roanoke	Manchester	Bristol
Newport News	Staunton	Suffolk
Lynchburg	Charlottesville	Harrisonburg

WEST VIRGINIA

Wheeling	Martinsburg	Bluefield
Huntington	Fairmont	Benwood
Parkersburg	Grafton	Clarksburg
Charleston	Moundsville	Hinton

TENNESSEE

Memphis	Clarksville	Cleveland
Nashville	Columbia	Dyersburg
Knoxville	Bristol	Harriman
Chattanooga	Johnson City	Union City
Jackson	Murfreesboro	Morristown

NORTH CAROLINA

Wilmington	Greensboro	Salisbury
Charlotte	Newbern	Goldsboro
Asheville	Concord	Washington
Winston-Salem	Durham	Fayetteville
Raleigh	Elizabeth City	Gastonia

SOUTH CAROLINA

Charleston	Anderson	Newberry
Columbia	Rockhill	Orangeburg
Greenville	Union	Georgetown
Spartanburg	Greenwood	Beaufort
Sumter	Florence	Chester

GEORGIA

Atlanta	Athens	Waycross
Savannah	Brunswick	Valdosta
Augusta	Americus	Thomasville
Macon	Rome	Albany
Columbus	Griffin	Marietta

FLORIDA

Jacksonville	St. Augustine	Palatka
Pensacola	Lake City	Fernandina
Key West	Gainesville	Apalachicola
Tampa	Ocala	Tallahassee

ALABAMA

Mobile	Huntsville	Eufaula
Birmingham	Florence	New Decatur
Montgomery	Bessemer	Gadsden
Anniston	Tuscaloosa	Opelika
Selma	Talladega	Phoenix

MISSISSIPPI

Vicksburg	Greenville	McComb
Meridian	Columbus	Hattiesburg
Natchez	Biloxi	Water Valley
Jackson	Yazoo City	Corinth

LOUISIANA

New Orleans	Monroe	Thibodaux
Shreveport	Crowley	Houma
Baton Rouge	Donaldsonville	Opelousas
New Iberia	Plaquemine	Franklin
Lake Charles	Gretna	Patterson
Alexandria	Lafayette	Natchitoches

TEXAS

San Antonio	Sherman	Greenville
Houston	Beaumont	Terrell
Dallas	Paris	Brownsville
Galveston	Corsicana	Brenham
Ft. Worth	Palestine	Hillsboro
Austin	Tyler	Texarkana
Waco	Gainesville	Bonham
El Paso	Marshall	Ennis
Laredo	Cleburne	Weatherford
Denison	Temple	Corpus Christi

ARKANSAS

Little Rock	Texarkana	Paragould
Fort Smith	Jonesboro	Newport
Pine Bluff	Fayetteville	Camden
Hot Springs	Eureka Springs	Arkadelphia
Helena	Mena	Van Buren

OKLAHOMA

Oklahoma City	Ardmore	Stillwater
Guthrie	Elreno	Muskogee
Shawnee	South McAlester	Norman
Enid	Hobart	Anadarko
Tulsa	Durant	Wagoner
Lawton	Kingfisher	Perry

MICHIGAN

Detroit	Manistee	Delray
Grand Rapids	Alpena	Coldwater
Saginaw	Traverse City	Monroe
Bay City	Pontiac	Wyandotte
Kalamazoo	Adrian	St. Joseph
Jackson	Owasso	Grand Haven
Battle Creek	Holland	Calumet
Muskegon	Ypsilanti	Ishpeming
Lansing	Ludington	Sault Sainte Marie
Port Huron	Mt. Clemens	Escanaba
Flint	Cadillac	Menominee
Ann Arbor	Cheboygan	Marquette
West Bay City	Benton Harbor	Iron Wood

WISCONSIN

Milwaukee	Eau Claire	Beloit
Superior	Fond du Lac	Manitowoc
Racine	Appleton	Merrill
Oshkosh	Kenosha	Stevens Point
La Crosse	Marinette	Chippewa Falls
Madison	Ashland	Watertown
Sheboygan	Wausau	Waukesha
Green Bay	Janesville	Antigo

OHIO

Cleveland	Lorain	Cambridge
Cincinnati	Steubenville	Wellston
Toledo	Marietta	Delaware
Columbus	Chillicothe	Martins Ferry
Dayton	Ashtabula	Fostoria
Youngstown	Piqua	Salem
Akron	Massillon	Defiance
Springfield	Ironton	Niles
Canton	Marion	Galion
Hamilton	Tiffin	Conneaut
Zanesville	Bellaire	Norwalk
Lima	Middletown	Circleville
Sandusky	Lancaster	Kenton
Newark	Alliance	Urbana
Portsmouth	Elyria	Mount Vernon
Mansfield	Xenia	Bellefontaine
Findlay	Warren	Bucyrus
East Liverpool	Fremont	Norwood

INDIANA

Indianapolis	Logansport	Peru
Evansville	Elkhart	Columbus
Ft. Wayne	Michigan City	Madison
Terre Haute	Elwood	Goshen
South Bend	Hammond	Brazil

INDIANA—Continued

Muncie	Jeffersonville	Alexandria
New Albany	Kokomo	Laporte
Anderson	Vincennes	Frankfort
Richmond	Huntington	Shelbyville
Lafayette	Wabash	Connersville
Marion	Washington	Crawfordsville

ILLINOIS

Chicago	Rock Island	Cairo
Peoria	Evanston	Ottawa
Quincy	Galesburg	La Salle
Springfield	Belleville	Matton
Rockford	Moline	Waukegan
East St. Louis	Danville	Champaign
Joliet	Jacksonville	Lincoln
Aurora	Alton	Pekin
Bloomington	Streator	Kewanee
Elgin	Kankakee	Dixon
Decatur	Freeport	Oak Park

KENTUCKY

Louisville	Frankfort	Winchester
Covington	Bowling Green	Richmond
Newport	Hopkinsville	Harris
Lexington	Ashland	Danville
Paducah	Maysville	Middlesboro
Owensboro	Bellevue	Mayfield
Henderson	Dayton	Georgetown

MINNESOTA

Minneapolis	Faribault	Austin
St. Paul	Red Wing	New Ulm
Duluth	Brainerd	Crookston
Winona	Rochester	Albert Lea
Stillwater	Fergus Falls	St. Peter
Mankato	Little Falls	Hastings
St. Cloud	Owatonna	Anoka

MISSOURI

St. Louis	Jefferson City	Chillicothe
Kansas City	Carthage	Aurora
St. Joseph	Webb City	Kirksville
Joplin	Moberly	Columbia
Springfield	St. Charles	De Soto
Sedalia	Nevada	Brookfield
Hannibal	Independence	Trenton

IOWA

Des Moines	Ottumwa	Fort Madison
Dubuque	Waterloo	Iowa City
Sioux City	Muscatine	Creston
Davenport	Keokuk	Mason City
Cedar Rapids	Fort Dodge	Centerville
Burlington	Marshalltown	Oelwein
Council Bluffs	Oskaloosa	Cedar Falls
Clinton	Boone	Atlantic

KANSAS

Kansas City	Parsons	Wellington
Topeka	Ottawa	Chanute
Wichita	Newton	Osawatomie
Leavenworth	Arkansas City	Abilene
Atchison	Salina	Cherryvale
Lawrence	Argentine	Eldorado
Fort Scott	Iola	Olathe
Galena	Winfield	Manhattan
Pittsburg	Coffeyville	Concordia
Hutchinson	Independence	Horton
Emporia	Junction City	Rosedale

NEBRASKA

Omaha	Hastings	Fairbury
Lincoln	Kearney	Falls City
South Omaha	York	Holdredge

NEBRASKA—Continued

Beatrice	Plattsmouth	Blair
Grand Island	Norfolk	Auburn
Nebraska City	North Platte	Wymore
Fremont	Columbus	Alliance

SOUTH DAKOTA

Sioux Falls	Yankton	Vermilion
Lead	Huron	Hot Springs
Aberdeen	Brookings	Webster
Mitchell	Madison	Rapid City
Watertown	Pierre	Milbank
Deadwood	Canton	Redfield

NORTH DAKOTA

Fargo	Valley City	Devil's Lake
Grand Forks	Grafton	Mandan
Bismarck	Wahpeton	Minot
Jamestown	Dickinson	Larimore

WASHINGTON

Seattle	Walla Walla	Aberdeen
Tacoma	Everett	Port Townsend
Spokane	Ballard	North Yakima
Bellingham	Olympia	Vancouver

OREGON

Portland	Salem	Albany
Astoria	The Dalles	La Grande
Baker City	Oregon City	Ashland
Pendleton	Eugene	Grants Pass

CALIFORNIA

San Francisco	Berkeley	San Bernardino
Los Angeles	Fresno	Santa Cruz
Oakland	Pasadena	Pomona

CALIFORNIA—Continued

Sacramento	Riverside	Santa Ana
San Jose	Vallejo	Bakersfield
San Diego	Eureka	Redlands
Stockton	Santa Rosa	Grass Valley
Alameda	Santa Barbara	Napa

IDAHO

Boise City	Wallace	Idaho Falls
Pocatello	Wardner	Hailey
Lewiston	Montpelier	Grangeville
Moscow	Weiser	Rexburg

WYOMING

Cheyenne	Evanston	Casper
Laramie	Sheridan	Kemmerer
Rock Springs	Green River	Newcastle
Rawlins	Diamondville	Cambria

MONTANA

Butte	Missoula	Walkerville
Great Falls	Bozeman	Kalispell
Helena	Billings	Red Lodge
Anaconda	Livingston	Belt

UTAH

Salt Lake City	Park City	Spanish Fork
Ogden	Springville	American Fork
Provo City	Eureka	Lehi City
Logan	Brigham	Payson

ARIZONA

Tucson	San Carlos	Florence
Bisbee	Jerome	Globe
Phoenix	Nogales	Williams
Prescott	Yuma	Winslow

NEVADA

Reno	Wadsworth	Austin
Virginia City	Winnemucca	Elko
Carson City	Delamar	Dayton
Lovelock	Eureka	Tuscarora

COLORADO

Denver	Trinidad	Durango
Pueblo	Victor	Aspen
Colorado Springs	Canon City	Central City
Leadville	Florence	Ft. Collins
Cripple Creek	Salida	Greeley
Boulder	Grand Junction	Colorado City

NEW MEXICO

Albuquerque	Gallup	Socorro
Santa Fe	East Las Vegas	Mora
Las Vegas	Silver City	Taos
Raton	Roswell	Las Cruces

ALASKA

Nome	Sitka	Douglas
Skagway	Ft. Wrangle	Point Hope
Juneau	St. Michael	Karluk

ONE HUNDRED LARGEST CITIES IN THE UNITED STATES

New York, N. Y.	Los Angeles, Cal.	Salt Lake City,
Chicago, Ill.	Memphis, Tenn.	Utah
Philadelphia, Pa.	Scranton, Pa.	San Antonio, Tex.
St. Louis, Mo.	Lowell, Mass.	Duluth, Minn.
Boston, Mass.	Albany, N. Y.	Erie, Pa.
Baltimore, Md.	Cambridge, Mass.	Elizabeth, N. J.
Pittsburg, Pa.	Portland, Ore.	Wilkes-Barre, Pa. ¹
Cleveland, Ohio	Atlanta, Ga.	Kansas City, Kans.
Buffalo, N. Y.	Grand Rapids, Mich.	Harrisburg, Pa.
San Francisco, Cal.	Dayton, Ohio	Portland, Me.
Cincinnati, Ohio	Richmond, Va.	Yonkers, N. Y.
New Orleans, La.	Nashville, Tenn.	Norfolk, Va.
Detroit, Mich.	Seattle, Wash.	Waterbury, Conn.
Milwaukee, Wis.	Hartford, Conn.	Holyoke, Mass.
Washington, D. C.	Reading, Pa.	Fort Wayne, Ind.
Newark, N. J.	Wilmington, Del.	Youngstown, Ohio
Jersey City, N. J.	Camden, N. J.	Houston, Tex.
Louisville, Ky.	Trenton, N. J.	Covington, Ky.
Minneapolis, Minn.	Troy, N. Y.	Akron, Ohio
Providence, R. I.	Bridgeport, Conn.	Dallas, Tex.
Indianapolis, Ind.	Lynn, Mass.	Saginaw, Mich.
Kansas City, Mo.	Oakland, Cal.	Lancaster, Pa.
St. Paul, Minn.	Lawrence, Mass.	Lincoln, Neb.
Rochester, N. Y.	New Bedford, Mass.	Brockton, Mass.
Denver, Colo.	Des Moines, Iowa	Binghamton, N. Y.
Toledo, Ohio	Springfield, Mass.	Augusta, Ga.
Columbus, Ohio	Somerville, Mass.	Honolulu, Hawaii
Worcester, Mass.	Hoboken, N. J.	Pawtucket, R. I.
Syracuse, N. Y.	Evansville, Ind.	Altoona, Pa.
New Haven, Conn.	Manchester, N. H.	Wheeling, W. Va.
Paterson, N. J.	Utica, N. Y.	Mobile, Ala.
Fall River, Mass.	Peoria, Ill.	Birmingham, Ala.
St. Joseph, Mo.	Charleston, S. C.	Little Rock, Ark.
Omaha, Neb.	Savannah, Ga.	

GAUGING AND ELEMENTARY PHYSICS

GAUGING

1. Introduction.—The United States laws require that all spirits distilled within its boundaries shall be measured by a representative of the government, known as an **internal-revenue gauger**. After an applicant for this position is appointed, but before he is assigned to duty, he must “take an oath faithfully to perform his duties and shall give bond, with one or more sureties satisfactory to the Commissioner of Internal Revenue, for the faithful discharge of the duties assigned to him by law or regulations; and the penal sum of said bond shall not be less than five thousand dollars; neither a distiller, rectifier, nor wholesale liquor dealer will be accepted as surety on the bond of any gauger or storekeeper.”

The first efforts of an applicant for the position of gauger, after attending a civil-service examination, should be to acquire a thorough knowledge of all the requirements of the laws and regulations relating to the office. The important bearing of the duties of such a position on the revenues and commercial interests of the country imperatively demands that carefulness and accuracy of execution should be observed at all times. Such knowledge can be readily acquired by making a study of the *Gaugers' Manual*, which can be obtained without cost by applying to the Commissioner of Internal Revenue, Washington, D. C.

Copyrighted by International Textbook Company. Entered at Stationers' Hall, London

2. Definitions.—**Gauging**, as applied to the United States internal-revenue service, is the method of measuring the capacities or contents of casks, tubs, or cisterns.

A **cask** resembles two frustums of a cone with their larger bases placed together, Fig. 1.




FIG. 1

The **bung diameter** of a cask is the diameter measured half way between the two ends; it is usually the greatest diameter, as shown at $a b$, Fig. 1.

The **head diameter** of a cask is the diameter measured at the head or bottom of a cask between the chimes, as shown at $c d$ and $c' d'$, Fig. 1.

The **mean diameter** of a cask is the mean between the bung diameter and the head diameter. In the United States internal-revenue service, it depends on the variety of cask.

3. Varieties of Casks.—Casks are divided into three classes, according to the curvature of the staves at what is



FIG. 2



FIG. 3




FIG. 4

termed the *quarter hoop*, as shown at $e f$ and $e' f'$, Fig. 1, midway between the bung and the chime.

The casks having the least curvature are termed the **first variety**, Fig. 2; those having medium curvature, the **second variety**, Fig. 3; and those having the greatest curvature, the **third variety**, Fig. 4. When no variety of cask is mentioned, the second variety is assumed to be the one meant, as it is the one most commonly used.

4. The mean diameter of the first-variety casks is found by multiplying the difference between the head diameter and the bung diameter by the decimal .55 and adding the product to the head diameter; the sum will be the mean diameter.

The mean diameter of the second variety is found by multiplying the difference between the head and the bung diameter by the decimal .63 and adding the product to the head diameter; while the mean diameter of the third variety is found by multiplying the difference between the head and the bung diameter by the decimal .70 and adding the product to the head diameter.

EXAMPLE.—The head diameter of a second-variety cask is 19 inches and the bung diameter is 22 inches; what is the mean diameter?

SOLUTION.—Mean diameter is

$$.63 \times (22 - 19) + 19 = 20.89 \text{ in. Ans.}$$

5. **Capacity.**—The **capacity** of a cask, tub, or cistern is the number of gallons that such a vessel will contain when filled. The unit of measurement considered in expressing the capacity of a vessel is the United States wine gallon, which contains 231 cubic inches. The unit of measurement in Great Britain is the Imperial gallon, which contains 277 cubic inches. The beer gallon contains 282 cubic inches.

GAUGING INSTRUMENTS

6. The instruments used in gauging are:

1. *Standard Gauging Rod.*—The instrument known as the Prime and McKean's combination *gauging rod*, Fig. 5, is prescribed by the Commissioners of Internal Revenue for determining the capacity of casks when the same is not determined by the weighing beam.




FIG. 5




FIG. 6

2. *Wantage Rod*.—For determining the *wantage* or *ullage* in casks, Alexander's improved *wantage rod*, Fig. 6, is prescribed.

Wantage or **ullage** is the quantity that a vessel lacks of being full.

3. *Weighing Beam*.—The Fairbanks weighing beam, Fig. 7, has been adopted for use by the internal-revenue




FIG. 7

service. Accompanying each weighing beam are two poises (one *a* of 8 pounds and another *b* of 16 pounds), a set of barrel hooks *c*, and a counterpoise *d* to the barrel hooks. This combination is termed a *weighing beam complete*.

4. *Hydrometers*.—The standard *hydrometers* for weighing or determining the proof of distilled spirits are supplied for the use of internal-revenue gaugers by the government.

DESCRIPTION AND USE OF INSTRUMENTS

7. Gauging Rod.—The gauging rod, Fig. 8, used in the internal-revenue service, is a nickel-plated square steel bar about 5 feet long, pointed on one end. The four sides of the bar are graduated into inches and tenths of an inch for convenience in taking measurements. The rod has five attachments, each of which is used to find some dimension or quantity of a cask. The slide *S* is used to find the mean diameter of a cask. This attachment has two graduated surfaces and two open sides, so that the quantities on the graduated surfaces can be read in connection with the graduations on the bar. A setscrew *a* is provided to lock the slide in any desired position. Ordinarily, when using the mean-diameter slide, it is placed on the rod with the setscrew *a* toward the head of the rod and the other end of the slide toward the point of the rod. An overslide *O* with a clip attached is used to find the bung diameter of a cask. The overslide is made sufficiently large to fit over the slide *S* and can therefore be used in connection with it. A head-slide *H* is used to determine the diameter of the head of a cask and an attachment consisting of the fixed caliper arm *N* and the movable caliper arm *M* is used to determine the height of a cask.

The rod is prepared for determining the mean diameter of a cask by first placing the mean-diameter scale *S*, Fig. 8, on the rod with the screw attachment *a* toward the head of the rod and with the manufacturer's stamp on the scale in a line with that on the rod (this latter condition must be observed in adjusting all the parts of the combination rod). The head-slide *H* is then slipped over the point of the rod with the stationary projection *P* pointing upwards. Having thus prepared the rod, seize it with one hand above the mean-diameter scale, place the other hand on the head-slide, and rest the point of the rod on the inner side of the lower chime of the cask close against the head, then bring the projection of the head-slide against the inner side of the upper chime, holding the rod at an angle of 45° , as shown in




FIG. 8

Fig. 9.* Hold the head-slide firmly in place and raise the mean-diameter scale to the position shown on the face of the rod immediately above the head-slide, so as to leave sufficient space for the head diameter to be conveniently read. Hold the head-slide firmly in place and gently move the mean-diameter scale downwards until it rests on the head-slide; when the mean-diameter slide is in this position, turn the thumbscrew at the top to secure it in place. The bottom of the mean-diameter scale will then indicate the same reading on the rod as the top of the head-slide. Next remove the head-




FIG. 9




FIG. 10

slide from the rod and insert the rod in the cask at the bung

*The rod should always be applied to the stamped head of the cask in case but one head is measured.

hole, the point resting on the bottom stave opposite the bung hole, as shown in Fig. 10. The overslide *b* is then drawn up until the lip *c* strikes the under side of the bung stave. The rod is then removed from the cask, the overslide being retained in the same position and raised so that the figures on the scale at the bottom of the overslide can be easily read. Care must be observed that the figures read are in the column corresponding to the variety of the cask being gauged. Then find the same figures in column *A* of the scale and follow the line *above* the figures, turning the rod to the left to the corresponding line on the face of the rod, which latter line will indicate the mean diameter.

ILLUSTRATION.—Suppose that the rod shows the head diameter to be 19 inches, as shown at *L*, Fig. 8, and the bung diameter to be 22 inches, as shown at *G*. The difference between the two diameters (3 inches) will appear in the *A* column at the foot *F* of the overslide, and 1.9 in the *B* or second-variety column, 2 in the *C* or third-variety column, and 1.6 in the *D* or first-variety column. By following the line above, 1.9, 2, and 1.6 in the *A* column on the mean-diameter scale to the right-hand side of the rod, the corresponding line will indicate a mean diameter of 20.9 inches, 21 inches, and 20.6 inches, respectively, as shown at *t*, *t*₁, and *t*₂.




FIG. 11

8. The rod is prepared for finding the length of casks by sliding the fixed caliper arm *N*, Fig. 11, having the spring *S* on the head of the rod, taking care to have the spring bolt




FIG. 12

enter the hole in the rod so that it will remain stationary. Next slide the movable caliper arm *M* over the point of the rod, so that this arm will be in line with the other. Apply the rod as follows: Standing at the head of the cask, support the rod in the middle with the left hand, holding the top of the sliding caliper arm with the right hand. Place the rod on the cask in a line with the bung stave, allowing it to rest on the braces of the caliper arms, the fixed caliper arm being lightly held against the head of the cask; then move, with the right hand, the sliding caliper arm against the other head of the cask. The length of the cask will be indicated by the figures on the top of the rod at the inside of the movable arm. The rod is graduated so as to allow for heads $\frac{3}{4}$ inch thick.

9. Wantage Rod.—The wantage rod is graduated on four sides, as shown in Fig. 12, so as to measure the wantage, or ullage, in casks more than half filled varying in capacity from 18 to 145 gallons. When casks are not full, only the actual wantage, as determined by the wantage rod, is allowed. In a gauger's official report, fractional parts of a gallon less than .5 or $\frac{1}{2}$ are not reported, if more than .5 or $\frac{1}{2}$ they are reported as 1.

In using this rod, the following instructions should be observed: Take the wantage rod, Fig. 6, in the right hand with the metal rod *a* resting entirely in the groove; insert the rod in the cask through the bung hole with the lip *b* against the under side of the bung stave; with the thumb and forefinger of the left hand, clasp the handle *c* at the head of the metal part in the manner shown in Fig. 13 (*a*). Hold the rod in a perpendicular position with the lip *b*, Fig. 6, firmly pressed against the under side of the bung stave, turn with the right hand the eccentric button *e* on top of the rod, and move the wooden part of the rod downwards as far as the metal guides *d*, Fig. 6, will permit, as shown in Fig. 13 (*b*). Withdraw the rod to its former position at once without jarring the contents of the cask, remove it from the cask and read the wet line made by the liquid on the scale, which shows the

capacity of the cask containing the liquid. The graduation nearest the wet line should always be read. When the wet line is midway between graduations, the line that indicates the greater wantage should be read.




FIG. 13

10. In Fig. 12, the line *WL* represents the wet line made by a liquid placed in various-sized casks, the top of the liquid in each cask being at the same distance from the bung stave. The wantage in each of these casks would be represented by the graduations nearest the line *WL*. Beginning at the left, the wantage in a cask whose capacity is between $37\frac{1}{2}$ and 41 gallons would be $4\frac{1}{2}$ gallons; in a cask between 30 and 37 gallons, it would be 4 gallons; in a cask between 18 and 21 gallons, it would be 3 gallons; in a cask between 125 and 145 gallons, it would be 7 gallons; and so on across.

11. To find the wantage in a cask that is less than half full, pull out the metal part of the rod as far as the guides will permit, secure it in this position by turning the eccentric button into the notch in the back of the metal rod. Insert the entire rod into the cask until the wooden part rests on the bottom stave opposite the bung hole, as shown in Fig. 14;

withdraw it at once and the wet line on the wet-and-dry inch column, Fig. 12, counting from the bottom upwards, will show the number of inches and tenths of inches of spirits in the cask. Take the same number of inches and tenths of inches in the same column, counting from the top downwards; follow with the eye this line around the rod to the corresponding line on the scale that contains the capacity of the cask being measured.




FIG. 14

ILLUSTRATION.—Suppose that the point m , Fig. 12, represents the wet line in the wet-and-dry column on the rod after it has been withdrawn from a cask. This point appears to be 5.5 inches above the bottom of the rod, or, in other words, there are 5.5 inches of liquid in the cask. If the same measure, 5.5 inches, is taken from the top downwards in the same column, it will come to a point m' . If this point is followed around the rod it will appear as the line AB . In casks varying in size, as shown on the rod containing 5.5 inches of liquid, this liquid will measure, beginning at the left, $7\frac{1}{2}$, $7\frac{1}{2}$, $5\frac{1}{2}$, $12\frac{1}{2}$, 6, 6, $6\frac{1}{2}$, 8, $8\frac{1}{2}$, $8\frac{1}{2}$ gallons, respectively.

RULES FOR GAUGING CASKS, CISTERNS, OR TUBS

12. Rule for Finding the Capacity of a Cask.—*To find the capacity of a cask, multiply the square of the mean diameter, in inches, by the decimal .0034 and multiply this product by the length of the cask, in inches; the result will be the capacity of the cask, in wine gallons.*

EXAMPLE.—Find the capacity of a cask of the second variety, the diameter of which is 18.9 inches at the head and 21.9 inches at the bung, and whose length is 28.9 inches.

SOLUTION.—Head diameter is 18.9 in., bung diameter is 21.9 in., difference is $21.9 - 18.9 = 3$ in.; $3 \times .63 = 1.89$ in., the amount to be added to the head diameter. $18.9 + 1.89 = 20.79$ in., the mean diameter,

$$20.79 \times 20.79 \times .0034 \times 28.9 = 42.5 \text{ gal. Ans.}$$

13. Rule for Gauging Cisterns or Tubs.—*To find the capacity of a cistern or tub, take the dimensions, in inches and tenths of an inch. Add together the square of the head*




FIG. 15

diameter, Fig. 15, the square of the bottom diameter, and four times the square of the midway diameter (ascertained by adding the top and bottom diameters together and dividing by 2), and divide the sum by 6, which gives the square of the true mean diameter; multiply this by the height of the cistern, and the product will be the capacity, in cylindrical inches. As

there are 294 cylindrical inches in a gallon, divide this last product by 294, and the quotient will be the number of gallons contained in the cistern.

A **cylindrical inch** is equal to the capacity of a cylinder 1 inch in diameter and 1 inch high; it is less than a cubic inch, 294 cylindrical inches being equal to 231 cubic inches.

EXAMPLE.—What is the capacity, in gallons, of a tub whose bottom diameter is 10 feet, top diameter 9 feet, and height 8 feet 4 inches?

SOLUTION.—

Top diameter, 108 in.

Bottom diameter, 120 in.

Divided by 2) 228 in.

Midway diameter, 114 in.

Height, 100 in.

$$108 \times 108 = 11664$$

$$120 \times 120 = 14400$$

$$114 \times 114 \times 4 = 51984$$

$$78048 \div 6 = 13,008$$

$$13,008 \times 100 \div 294 = 4,424.5 \text{ gal. Ans.}$$

14. Should the cistern be full, warped so as not to be a perfect circle, or otherwise in such condition that the diameter of the bottom cannot be taken, the following rule, though not mathematically correct, is for all practical purposes sufficiently so, the difference being shown only in large cisterns, where the difference between the top and bottom diameters is considerable.

Rule.—*Divide the outside circumference of the cistern half way between the bottom and top, in inches, by 3.1416 (or multiply by 7 and divide by 22), and the result will be the mean outside diameter, in inches. Deduct from this twice the thickness of the staves, and the result will be the mean inside diameter. Multiply this sum by itself and by the height, in inches, and the product by .0034; the final product will be the capacity of the cistern, in gallons.*

EXAMPLE.—What is the capacity, in gallons, of a cistern having the dimensions of the tub given in the example in Art. 13 and whose outside circumference is 367.5 inches?

SOLUTION.— $367.5 \div 3.1416 = 117 - 3 \text{ in.} = 114 \text{ in.};$
 $114 \times 114 \times 100 = 1,299,600 \times .0034 = 4,418 \text{ gal. Ans.}$

ELEMENTARY PHYSICS

INTRODUCTORY

DEFINITIONS

15. Natural and Physical Science.—Science, which may be defined as a classified knowledge of nature, is divided into *natural* and *physical science*. **Natural science** concerns itself with the external form and internal structure of bodies. **Physical science** considers only the matter of which these bodies are composed.

Geology, mineralogy, botany, and zoology, which investigate the form and structure of the earth, of minerals, of plants, and of animals, respectively, are natural sciences. Physics and chemistry, which consider the properties of matter itself, whether it is light or heavy, hard or soft, combustible or incombustible, are physical sciences.

16. Matter is anything that possesses weight; that is, is acted on by gravitation. In studying matter, physical science considers: (1) The division of which matter is capable;

- (2) the attractions by which these particles are held together;
 (3) the motions that these particles may have.

Science recognizes three divisions of matter—*masses, molecules, and atoms*. A **mass**, or body, of matter is any portion of matter appreciable by the senses. A **molecule** is the smallest particle of matter that a body can be divided into without losing its identity. An **atom** is an indivisible portion of matter. Atoms unite to form molecules; a collection of molecules forms a mass, or a body.

The sun and the grain of sand are masses of matter; the smallest particles of sugar or of salt that still show the properties of these substances, respectively, are molecules of sugar or of salt. The still more minute particles of carbon or hydrogen, and of oxygen, that make up the molecule of sugar, or those of chlorine and of sodium that compose the molecule of salt, are atoms.

17. Bodies, which are collections of molecules, exist in three forms or conditions: *solid, liquid, and gaseous*.

A **solid body** is one whose molecules change their relative positions with great difficulty; as iron, wood, stone, etc.

A **liquid body** is one whose molecules tend to change their relative positions easily. Liquids readily adapt themselves to the vessel that contains them, and their upper surface always tends to become level. Water, mercury, etc. belong to this class.

A **gaseous body**, or a **gas**, is one whose molecules tend to separate from one another; as air, oxygen, etc.

Gaseous bodies are sometimes called *aeriform* (air-like) *bodies* and are divided into two classes: *permanent gases* and *vapors*. A **permanent gas** is one that remains a gas at ordinary temperatures and pressures. A **vapor** is a body that at ordinary temperature is a liquid or a solid, but when heat is applied becomes a gas. By means of heat, nearly all bodies may be finally vaporized,

MECHANICS OF FLUIDS

HYDROSTATICS

18. **Hydrostatics** treats of liquids at rest under the action of forces.

19. Liquids are very nearly *incompressible*. A pressure of 15 pounds per square inch compresses water less than $\frac{1}{20000}$ of its volume.

20. **Hydrostatic Pressure.**—Fig. 16 represents two cylindrical vessels of exactly the same size. The vessel (a) is fitted with a wooden block of the same size as, and free to move in, the cylinder; the vessel (b) is filled with water, whose depth is the same as the length of the wooden block in (a). Both vessels are fitted with air-tight pistons *P*, each of whose areas are 10 square inches.




FIG. 16

Suppose, for convenience, that the weights of the pistons, block, and water are neglected, and that a force of 100 pounds is applied to both pistons. The pressure per square inch will be $100 \div 10 = 10$ pounds. In the vessel (a), this pressure will be transmitted to the bottom of the vessel, and will be 10 pounds per square inch; it is easy to see that there will be no pressure on the sides. In the vessel (b), an entirely different result is obtained. The pressure on the bottom will be the same as in the other case, that is, 10 pounds per square inch, but, owing to the fact that the molecules of the water are perfectly free to move, this pressure of 10 pounds per square inch is *transmitted in every direction with the same intensity*; that is to say, the pressure at

any point *c, d, e, f, g, h*, etc., due to the force of 100 pounds, is exactly the same, and equals 10 pounds per square inch. In the foregoing explanation, it was assumed that the water possessed no weight. As a matter of fact, however, the weight of water must be taken into consideration in practice, and the pressure due to the weight of a column of water must be added to the applied pressure. Under such conditions, the pressure will be found greatest at the bottom of the cylinder and will decrease in intensity toward the top of the cylinder.

21. The fact that water transmits pressure in every direction with equal intensity may be easily proved, experimentally, by means of an apparatus like that shown in Fig. 17. Let the area of the piston *a* be 20 square inches; of *b*, 7 square




FIG. 17

inches; of *c*, 1 square inch; of *d*, 6 square inches; of *e*, 8 square inches; and of *f*, 4 square inches.

If the pressure due to the weight of the water is neglected, and a force of 5 pounds is applied at *c* (whose area is 1 square inch), a pressure of 5 pounds per square inch will be transmitted in all directions, and in order that there shall be no movement, a force of $6 \times 5 = 30$ pounds must be ap-

plied at *d*, 40 pounds at *e*, 20 pounds at *f*, 100 pounds at *a*, and 35 pounds at *b*.

If a force of 99 pounds were applied to *a*, instead of 100 pounds, the piston *a* would rise, and the other pistons *b, c, d, e*, and *f* would move inwards; but, if the force applied to *a* were 100 pounds, they would all be in equilibrium. If 101 pounds were applied at *a*, the pressure per square inch

would be $101 \div 20 = 5.05$ pounds, which would be transmitted in all directions; and, since the pressure due to the load on c is only 5 pounds per square inch, it is now evident that the piston a will move downwards, and the pistons b , c , d , e , and f will be forced outwards.

22. Pascal's Law.—The whole of the preceding explanation of water pressure may be summed up as follows:

The pressure per unit of area exerted anywhere on a liquid is transmitted undiminished in all directions and acts with the same force on all surfaces, in a direction at right angles to those surfaces.

This law, first discovered by Pascal, and accordingly named after him, is the most important one in hydrostatics. Its meaning should be thoroughly understood.

EXAMPLE.—If the area of the piston e , Fig. 17, were 8.25 square inches and a force of 150 pounds were applied to it, what forces would have to be applied to the other pistons to keep the water in equilibrium, assuming that their areas were the same as given before?

SOLUTION.— $150 \div 8.25 = 18.182$ lb. per sq. in., nearly

$$\left. \begin{array}{l} 20 \times 18.182 = 363.64 \text{ lb., force to balance } a \\ 7 \times 18.182 = 127.274 \text{ lb., force to balance } b \\ 1 \times 18.182 = 18.182 \text{ lb., force to balance } c \\ 6 \times 18.182 = 109.092 \text{ lb., force to balance } d \\ 4 \times 18.182 = 72.728 \text{ lb., force to balance } f \end{array} \right\} \text{Ans.}$$

23. *The pressure due to the weight of a liquid may be downwards, upwards, or sidewise.*

24. Downward Pressure.—In Fig. 18, the pressure

on the bottom of the vessel (a) is, of course, equal to the weight of the water it contains.

If the area of the bottom of the vessel (b) and the depth of the liquid contained in it are the same as in the vessel (a), the pressure on the bottom of (b) will be the same as on the bottom of (a). Suppose that the bottoms of the vessels (a)




FIG. 18

and (*b*) are each 6 inches square, and that the part *cd* in the vessel (*b*) is 2 inches square, and that they are filled with water. Then, since 1 cubic foot of water weighs 62.5 pounds, the weight of 1 cubic inch of water is $62.5 \div 1,728 = .03617$ pound. The number of cubic inches in (*a*) is $6 \times 6 \times 24 = 864$ cubic inches; and the weight of the water is $864 \times .03617 = 31.25$ pounds. Hence, the total pressure on the bottom of the vessel *a* is 31.25 pounds, or

$$\frac{31.25}{6 \times 6} = .868 \text{ pound per square inch}$$

The pressure in (*b*) due to the weight contained in the part *bc* is

$$6 \times 6 \times 10 \times .03617 = 13.02 \text{ pounds}$$

The weight of the part contained in *cd* is

$$2 \times 2 \times 14 \times .03617 = 2.0255 \text{ pounds}$$

and the weight per square inch of area in *cd* is

$$2.0255 \div 4 = .5064 \text{ pound}$$

25. According to Pascal's law, this weight (pressure) is transmitted equally in all directions; therefore, an extra weight of .5064 pound is imposed on every square inch of the bottom of (*b*); the area of this is $6 \times 6 = 36$ square inches, and the pressure on it due to the water contained in *cd* is, therefore, $36 \times .5064 = 18.23$ pounds; thus, we have a total pressure on the bottom of vessel (*b*) of $13.02 + 18.23 = 31.25$ pounds, the same as in vessel (*a*). As a result of this law, there is also an upward pressure of .5064 pound acting on every square inch of the top of the enlarged part (*b*).

If an additional pressure of 10 pounds per square inch were applied to the upper surface of both vessels, the total pressure on each bottom would be

$$31.25 + (6 \times 6 \times 10) = 31.25 + 360 = 391.25 \text{ pounds}$$

If this pressure were to be obtained by means of a weight placed on each piston [as shown in Fig. 16 (*a*) and (*b*)], a weight of $6 \times 6 \times 10 = 360$ pounds would have to be put on the piston in the vessel in Fig. 18 (*a*) and one of $2 \times 2 \times 10 = 40$ pounds on the piston in the vessel (*b*).

26. General Law for Downward Pressure on Bottom of Any Vessel.

Law.—*The pressure on the bottom of a vessel containing a fluid is independent of the shape of the vessel, and is equal to the weight of a column of the fluid, the area of whose base is equal to that of the bottom of the vessel and whose altitude is the distance between the bottom and the upper surface of the fluid, increased by the pressure per unit of area on the upper surface of the fluid multiplied by the area of the bottom of the vessel, in case there is any pressure on the surface.*

27. Suppose that the vessel (*b*) in Fig. 18 is inverted, as shown in Fig. 19, the pressure on the bottom will still be .868 pound per square inch, but it will require a weight of 3,490 pounds on a piston at the upper surface to make the pressure on the bottom 391.25 pounds, instead of a weight of 40 pounds, as in the other case.

EXAMPLE.—A vessel filled with salt water, weighing .037254 pound per cubic inch, has a circular bottom 13 inches in diameter. The top of the vessel is fitted with a piston 3 inches in diameter, on which is laid a weight of 75 pounds; what is the total pressure on the bottom, if the depth of the water is 18 inches?




FIG. 19

SOLUTION.—Applying the rule, we have
 $13 \times 13 \times .7854 \times 18 \times .037254 = 89.01$ lb.
 the pressure due to the weight of the water.

$\frac{75}{3 \times 3 \times .7854} = 10.61$ lb. per sq. in.
 due to the weight on the piston.

$13 \times 13 \times .7854 \times 10.61 = 1,408.29$ lb.
 $1,408.29 + 89.01 = 1,497.3$ lb. = total pressure. **Ans.**

28. Upward Pressure.—In Fig. 20 is represented a vessel of exactly the same size as that shown in Fig. 19. There is no upward pressure on the surface *cd*, due to the weight of the water in the large part *cd*, but there is an upward pressure on *c* due to the weight of the water in the small part *bc*. The pressure per square inch due to the

weight of the water in bc was found, in Art. 24, to be .5064 pound; the area of the upper surface c of the large part cd is

$$(6 \times 6) - (2 \times 2) = 36 - 4 \\ = 32 \text{ square inches}$$

and the total upward pressure due to the weight of the water is $.5064 \times 32 = 16.2$ pounds.

If an additional pressure of 10 pounds per square inch were applied to a piston fitting in the top of the vessel, the total upward pressure on the surface c would be

$$16.2 + (32 \times 10) = 336.2 \text{ pounds}$$




FIG. 20

29. General Law for Upward Pressure.

Law.—*The upward pressure on any submerged horizontal surface equals the weight of a column of the liquid whose base has an area equal to the area of the submerged surface and whose altitude is the distance between the submerged surface and the upper surface of the liquid, increased by the pressure per unit of area on the upper surface of the fluid multiplied by the area of the submerged surface, in case of any pressure on the upper surface.*

EXAMPLE.—A horizontal surface 6 inches by 4 inches is submerged in a vessel of water 26 inches below the upper surface; if the pressure on the water is 16 pounds per square inch, what is the total upward pressure on the horizontal surface?

SOLUTION.—Applying the rule, we get for the upward pressure due to the weight of the water, and

$$6 \times 4 \times 26 \times .03617 = 22.57 \text{ lb.}$$

and for the upward pressure due to the outside pressure of 16 lb. per sq. in.,

$$6 \times 4 \times 16 = 384 \text{ lb.}$$

Therefore, $384 + 22.57 = 406.57 \text{ lb.}$, the total upward pressure.

Ans.

30. Lateral (Sidewise) Pressure.—Suppose that the top of the vessel shown in Fig. 21 is 10 inches square and that each of the projections a and b is 1 inch square. The pressure per square inch on the bottom of the vessel due to the weight of the liquid is $1 \times 1 \times 18 \times$ the weight of a

cubic inch of the liquid. The pressure at a depth equal to the distance of the upper surface of b is $1 \times 1 \times 17 \times$ the weight of a cubic inch of the liquid.

Since both of these pressures are transmitted in every direction, they are also transmitted sidewise, and the *pressure per unit of area on the projection b* is a mean between the two and equals $1 \times 1 \times 17\frac{1}{2} \times$ the weight of a cubic inch of the liquid.

To find the lateral pressure on the projection a , imagine that the dotted line c is the bottom of the vessel; then the conditions will be the same as in the preceding case, except that the depth is not so great.




FIG. 21

The lateral pressure on a is thus seen to be $1 \times 1 \times 11\frac{1}{2} \times$ the weight of a cubic inch of the liquid.

EXAMPLE.—A well 3 feet in diameter and 20 feet deep is filled with water: (a) What is the pressure on a strip of the wall 1 inch wide, extending around the well and having its center 1 foot from the bottom? (b) What is the pressure on the bottom? (c) What is the upward pressure per square inch 2 feet 6 inches from the bottom?

SOLUTION.—(a) The area of the strip is

$$1 \times 36 \times 3.1416 = 113.1 \text{ sq. in.}$$

The total pressure on the strip is

$$113.1 \times 19 \times 12 \times .03617 = 932.71 \text{ lb. Ans.}$$

(b) The pressure per square inch is $932.71 \div 113.1 = 8.247 \text{ lb.,}$ nearly. The pressure on the bottom is

$$36 \times 36 \times .7854 \times 20 \times 12 \times .03617 = 8,836 \text{ lb. Ans.}$$

(c) $20 - 2.5 = 17.5$. The upward pressure per square inch 2 ft. 6 in. from the bottom is

$$1 \times 17.5 \times 12 \times .03617 = 7.596 \text{ lb. Ans.}$$

31. A tall vessel a having a stop-cock b near its base and arranged to float on the water, as shown in Fig. 22,

illustrates the effects of lateral pressure. When this vessel is filled with water, the lateral pressures at any two points of the surface of the vessel opposite each other are equal.




FIG. 22

Being equal and acting in opposite directions, they balance each other, and no motion can result; but if the stop-cock is opened, there will be no resistance to that pressure acting on the surface equal to the area of the opening, and it will cause the water to flow out, while its equal and opposite force will

cause the vessel to move through the water in a direction opposite to that of the spouting water.

32. Since the pressure on the bottom of a vessel due to the weight of the liquid is dependent only on the height




FIG. 23

of the liquid, and not on the shape of the vessel, it follows that if a vessel has a number of radiating tubes, as shown in

Fig. 23, the water in each tube will be on the same level, no matter what may be the shape of the tubes. For, if the water were higher in one tube than in the others, the downward pressure on the bottom due to the height of the water in this tube would be greater than that due to the height of the water in the other tubes. Consequently, the upward pressure would also be greater, the equilibrium would be destroyed, and the water would flow from this tube into the vessel, and rise in the other tubes until it was at the same level in all, when it would be in equilibrium. This principle is expressed in the familiar saying, *water seeks its level*.

The foregoing principle explains why city water reservoirs are located on high elevations, and why water on leaving the hose nozzle spouts so high.

If there were no resistance by friction and air, the water would spout to a height equal to the level of the water in the reservoirs. If a long pipe whose length was equal to the vertical distance between the nozzle and the level of the water in the reservoir were attached to the nozzle, the water would just reach the end of the pipe. If the pipe were lowered slightly, the water would trickle out. Fountains, canal locks, and artesian wells are examples of the application of this principle.

EXAMPLE.—The water level in a city reservoir is 150 feet above the level of the street; what is the pressure of the water per square inch on the hydrant?

SOLUTION.— $1 \times 150 \times 12 \times .03617 = 65.106$ lb. per sq. in. Ans.

NOTE.—In measuring the height of the water to find the pressure that it produces the *vertical height*, or distance between the level of the water and the point considered, is always taken; this vertical height is called the *head*. The weight of a column of water 1 inch square and 1 foot high is $62.5 \div 144 = .434$ pound, nearly. Hence, if the depth (head) is given, the pressure per square inch may be found by multiplying the depth in feet by .434. The constant .434 is the one ordinarily used in practical calculations.

33. In Fig. 24, let the area of the piston a be 1 square inch; of b , 40 square inches. According to Pascal's law, 1 pound placed on a will balance 40 pounds placed on b .

Suppose that a moves downwards 10 inches, then 10 cubic inches of water will be forced into the tube b . This will be distributed over the entire area of the tube b , in the form of

a cylinder whose cubical contents must be 10 cubic inches,




FIG. 24

whose base has an area of 40 square inches, and whose altitude must be $10 \div 40 = \frac{1}{4}$ inch; that is, a movement of 10 inches of the piston *a* will cause a movement of $\frac{1}{4}$ inch in the piston *b*. This is another illustration of the well-known principle of machines: *The force multiplied by the distance through which it acts equals the weight multiplied by the distance through which it moves*, since, if 1 pound on the piston *a* represents the force *P*, the equivalent weight *W* on *b*

may be obtained from the equation $W \times \frac{1}{4} = P \times 10$, whence $W = 40 P = 40$ pounds.

BUOYANT EFFECTS OF WATER

34. In Fig. 25 is shown a 6-inch cube entirely submerged in water. The lateral pressures are equal and in opposite directions. The upward pressure acting on the lower surface of the cube is $6 \times 6 \times 21 \times .03617$; the downward pressure acting on the top of the cube is $6 \times 6 \times 15 \times .03617$; and the difference is $6 \times 6 \times 6 \times .03617$, which equals the volume of the cube in cubic inches times the weight of 1 cubic inch of water. That is, the upward pressure exceeds the downward pressure by the weight of a volume of water equal to the volume of the body.

This excess of upward pressure over the downward pressure acts against gravity; that is, the water presses the body upwards with a greater force than it presses it downwards; consequently, if a body is immersed in a fluid, it will lose in weight an amount equal to the weight of the fluid it displaces. This is called the **principle of Archimedes**, because it was first stated by him.




FIG. 25

This principle may be experimentally demonstrated with the beam scales, as shown in Fig. 26. From one scale pan suspend a hollow cylinder of metal t , and below that a solid cylinder a of the same size as the hollow part of the upper cylinder. Put weights in the other scale pan until they exactly balance the two cylinders. If a is immersed in water, the scale pan containing the weights will descend, showing that a has lost some of its weight. Now, fill t with water, and the volume of water that can be poured into t will equal that displaced by a . The scale pan that contains the weights will gradually rise until t is filled, when the scales again balance.




FIG. 26

If a body is lighter than the liquid in which it is immersed, the upward pressure will cause it to rise and project partly out of the liquid, until the weight of the body and the weight of the liquid displaced are equal. If the immersed body is heavier than the liquid, the downward pressure plus the weight of the body will be greater than the upward pressure, and the body will fall downwards until it touches bottom or meets an obstruction. If the weights of equal volumes of the liquid and the body are equal, the body will remain stationary and will be in equilibrium in any position or depth beneath the surface of the liquid.

35. An interesting experiment in confirmation of the foregoing facts may be performed as follows: Drop an egg into a glass jar filled with fresh water. The mean density of the egg being a little greater than that of the water, it will

fall to the bottom of the jar. Now, dissolve salt in the water, stirring it so as to mix the fresh and salt water. The salt water will presently become denser than the egg and the egg will rise. Now, if fresh water is poured in until the egg and water have the same density, the egg will remain stationary in any position that it may be placed below the surface of the water.

36. The principle of Archimedes gives a very easy and accurate method of finding the volume of an irregularly shaped body. Thus, subtract its weight in water from its weight in air and divide by .03617; the quotient will be the volume in cubic inches; or divide by 62.5 and the quotient will be the volume in cubic feet.

If the specific gravity of the body is known, its cubical contents can be found by dividing its weight by its specific gravity, and then dividing again by either .03617 or 62.5.

EXAMPLE.—A certain body has a specific gravity of 4.38 and weighs 76 pounds; how many cubic inches are there in the body?

$$\text{SOLUTION.}— \frac{76}{4.38 \times .03617} = 479.72 \text{ cu. in. Ans.}$$

GRAVITATION

37. Every body in the universe exerts on every other body a certain attractive force that tends to draw the two bodies together; this attractive force is called **gravitation**. If a body is held in the hand, a downward pull is felt, and if released, the body will fall to the ground. This pull is commonly called **weight**, but it really is the attraction between the earth and the body.

38. Specific Gravity.—The ratio between the weight of a body and the weight of a like volume of water is called its **specific gravity**. The formula for the specific gravity of a liquid is therefore as follows:

$$\text{specific gravity} = \frac{\text{actual weight of a liquid}}{\text{weight of an equal volume of water}}$$

The actual weight of a liquid can be found when its volume and its specific gravity are known since the actual

weight is equal to the weight of an equal volume of water multiplied by the specific gravity of the liquid. The weight of water is usually taken as 8.355 pounds to the gallon.

EXAMPLE.—What is the weight of a liquid whose specific gravity is .79416 that fills a cistern whose capacity is 1,200 gallons?

SOLUTION.—If the cistern holds 1,200 gal. of liquid, it will hold 1,200 gal. of water.

$$1,200 \times 8.355 = 10,026 \text{ lb., weight of water;}$$

$$10,026 \times .79416 = 7,962.25 \text{ lb., weight of liquid. Ans.}$$

39. Determining Specific Gravity of Liquids.—To find the specific gravity of any particular liquid, compared with that of water, it is only necessary to weigh equal bulks and divide the weight of the liquid by the weight of the water. To weigh equal bulks of liquid, the simplest and most accurate way is to weigh them in succession in the same vessel, taking care that it is equally full on both occasions.

The vessel commonly used when small quantities are to be weighed is shown in Fig. 27. It is easily made by blowing a bulb on a glass tube. On that portion of the tube that is narrowed by being drawn out over a flame, a scratch is made with a diamond or a file. The bulb is filled up to the scratch with the liquid, and is then weighed,



FIG. 27




FIG. 28

emptied, cleaned, dried, filled with water, and again weighed. In these experiments, care should always be taken that both liquids have the same temperature. This is easily accomplished by immersing the bulb filled with liquid for some time in water, part of which is later used in the second weighing.

A form of apparatus, devised by Doctor Sprengel, for determining the specific gravity of liquids, consists of an elongated U tube, Fig. 28, the ends of which terminate in the two capillary tubes *A*, *B*, bent at right angles in opposite

directions. The shorter tube *A* is narrower at the end than the longer one. The horizontal part of the wider tube is marked near the bend with a fine line. The U tube is filled by suction, the little bulb apparatus, Fig. 29, having been previously attached to the narrow capillary tube by a piece of rubber tubing. It is then detached from the bulb, placed in water almost to the bends of the capillary tubes, left there until it has assumed the temperature of the water, and after careful adjustment of the volume of the liquid up to the mark in the wider capillary tube, it is taken out, dried, and weighed.




FIG. 29

40. Hydrometers.—Instruments called hydrometers are in general use for determining quickly and accurately the specific gravities of liquids and some forms of solids. There are two kinds; viz., hydrometers of constant weight, as Baumé's; hydrometers of constant volume, as Nicholson's.

A hydrometer of constant weight is shown in Fig. 30. It consists of a glass tube, near the bottom of which are two bulbs. The lower and smaller bulb is loaded with mercury or shot, so as to cause the instrument to remain in a vertical position when placed in the liquid. The upper bulb is filled with air, and its volume is such that the whole instrument is lighter than an equal volume of water.

The point to which the hydrometer sinks when placed in water is usually marked, the tube being graduated above and below in such a manner that the specific gravity of the liquid can be read directly. It is customary to have two instruments: one with the zero point near the top of the stem, for use in liquids heavier than water, and the other with the zero point near the bulb, for use in liquids lighter than water. These instruments are more commonly used for determining the degree of concentration or dilution of certain liquids, as



FIG. 30

acids, alcohol, milk, solutions of sugar, etc., rather than their actual specific gravities. They are known as *acidimeters*, *alcoholmeters*, *lactometers*, *saccharimeters*, etc., according to the use to which they are put. These instruments are graded in different ways according to the purpose for which they are made. They either show directly the specific gravity of the liquid, that of water being called 1, or they are graduated in *degrees Baumé*, *Twaddell*, etc.

The hydrometer used by the United States internal-revenue service for determining the percentage of proof of alcoholic liquids is so graduated that the scale indicates zero when immersed in pure water at 60° F.; 200 in absolute alcohol at 60° F.; and 100 in proof spirits at 60° F. The introduction of any substance into an alcoholic liquid either increases or diminishes the specific gravity. Consequently, the hydrometer will sink lower in the mixture if its specific gravity is less than that of the alcoholic liquid before the introduction of any substance. If the specific gravity of the mixture is increased by the introduction of any substance, the hydrometer will not sink so far as it did in the alcoholic liquid.

41. Using a Hydrometer.—In order to use a hydrometer, proceed as follows: Fill the hydrometer jar to the mark with the liquid under examination, allow the filled jar to stand for about 2 minutes, then return the liquid into the original container; fill again the hydrometer jar; let it stand for a minute or two. Now take the temperature of the liquid and note. Carefully drop the hydrometer in the liquid, let it come to rest, and read off the graduation mark. This is sometimes rather difficult, as air bubbles gather around the stem of the hydrometer and the liquid rises up the stem owing to capillary attraction. It has become the rule to read the first line below the surface and to call this the true specific gravity.

42. Capillary Attraction.—Capillary attraction is due to the molecular forces, adhesion and cohesion, which produce disturbing effects on the surface of a liquid. When a solid

body is immersed in a liquid, the liquid is elevated above or depressed below the general level.




FIG. 31

Adhesion is the molecular attraction exerted between the surfaces of bodies in contact by which they stick together.

Cohesion is the force that unites adjacent molecules of the same nature so that the body resists being pulled to pieces.

The liquid in the vessel, Fig. 31, is elevated in a concave curve by the side of the hydrometer because the adhesion of the molecules of the liquid for those of the solid (glass hydrometer) is greater than the cohesion between the molecules of the liquid. The internal-revenue service requires that the first line below the general surface be read on the hydrometer.

PNEUMATICS

PRESSURE OF GASES

43. **Pneumatics** is that branch of mechanics that treats of the properties and pressures of gases.

44. The most striking feature of all gases is their great expansibility. *If we inject a quantity of gas, however small, into a vessel, it will expand and fill that vessel.* If a bladder or a football is partly filled with air and placed under a glass jar (called a receiver), from which the air has been exhausted, the bladder or football will immediately expand, as shown in Fig. 32. The




FIG. 32

force that a gas always exerts when confined in a limited space is called *tension*. The word **tension** in this case means pressure, and is only used in this sense in reference to gases.

45. As water is the most common type of fluids, so air is the most common type of gases. It was supposed by the ancients that air had no weight, and it was not until about the year 1650 that the contrary was proved. The ratio of the weight of a volume of air at 60° F., under atmospheric pressure, to that of an equal volume of water under the same conditions, is about 1 : 816; that is, under these conditions air is only about $\frac{1}{816}$ as heavy as water. It has been shown that if a body is immersed in water and weighs less than the volume of water displaced, the body will rise and project partly out of the water. The same is true, to a certain extent, of air. If a vessel made of light material is filled with a gas lighter than air, so that the total weight of the vessel and gas is less than the air they displace, the vessel will rise. It is on this principle that balloons are made.

46. Pressure of the Atmosphere.—Since air has weight, it is evident that the enormous quantity of air that constitutes the atmosphere must exert a considerable pressure on the earth. This is easily proved by taking a long glass tube closed at one end and filling it with mercury. If the finger is placed over the open end so as to keep the mercury from running out, the tube inverted and placed in a cup of mercury, as shown in Fig. 33, the mercury will fall, then rise, and after a few oscillations



FIG. 33

will come to rest at a height of 29.92, or roughly 30 inches, at sea level, above the top of the mercury in the cup.

Now, if the atmosphere has weight, it must press on every square unit of the surface of the mercury in the cup with equal intensity, except on that part of the surface covered by the tube. According to Pascal's law, which is given in Art. 22, this pressure is transmitted equally in all directions. There being nothing in the tube, except the mercury, to counterbalance the upward pressure of the air, the mercury falls in the tube until it exerts a downward pressure on the upper surface of the mercury in the cup sufficiently great to counterbalance the upward pressure produced by the atmosphere. In order that there shall be equilibrium, the pressure of the air per unit of area on the upward surface of the mercury in the cup must be equal to the pressure exerted per unit of area by the mercury inside the tube at the level of the surface of the mercury in the cup.

Suppose that the area of the inside of the tube is 1 square inch, then, since mercury is 13.6 times as heavy as water, the weight of the mercurial column is

$$.03617 \times 13.6 \times 30 = 14.7574 \text{ pounds}$$

The actual height of the mercury is a little less than 30 inches, and the actual weight of a cubic inch of distilled water is a little less than .03617 pound. When these considerations are taken into account, the average weight of the mercurial column at the level of the sea, when the temperature is 60° F., is 14.69 pounds, or practically 14.7 pounds. Since this weight, when exerted on 1 square inch of the liquid in the glass, just produces equilibrium, it is plain that the pressure of the outside air is 14.7 pounds on every square inch of surface.

47. Vacuum.—The space between the upper end of the tube and the upper surface of the mercury is called a **vacuum**, meaning that it is an entirely empty space and does not contain any substance—solid, liquid, or gaseous. If there were a gas of some kind there, no matter how small the quantity might be, it would expand and fill the space,

and its tension would cause the column of mercury to fall and become shorter, according to the amount of gas or air present. The condition then existing in the space would be called a **partial vacuum**.

PUMPS

48. Pumps are machines for lifting or conveying fluids.

49. How Water Flows Into a Pump.—Pumps are frequently so located that the fluid must flow into the pump cylinder by atmospheric pressure on the surface of the fluid external to the suction pipe; that is, by the action of the pump, a vacuum of more or less perfection is produced in the pump chamber. If the end of the suction pipe, which is the pipe connecting the pump chamber with the water, is submerged, the excess of pressure on the surface of the water outside of the suction pipe will cause the water to rise in the suction pipe until the pressure due to the weight of the column equals the pressure of the atmosphere.

50. Theoretical Lift of a Pump.—The pressure of the atmosphere is constantly changing. For practical purposes, the pressure at sea level is taken as 30 inches of mercury, or 14.7 pounds pressure per square inch. Since a pressure of 1 pound per square inch is equal to that exerted by a column of water 2.309 feet high, the theoretical height that water can be raised by a perfect vacuum at sea level is $14.7 \times 2.309 = 33.94$ feet. Since the atmospheric pressure becomes less as the altitude increases, it follows that the greater the altitude, the less the theoretical and practical lift by atmospheric pressure will be. To find the theoretical height, in feet, to which water can be lifted at any altitude, multiply the barometric reading in inches by 1.133.

51. For water holding foreign substances in suspension, or for other liquids, the theoretical lift can be found by dividing the theoretical height to which water can be lifted at the existing atmospheric pressure, as shown by the barometer, by the specific gravity of the liquid.

52. Actual Lift of a Pump.—Since a perfect vacuum cannot be obtained on account of mechanical imperfections, air contained in the water, and the vapor of the water itself, the actual height to which it can be lifted is only about .82 of the theoretical height, which ratio is good only for pure water.

53. The Air Pump.—The **air pump** is an instrument for removing air from a given space. A section illustrating the principal parts of a pump is shown in Fig. 34 and a com-




FIG. 34

plete apparatus is shown in Fig. 35. The closed vessel *R* is called the **receiver**, and the space that it encloses is that from which it is desired to remove the air. The receiver usually is made of glass, and the edges are ground so as to be perfectly air-tight; when made in the form shown, it is called a *bell-jar receiver*. The receiver rests on a horizontal plate, in the center of which is an opening communicating with the pump cylinder *C* by means of the passage *tt*. The pump piston accurately fits the cylinder, and has a valve *V'* opening upwards. Where the passage *tt* joins the cylinder, another valve *V* is placed, which also opens upwards. When the piston is raised, the valve *V'* closes, and, since no air can get into the cylinder from above, the piston leaves a vacuum behind it. The pressure on *V* being now removed, the

tension of the air in the receiver R causes V to rise; the air in the receiver and passage tt then expands so as to occupy the additional space provided by the upward movement of the piston. The piston is now pushed down, the valve V closes, the valve V' opens, and the air in C escapes. The lower valve V is sometimes supported, as shown in Fig. 34, by a metal rod passing through the piston and fitting it somewhat tightly. When the piston is raised or lowered, this rod moves with it. A button near the upper end of the rod confines its motion




FIG. 35

within very narrow limits, the piston sliding on the rod during the greater part of the journey. In the complete form of the apparatus shown in Fig. 35, communication between receiver and pump is made by means of the tube t .




FIG. 36

54. Pipette.—A pipette, sometimes called a *thief*, is a glass tube, usually with a bulb or enlargement to it, drawn to a point at one end. This instrument is, as a rule, used to fill the hydrometer jar. It is filled by sucking the liquid up in it and covering the upper end with the finger, as shown in Fig. 36. Then, by a slight release of the pressure of the finger the liquid is allowed to flow slowly out.

THE SIPHON

55. Theory of the Siphon.—The action of the **siphon** illustrates the effect of atmospheric pressure. The siphon is simply a bent tube having unequal legs, open at both ends, and is used to convey a liquid from a higher point to a lower one over an intermediate point that is higher than either. In Fig. 37, *a* and *b* are two vessels, *b* being lower than *a*, and *acb* is the bent tube, or siphon. Suppose this tube to be





FIG. 37

filled with water and placed in the vessels as shown, with the short leg *ac* in the vessel *a*. The water will flow from the vessel *a* into the vessel *b* as long as the level of the water in *b* is below the level of the water in *a* and the level of the water in *a* is above the lower end of the tube *ac*. The atmospheric pressure on the surfaces of *a* and *b* tends to force the water up the tubes *ac* and *bc*. When the siphon is filled with water, each of these pressures is counteracted in part by the pressure of the water in that leg of the siphon that is immersed in the water on which the pressure is exerted. The atmospheric pressure opposed to the weight of the longer column of water will, therefore, be resisted more strongly than that opposed to the weight of the shorter column; consequently, the pressure exerted on the shorter column will be greater than that on the longer column, and this excess of pressure will produce motion.

56. Classification of Pumps.—Pumps may be divided into three general divisions, according to the service they perform; viz., *suction pumps*, *lifting pumps*, and *force pumps*. They may also be divided into two general classes—*single-acting* and *double-acting pumps*—according as they take water

on one side or on both sides of the water piston. According to the arrangement of the pump cylinders, they are classified as *simple*, *duplex*, or *triplex pumps*. As pumps displace the liquids in various ways, they may also be divided according to the method of displacement, into *reciprocating*, *centrifugal*, and *rotary pumps*. Reciprocating pumps only will be considered here.

57. The Suction Pump.—A section of an ordinary suction pump is shown in diagrammatic form in Fig. 38. Suppose that in (a) the piston, or **bucket** as it is commonly termed, is at the bottom of the cylinder and just on the point of moving upwards in the direction of the arrow. As the piston rises, it leaves a partial vacuum behind it, and the atmospheric pressure on the surface of the water in the well causes it to rise in the pipe *P*. The water rushes up the pipe and lifts the suction valve *V*, filling the space in the cylinder *B* caused by the displacement of the piston. When the end of the piston stroke has been reached, the water entirely fills the space between the bottom of the piston and the bottom of the cylinder, also the pipe *P*. The instant the piston begins its down stroke, the water in the chamber *B* begins to flow back into the well, and its downward flow forces the valve *V* to its seat, thus preventing any further escape of the water. As the piston descends, the water must give way to it, and since the suction valve *V* is closed, the bucket valves *u, u*



must open, and thus allow the water to pass through the piston, as shown in (*b*). When the piston has reached the end of its downward stroke and commenced its upward movement again, the water flowing through the piston quickly closes the valves *u, u*. All the water resting on the top of the piston is then lifted by the piston on its upward stroke and discharged through the spout *A*; the valve *V* again opens and the water fills the space below the piston, as before.

58. It is evident that the distance between the piston when at the top of its stroke and the surface of the water in the well must not exceed 34 feet, the highest column of water that the pressure of the atmosphere will sustain, since, otherwise, the water in the pipe will not rise and fill the cylinder as the piston ascends. In practice, this distance shall not exceed 28 feet, because there is a little air left between the bottom of the piston and the bottom of the cylinder, a little air leaks through the valves, which are not perfectly air-tight, and a pressure is needed to raise the valve against its own weight, which, of course, acts downwards.

There are many varieties of the suction pump, differing principally in the construction of the valves and piston, but the principle is the same in all.

59. The Lifting Pump.—In some cases, it is desired to raise water higher than it can be forced by the pressure of the atmosphere into the chamber of a simple suction pump, such as is shown in Fig. 38. To accomplish this, the pump chamber with its bucket and valves *u, u* are set at a distance above the supply not exceeding that to which the air will successfully force the water. A closed pipe *P'*, Fig. 39, called the *delivery*, or *discharge*, *pipe*, is then led from the upper part of the chamber to the point where it is desired to deliver the water. Such a pump is often called a **lifting pump**.

In order to prevent the leakage of water around the piston rod, a stuffingbox *S* is provided. The lower end of the discharge pipe *P'* is sometimes fitted with a valve *c* to prevent the water flowing back into the pump chamber; this valve is

not essential to the operation of the pump, however, since the valve V prevents the water in the chamber and discharge pipe from flowing back during the downward motion of the piston.

While it is customary to consider lifting pumps and suction pumps as two types of pumps, there is in reality no difference in their operation, as a careful study of Figs. 38 and 39 will show. The only difference is that the water is discharged by a suction pump at the level of the pump, while a lifting pump discharges the water above the level of the pump.

60. Force Pumps.—The force pump differs from the lifting pump in one important particular, that is, in the fact that its piston is solid. A section of a force pump is shown in




FIG. 39

Fig. 40. As the piston ascends, as shown in (a), the pressure of the atmosphere forces the water up the suction pipe P ; the water opens the suction valve V and flows into the pump cylinder. When the piston moves down, as shown in (b), the suction valve is closed and the delivery valve V' opened. The water in the pump cylinder is now forced up the delivery pipe P' . When the




FIG. 40

cylinder is now forced up the delivery pipe P' . When the

piston again begins to move upwards, the delivery valve is closed by the water above it and the suction valve opened by the pressure of the atmosphere on the water below it.

61. Plunger Pumps.—When force pumps are used to convey water to great heights or to force water against heavy pressures, the great pressure of the water makes it extremely difficult to keep the water from leaking past the




FIG. 41

piston, and the constant repairing and renewal of the piston packing becomes a nuisance and involves serious expense. To obviate this drawback, plunger pumps have been designed, one of which is shown diagrammatically in Fig. 41. The action does not differ in any way from that of the piston force pump. During the up stroke of the plunger, the suction valve is open and the delivery valve is closed; dur-

ing the down stroke, the suction valve is closed and the delivery valve is open.

62. The force pumps shown so far are **single-acting**, that is, the water is forced into the delivery pipe only during the down stroke or forward stroke of the piston or plunger. Force pumps, either of the piston or plunger pattern, may be constructed so as to force water into the delivery pipe both during the forward and return stroke. They are then called **double-acting**.

63. A double-acting force pump of the piston pattern is shown in Fig. 42. Such a pump has two sets of suction valves and delivery valves, one set for each side of the piston. With the piston moving in the direction of the arrow, the pressure of the atmosphere forces the water up the suction pipe P into the left-hand end of the pump cylinder, the left-hand suction valve opens and the left-hand delivery valve is closed. The piston in moving to the right, displaces the water in the right-




FIG. 42

hand end of the pump cylinder; as a consequence, the right-hand suction valve is closed and the right-hand delivery valve opens. The water now flows up the delivery pipe P' .

Imagine that the piston is at the end of its stroke and commences to move to the left. Its first movement promptly closes the left-hand suction valve and opens the left-hand delivery valve. It also closes the right-hand delivery valve and opens the right-hand suction valve. It is thus




FIG. 43

seen that with the arrangement given, which shows the principle of operation of all double-acting pumps, the piston will

discharge water both during the forward and the return stroke. While the pump shown is a horizontal pump, it may be vertical as well.

64. In Fig. 43 is shown a hand force pump used by oil and liquor dealers. This pump is adapted to all the uses of a lift or force pump. The barrel attachment *A* is tapering and can be used in different-sized casks. With connecting pipe or hose, the fluids can be emptied from the cask and transferred from the cellar to any part of a building.

HEAT

NATURE OF HEAT

65. Although scientists differ as to the exact nature of heat, it is assumed that heat is a form of energy and also a kind of motion. It is not the purpose to enter into the various theories regarding heat, but as much of the generally accepted theory will be given as will be necessary to make clear the principles that are to follow.

The minute molecules of which all bodies are composed play a very important part in the theory of heat. Each molecule attracts the molecules surrounding it in a manner similar to the attraction between the earth and bodies near its surface, only with a much greater force in proportion to their sizes. Without going into any theory regarding the precise nature of heat, it will be taken for granted that each molecule has a rapid vibratory motion to and fro, and that all molecules are kept from one another by the attractive force between them; this attractive force is known as *cohesion*; without it, everything throughout the universe would instantly crumble into the finest dust.

The exact shape of molecules has not been determined, but it is generally supposed that they are spherical and that they are a considerable distance apart, compared with their size. Applying heat to a body, increases the vibrations of the molecules in proportion to the amount of heat applied. In consequence of this increase, the distance through which a

molecule moves is increased, and the force of cohesion is proportionally lessened. If enough heat is added to a solid, the force of cohesion is so far overcome that the body becomes liquid, i. e., it melts; and if still more intense heat is applied, the once solid body becomes a vapor. So long as it is kept at this temperature, the force of cohesion has no effect, because the number of vibrations has been so far increased that the distance between any two molecules has become too great for the force of cohesion to act. If the vapor is cooled, the number of vibrations and also the distance between any two molecules will decrease, the force of cohesion will begin to act, and the body will become a liquid. If cooled further and a sufficient quantity of heat is removed (in other words, if the number of vibrations is so far decreased that the molecules are comparatively near together), the body will become a solid and will remain in this state until the temperature is again increased to the melting point.

If a body is heated and brought near the hand, the sensation of warmth is felt; if heat is removed from this same body and it is again brought near the hand, the sensation of cold is felt. The heat that thus manifests itself is called *sensible heat*, because any change from any state to a hotter or colder one is indicated at once by the sense of feeling. The more sensible heat a body possesses, the hotter it is; the more sensible heat taken away from it, the colder it is.

TEMPERATURE

66. The most common heat measure that we have is that gained by means of the sensation of warmth it produces. According to the character of this sensation, a body is said to be cold, warm, or hot. These terms all refer to the power that one body has of communicating heat to other bodies. The measure of this power is termed *temperature*, which may be more exactly embodied in the following definition: *The temperature of a body is a measure of the intensity of its heat, and is further defined as the thermal state of a body considered with reference to its power of communicating heat to other bodies.*

67. The Thermometer.—The thermometer is an instrument for measuring temperature. For scientific purposes, sensation is not a sufficiently accurate method of measuring temperature; accordingly, temperature is usually measured by the effect produced by heat on certain bodies. Among the effects produced, one of the most convenient to measure is the expansion that most bodies experience with a rise of temperature. This expansion is distinctly perceptible in solids; it occurs to a greater extent in liquids, and most of all with gases. For the general purposes of temperature measurement, mercury and alcohol are the most convenient substances, the former because it boils only at a very high temperature, and the latter because it freezes only at the most intense cold produced by ordinary means. Mercury boils at a temperature of 662° F., and solidifies at a temperature of -40° F. Alcohol boils at a temperature of 172° F. and freezes at a temperature of -203° F. One of these liquids, enclosed in a suitable vessel, constitutes the temperature-measuring instrument termed a **thermometer**—the mercurial thermometer being used to measure temperatures between -97° F. and 212° F., and the alcohol thermometer to measure temperatures below -97° F.

In constructing a thermometer, a bulb is blown at one end of a glass tube having a very narrow bore; the bulb and a portion of this tube are next filled with carefully purified mercury, which is boiled so that all air and moisture is driven out of the tube; the open end is then hermetically sealed by fusing the glass itself. The bulb and a portion of the tube are thus filled with mercury while the remainder of the tube is a vacuum, save for the presence of a minute quantity of mercury vapor. On heating the bulb of this instrument, the mercury expands and rises in the stem. Heat has a tendency to so distribute itself throughout any body or series of bodies as to make them of the same temperature; consequently, if the thermometer is placed in contact with the body whose temperature it is desired to measure, a redistribution of heat occurs until the two are at the same temperature. That is to say, if the body is the colder it receives

heat from the thermometer, and if it is hotter it yields heat to the thermometer, until the temperatures of the two are the same. The two being in efficient contact, this stage is indicated by the mercury becoming stationary in the thermometer tube. Now, the mercury is constant for any one temperature; therefore, to register temperature, it is only necessary to have, further, a scale or series of graduations attached to the stem of the instrument, by which the temperature may always be read.

68. Thermometer Scales.—In Fig. 44 is shown a mercurial thermometer with two sets of graduations on it. The one on the left *F* is the *Fahrenheit thermometer*, so named after its inventor, and is the one commonly used in this country and in England; the one on the right *C* is the *centigrade thermometer*, and is used by scientists throughout the world on account of the graduations being better adapted for calculations.

In graduating thermometers, the two fixed points of temperature almost universally employed are the temperatures of melting ice, and of the steam from boiling water at atmospheric pressure. Certain simple precautions being taken, these temperatures are always constant. It is, in addition, necessary to graduate the thermometers so as to register temperatures intermediate between these two points, and also below and above them. The most convenient system of graduation is that of Celsius, known as the centigrade scale. In this scale, the distance between the melting point of ice (or the freezing point of water, as it is commonly called) and the temperature of steam at atmospheric pressure (this latter temperature is more commonly described as being that of the boiling point of water) is divided into 100 equal graduations, or *degrees*. The freezing point is called zero, or 0° , and the boiling point 100° . Degrees of




FIG. 44

the same value are carried above and below the boiling and freezing points, respectively; the temperature below 0° is considered negative, and is counted downwards from zero; thus, 10° below freezing point is -10° , and so on. Degrees above the boiling point are simply counted upwards from zero; thus, 10° above the boiling point is 110° , and so on.

In graduating Fahrenheit thermometers, the distance between the freezing and boiling points is divided into 180 equal parts, and degrees of the same size are carried above and below the boiling and freezing points. Fahrenheit assumed that the greatest cold attainable was 32° below the freezing point, and accordingly took that point as his zero and reckoned from it upwards. The freezing point thus became 32° F., and the boiling point $32 + 180 = 212^{\circ}$. Degrees below the Fahrenheit zero are reckoned downwards from zero and are considered as negative.

In Germany and Russia, temperature is reckoned on the *Réaumur scale*, in which the freezing point is 0° and the boiling point is 80° .

69. Changing Values From One Thermometer Scale to Another.—It is frequently necessary to be able to compare the readings on Fahrenheit and centigrade scales, and to translate temperatures from one to the other. For example, what would 80° C. be on the Fahrenheit scale?

Since the number of degrees between the freezing point and the boiling point on the centigrade scale is 100, and on the Fahrenheit 180, it is evident that, if F equals number of degrees Fahrenheit and C equals number of degrees centigrade,

$$F : C = 180 : 100, \text{ or } F = \frac{180}{100} C = \frac{9}{5} C;$$

$$\text{also,} \quad C = \frac{100}{180} F = \frac{5}{9} F.$$

Therefore, to change centigrade temperatures into their corresponding Fahrenheit values:

Rule I.—*Multiply the temperature, centigrade, by $\frac{9}{5}$ and add 32° ; the result will be the temperature, Fahrenheit.*

To change Fahrenheit temperatures into their corresponding centigrade values:

Rule II.—*Subtract 32° from the temperature, Fahrenheit, multiply by $\frac{5}{9}$, and the result will be the temperature, centigrade.*

Expressing these two rules by means of formulas, let

t_c = temperature, centigrade;

t_f = temperature, Fahrenheit.

$$t_f = \frac{9}{5} \times t_c + 32^{\circ} \quad (1)$$

$$t_c = \frac{5}{9} \times (t_f - 32^{\circ}) \quad (2)$$

EXAMPLE 1.—Change into Fahrenheit temperatures: (a) 100° C.; (b) 4° C.; (c) -40° C.

SOLUTION.—(a) $t_f = \frac{9}{5} \times t_c + 32 = \frac{9}{5} \times 100 + 32 = 212^{\circ}$ F. Ans.

(b) $t_f = \frac{9}{5} \times 4 + 32 = 39.2^{\circ}$ F. Ans.

(c) $t_f = \frac{9}{5} \times -40 + 32 = -40^{\circ}$ F. Ans.

EXAMPLE 2.—Change into their corresponding centigrade temperatures: (a) 60° F.; (b) 32° F.; (c) -20° F.

SOLUTION.—(a) $t_c = (t_f - 32) \times \frac{5}{9} = (60 - 32) \times \frac{5}{9} = 15\frac{5}{9}^{\circ}$ C. Ans.

(b) $t_c = (32 - 32) \times \frac{5}{9} = 0^{\circ}$ C. Ans.

(c) $t_c = (-20 - 32) \times \frac{5}{9} = -28\frac{8}{9}^{\circ}$ C. Ans.

70. Expansion of Bodies by Heat.—The volume of any body—solid, liquid, or gaseous—is always changed if the temperature is changed; nearly all bodies expand when heated and contract when cooled. Although the expansion of solids and liquids is very nearly uniform throughout all the ranges of temperature, water is a marked exception to the general rule. If water is cooled from its boiling point, it continually contracts until it reaches 39.2° F., when it begins to expand, until it freezes at 32° F. On the other hand, if water at 32° F. is heated, it contracts until it reaches 39.2° F., when it commences to expand. Therefore, the density of water is greatest where this change occurs.

In taking the specific gravity of liquids, the temperature of such liquids has to be taken into consideration; in the internal-revenue service, the standard of comparison is water at a temperature of 39.2° F. (4° C.). In determining specific gravities of liquids, however, they are usually kept at a temperature of 60° F. (15.5° C.). As it is impossible in

practical work, such as gauging, etc., to obtain always the exact temperature of 60° F., special tables are computed, which show the necessary corrections that have to be made if the temperature is below or above the standard.

There is, of course, a limit of temperature beyond which the specific gravity of liquids cannot be taken correctly. Alcohol, for instance, boils at about 78° C. (172° F.), while water boils at 100° C. (212° F.), and if a mixture of alcohol and water at a temperature near the boiling point of alcohol were taken, erroneous results would be obtained owing to the unequal expansion of the liquids, due to the different temperatures of their boiling point and the evaporation that takes place.

71. Evaporation.—Evaporation may be defined as the transformation of liquid molecules into gaseous ones, and is due to the absorption of heat that raises the temperature of the liquid molecules to that point of latent heat at which they become gasified. There are two kinds of evaporation: namely, *surface evaporation* and *boiling*. The former is entirely due to the influence of the conditions of the atmosphere. A liquid exposed to the atmosphere in an open vessel slowly absorbs at its surface the heat of the atmosphere, which absorption gradually raises the latent heat of the molecules to that temperature at which they change into the state of vapor. It may therefore be stated that surface evaporation depends on decreasing the attraction of the surface molecules caused by the atmosphere surrounding it. The warmer the atmosphere surrounding the molecule, the quicker is the evaporation. It has been further found that surface evaporation depends, to a considerable degree, on the density of the liquid. The less dense a liquid, the quicker does it evaporate; compounds like ether, alcohol, and others having a comparatively low density, evaporate much quicker under the influence of atmospheric conditions than does water, or other liquids of equal or greater densities. The air usually holds in suspension a certain amount of water vapor and owing to this fact has a tendency to absorb moisture from the surface of the

water. The less water vapor held in suspension by the air, or in other words the drier the air, the faster the evaporation. The action of the wind also accelerates evaporation because, as the volume of the air surrounding the liquid becomes saturated, it moves to give place to the drier air. Hot air will absorb more moisture than cold air, and the cause of **dew** is the depositing of the water held in suspension in the atmosphere by the lowering of the temperature during the night.

Experiments have shown that evaporation: (1) increases with a rise in temperature; (2) increases as the elevation above sea level increases; (3) decreases as the elevation decreases.

72. Evaporation by boiling is produced through artificial heat and consequently takes place more uniformly throughout the whole body of the liquid.

The *boiling point* of a liquid depends on three conditions; namely, purity, nature of the vessel, and pressure on the surface.

The mixture of a solid substance with a liquid usually elevates the temperature of the boiling point; for example, when salt is dissolved in water, the mixture boils at a higher temperature than does pure water.

The material of which the containing vessel is made affects the temperature of the boiling point of the liquid; for example, water will boil at a lower temperature in an iron vessel than it will in glass.

The temperature of the boiling point of a liquid varies according to the pressure on its surface. As the elevation increases, the pressure decreases and the temperature of the boiling point is lowered; as the elevation decreases, the pressure increases and the temperature of the boiling point becomes higher. For example, water boils at an elevation of 1,000 feet above the sea level at a temperature of 210° F. and at 212.4° F. at 200 feet below the sea level.

73. Distillation.—**Distillation** is the process of separating, by heat, the more volatile parts of a substance from

the less volatile parts, and subsequently condensing, by cooling, the vapor thus formed. The purposes of distillation vary to a great extent; it may be employed to separate liquids of different boiling points, as in the instance of alcohol and water, fermented liquors, etc. The apparatus employed varies greatly according to its usage, while the principles on which all forms of apparatus depend are, of course, the same.

One form of apparatus, called a **still**, is shown in Fig. 45. It consists essentially of four parts: the body *a*, a copper




FIG. 45

vessel containing the liquid, the lower part of which fits in the furnace *f*; the head *b*, which fits on the body and from which a lateral tube *c* leads to the worm *g*, a long spiral tin or copper tube placed in a cistern, or tank *d*, kept constantly full of cold water. The worm connects the boiler vessel *a* with the receiving vessel *e*; in the worm, the vapor condenses again to the liquid form and the distilled liquid passes over into the receiving vessel.

SPIRITUOUS LIQUORS

ALCOHOL

74. **Alcohol**, as the term is generally understood, signifies vinous spirits of various strengths and is commonly generated in vegetable juices and infusions by a fermentation. Thus the fermented juice of the grape is called wine; of the apple, cider; and the fermented infusion of malt, beer. The nature of the liquids admitting of vinous fermentation, no matter how they differ in other respects, are all similar, in the respect that they contain sugar in some form or other.

Experience has demonstrated that the sugar contained in these liquids disappears wholly or in part after vinous fermentations and until recently it was believed that the only new products resulting during the progress of fermentation were alcohol and carbonic acid, the latter of which passed off.

Sugar, alone, will not undergo vinous fermentation, but must be dissolved in water subjected to the influence of a ferment and the mixture kept at a constant temperature. The water gives fluidity to the mixture and the ferment and heat begin and maintain the chemical change.

75. The alcohol is obtained from vinous liquors by successive distillations, each distillation giving a purer product. These products form the different *ardent spirits* of commerce.

The spirits obtained from the distillation of wine is called *brandy*; from fermented molasses, *rum*; from cider, corn, or rye, *whisky*; from malted barley, rye, potatoes, and rectified from turpentine, *common gin*; and from fermented rice, *arrack*.

76. The **rectification of alcohol** necessitates three series of distillations. The first comprises the distillation of the alcohol at a temperature of 154° F. This first distillation

gets rid of the ethers and the more volatile alcohols and a part of the other impurities, called *aldehydes*. The second distillation, which is conducted at a temperature of from 154° F. to 212° F., gives a good quality of alcohol, which, however, still contains some of the impurities (aldehydes). The third distillation is conducted at a temperature of from 212° F. to 216° F. The alcohol obtained from this distillation is much better than that from the second and is comparatively free from all impurities.

77. Absolute alcohol is alcohol without any water whatever, and as it absorbs water with great energy from the atmosphere it can scarcely be obtained in commerce. What is sold as absolute alcohol rarely contains more than 98 per cent. pure alcohol. The specific gravity of absolute alcohol at 60° F. is .7939.

78. Spirits of wine is the stronger alcohol that is commonly found in commerce. It contains about 90 per cent. of alcohol and 10 per cent. of water. This name (spirits of wine) was given owing to its being first obtained from the distillation of wine.

WHISKY

79. Whisky, in the strict sense of the word, is the distilled spirits from different grains, such as Indian corn, wheat, rye, and barley. The whisky of this country is commonly made of corn and rye. The term whisky, however, is sometimes extended to other forms of ardent spirits, such as the result of the distillation of cider, which is frequently, although incorrectly, called *apple whisky*.

80. Manufacture of Whisky.—In the manufacture of whisky, the rye or other grain is steeped in water and heated until fermentation takes place, by which the saccharine matter and, indirectly, the starch are converted into alcohol. In this state the resulting mixture is called the **mash**.

The mash is heated in a still and the alcohol contained in the mash becomes vaporized and is carried over to the worm

and there condensed. The condensed liquid contains, besides alcohol, other substances considered impurities, and is commonly called the *low wine*. This condensed liquid is then subjected to a second distillation, the product of which is purer and stronger and now takes the name of *raw corn spirit*, *whisky*, or *high wine*. Sometimes, a third distillation is made to get a still purer product. When this product is permitted to stand for a period of time, chemical changes take place by which the natural impurities still remaining in the liquor are destroyed and the whisky now becomes mellow and loses its disagreeable odor. Whisky, when newly prepared, is nearly colorless, but when kept in casks it gradually acquires a brownish color, which deepens with age.

WINES

81. Most **wines** are made from the juice of the grape. The juice is pressed from the ripe grape by various devices and then runs into vats. This juice is called the **must**. The temperature of the air in the building in which the vats are located should be kept at about 60° F.

Fermentation will now gradually take place in the must and will later become fully established. In the meantime, the must becomes warmer and emits a large quantity of carbonic acid, which causes the more solid parts to be forced to the surface in a mass of froth having a hemispherical shape called the *head*. The liquor, from being sweet, becomes vinous, owing to the conversion of the grape sugar into alcohol. After a while, the fermentation slackens, when it becomes necessary to accelerate it by thoroughly mixing the contents of the vat. After the liquor has acquired a strong vinous taste and becomes perfectly clear, the wine is considered formed and is racked off into casks. Fermentation continues for several months after racking off; during all this period a frothy matter is formed, which for the first few days collects around the bung but afterwards precipitates along with coloring matter and tartar, forming a deposit which constitutes the *wine lees*.

82. Wines are said to be *wet* when they contain sugar and have less of the vinous taste, and they are said to be *dry* when they have a decidedly vinous taste and are free from sugar.

LAGER BEER

83. *Lager beer* is made by a slow process of fermentation from strong steeping of malt, barley and hops and grape sugar or glucose. Beer is usually fermented in winter, as it requires a temperature not higher than 50° F.; and in summer the rooms are cooled by means of ice or ice machines. This kind of fermentation is called *sedimentary* or *under fermentation*, in contradistinction to ordinary or surface fermentation, as in wines. The scum, or yeast, collects at the bottom instead of at the surface, giving the air free access and converting the sugar more completely into alcohol.

84. *Method of Manufacture.*—The barley is placed in wooden vats, or tanks, covered with water, and allowed to remain for 2 or 3 days in soak, the water being changed every 24 hours. These vats are then drained and the soaked barley thrown out in heaps on stone floors, where it heats spontaneously and soon begins to germinate, throwing out rootlets and shoots and sweating. After this, the barley is spread out and the germination allowed to proceed for from 6 to 10 days, until the rootlets become brownish; it is then tossed about to cool and check the fermentation. Next, it is put into large brick drying ovens or kilns heated to a temperature of about 125° F., and after it is thoroughly dry, it is called *malt*.

The malt is first crushed by being passed between a series of large rollers and from there is conveyed to the mash tubs where it is stirred with water at 120° to 140° F. and boiling is then gradually incited until all is heated to 170° F. The mixture is now called *wort* and is allowed to stand until the suspended matters have settled, when it is drawn off, and a second wort is obtained by treating the residue with hot water. The first wort is boiled with the hops, the

second wort is then let in and the whole is boiled for about 4 hours. The wort is then run into a cooler, where it is quickly chilled to between 44° and 50° F. by running over small pipes through which cold water is continually flowing. After it reaches this temperature, it is run into the fermenting tuns or large casks, where it is mixed with 1 gallon of yeast to every 20 or 25 barrels. Fermentation will continue for about 20 days, a heavy froth first appearing and then subsiding, leaving the surface clear. At the end of this period, it is racked off into hogsheads, the yeast remaining at the bottom of the tuns. These hogsheads are allowed to stand with the bungs open until a few days before the beer is put into barrels for use, when the bungs are driven in to accumulate carbonic acid for *life*.

RECTIFIED AND PROOF SPIRITS

85. Rectified spirits are the ardent spirits rendered purer and stronger by redistillation. Cologne spirits is the highest grade of alcohol, being so purified as to be free of color or odor.

86. Proof Spirits.—The Revised Statutes of the Treasury Department define *proof spirits* as follows: “**Proof spirits** shall be held to be that alcoholic liquid which contains one-half of the volume of alcohol of a specific gravity of .7939 at 60° Fahrenheit.” For example, a mixture of 50 per cent. water and 50 per cent. alcohol is 100-per-cent. proof spirits. A mixture of 75 per cent. water and 25 per cent. alcohol is 50-per-cent. proof spirits. A mixture of 25 per cent. water and 75 per cent. alcohol is 150-per-cent. proof spirits. A mixture of 0 per cent. water and 100 per cent. alcohol is 200-per-cent. proof spirits. A mixture of 100 per cent. water and 0 per cent. alcohol is 0-per-cent. proof spirits. From the foregoing, the following rule is derived:

Rule.—*To obtain the percentage of proof of any alcoholic liquid, multiply the percentage of alcohol by 2 and the result will be the percentage of proof.*

87. A **proof gallon** contains 231 cubic inches of a mixture of equal parts of alcohol and water; as the water, however, is not considered in this case, a proof gallon of 231 cubic inches of an equal mixture of alcohol and water would be called $\frac{1}{2}$ gallon of alcohol. To make this point more clear, assume that a barrel of liquid having a capacity of 15 gallons, contains actually 5 gallons of alcohol and 10 gallons of water; it would be said the barrel contains 10 proof gallons of alcohol (composed of 50 per cent. of alcohol and 50 per cent. of water). In other words, *the number of proof gallons is always twice the number of wine gallons of alcohol the barrel or cask contains.*

To ascertain the proof gallons in a container, the following rule should be used:

Rule.—*Find, by measurement, the number of wine gallons that a container holds; also find, by means of a hydrometer, the percentage of proof of the liquor. Multiply the wine gallons found by the per cent. of the proof and the product will be the actual amount of proof gallons present.*

Let a = amount of wine gallons;
 b = percentage of proof in the liquor.

Then, $\frac{a b}{100}$ = true amount of proof gallons

EXAMPLE.—A cask contains 59 wine gallons of liquor and by means of a hydrometer it is found that the per cent. of proof is 42; what is the amount of proof gallons in the liquor?

SOLUTION.—Substituting the proper values,

$$\frac{59 \times 42}{100} = 24.78 \text{ proof gal. Ans.}$$

88. Arts. 86 and 87 should be carefully studied so that the difference between percentage of proof and proof gallons will be clearly understood. In the example in Art. 87, the percentage of proof is 42; and according to the rule in Art. 86, the percentage of alcohol contained in the mixture will be $42 \div 2 = 21$. The actual number of wine gallons of alcohol will then be $59 \times .21 = 12.39$. The number of proof gallons, according to Art. 87, will be $12.39 \times 2 = 24.78$, the same as the answer given.

89. The internal-revenue law requires that a tax of \$1.10 per gallon be paid on each proof gallon produced when the spirits are at or above 100-per-cent. proof, and on each wine gallon when the spirits are below proof.

EXAMPLE.—What is the total tax on two casks of spirits, one containing 160 gallons of 90-per-cent. proof spirits and the other containing 70 gallons of 125-per-cent. spirits, the rate of tax being \$1.10 per gallon?

SOLUTION.—Since the contents of the first cask is below 100-per-cent. proof, the tax is on the entire contents and is equal to $160 \times \$1.10 = \176 , and as the contents of the second cask is above 100-per-cent. proof, the tax is on the number of proof gallons, which from the formula of Art. 87 is equal to

$$\frac{70 \times 125}{100} = 87.5$$

The tax on the second cask will then be

$$87.5 \times \$1.10 = \$96.25$$

The total tax on the two casks will be

$$\$176 + \$96.25 = \$272.25. \text{ Ans.}$$

90. In computing tax, fractions of a gallon less than .1 are not considered. For example, either 34.49 gallons or 34.41 gallons would be considered as 34.4 gallons.

PRACTICAL EXAMPLES

EXAMPLE 1.—(a) How many proof gallons of alcoholic liquid, 108-per-cent. proof, is contained in a tub that measures 4 feet 4 inches at the top, 7 feet 6 inches at the bottom, and is 8 feet 2 inches high?
(b) How many wine gallons of alcohol does the liquid contain?

SOLUTION.—(a)

$$\begin{array}{rcl} \text{Diameter, 4 ft. 4 in.} & = & 52 \text{ in.} \\ \text{Bottom diameter, 7 ft. 6 in.} & = & 90 \text{ in.} \\ & & 2 \overline{)142} \\ \text{Midway diameter,} & & 71 \text{ in.} \\ \text{Height, 8 ft. 2 in.} & = & 98 \text{ in.} \end{array}$$

According to Art. 13,

$$\begin{array}{rcl} 52 \times 52 & = & 2704 \\ 90 \times 90 & = & 8100 \\ 71 \times 71 \times 4 & = & 20164 \\ & & \overline{30968} \div 6 = 5,161.33 \\ 5,161.33 \times 98 \div 294 & = & 1,720 + \text{gal.} \end{array}$$

According to Art. 87,

$$1,720 \times 1.08 = 1,858 - \text{proof gal.} \quad \text{Ans.}$$

(b) According to Art. 86,

$$\begin{array}{r} 2)108 \\ \hline \end{array}$$

.54, percentage of alcohol;

$$1,720 \times .54 = 929 - \text{gal. of alcohol}$$

$$\text{or,} \quad 1,858 \div 2 = 929 \text{ gal. of alcohol.} \quad \text{Ans.}$$

EXAMPLE 2.—What will be the tax on the contents of a cylindrical metal tank made of $\frac{1}{2}$ -inch material, containing a 176-per-cent. proof liquid, the outside circumference of the tank being 25 feet 2 inches and the height 11 feet 7 inches?

SOLUTION.—25 ft. 2 in. = 302 in.; $302 \div 3.1416 = 96.13$ diameter of cylinder.* $96.13 - 1 = 95.13$ in., inside diameter; 11 ft. 7 in. = 139 in., outside height; $139 - 1 = 138$ in., inside height.

$$95.13 \times 95.13 \times .7854 = 7,108 \text{ in.}, \text{ area of base.}^*$$

$$7,258 \times 138 = 980,904 \text{ cu. in.}$$

According to Art. 87,

$$980,904 \div 231 = 4,246 \text{ gal.}; 4,246 \times 1.76 = 7,472.9 \text{ proof gal.}$$

According to Art. 89,

$$7,472.9 \times 1.10 = \$8,220.19. \quad \text{Ans.}$$

EXAMPLE 3.—A cask of spirits weighs 464 pounds, its tare is 39 pounds; the specific gravity of the spirit is .94256, which indicates 42 per cent. alcohol. (a) What would be the height of a 4-foot square cistern to contain the contents of five casks of same size? (b) How many proof gallons would be contained in the cistern?

SOLUTION.—(a) $464 - 39 = 425$ lb., weight of spirits. According to Art. 38, $425 \div .94256 = 450.90$ lb., equivalent weight of water of same volume. $450.90 \div 8.355 = 53.97$ gal., the volume of one cask; $53.97 \times 5 = 269.85$ gal., the volume in five casks. According to Art. 87, $269.85 \times 231 = 62,335 +$ cu. in. 4 ft. 0 in. = 48 in., $48 \times 48 = 2,304$ sq. in.

$$62,335 \div 2,304 = 27 \text{ in.}, \text{ height of cistern.} \quad \text{Ans.}$$

(b) According to Art. 86, $42 \times 2 = 84$ -per-cent. proof; from Art. 87,

$$269.85 \times .84 = 227 - \text{proof gal.} \quad \text{Ans.}$$

*The methods obtaining the diameter of a circle and the area of a circle, when given the circumference, are explained in *Arithmetic*, Section 6.

POSTAL INFORMATION

INTRODUCTION

1. The beginning of a postal service in the United States dates from 1639, when a house in Boston was employed for the receipt and delivery of letters for or from beyond the seas. In 1672, the government of New York colony established "a post to go monthly from New York to Boston"; in 1702, it was changed to a fortnightly one. A general post office was established and erected in Virginia in 1692, and in Philadelphia in 1693. In 1789, when the post office was transferred to the new federal government, the number of offices in the thirteen colonies was only about seventy-five.

The following are the leading events in the history of the American postal service: The negotiation of a postal treaty with England (1846); the introduction of postage stamps (1847); of stamped envelopes (1852); of the system of registering letters (1855); the establishment of the free-delivery system and of the traveling post-office system (1863); the introduction of the money-order system (1864); of postal cards (1873); and, between the last two dates, of stamped newspaper wrappers, and of envelopes bearing requests for the return of the enclosed letter to the writer in case of non-delivery; the formation of the Universal Postal Union (1873); the issue of "postal notes" payable to bearer (1883); the establishment of a special-delivery system (1885), in which letters bearing an extra 10-cent stamp are delivered by special messengers immediately on arrival and the establishment of the rural-free delivery system (1897) by which mail

Copyrighted by International Textbook Company. All rights reserved

is delivered to residents living outside the limits of the regular free-delivery system.

The number of post offices in the United States is larger than in any other country; but as regards the number of persons employed, the United States takes third rank.

DOMESTIC MAIL

CLASSES OF MAIL MATTER AND RATES OF POSTAGE

2. Domestic mail includes all matter deposited for local delivery, or for transmission from one place to another within the United States, or to or from or between the possessions of the United States; mail sent from the United States to Canada, Mexico, Cuba, and the United States postal agency at Shanghai, China.

Porto Rico and Hawaii are included in the term "United States." The Philippine Archipelago, Guam, Tutuila (including all adjacent islands of the Samoan group that are possessions of the United States), and the Canal Zone are included in the term "possessions of the United States." The term "Canal Zone" includes all the territory purchased from Panama, embracing the "Canal Zone" proper and the islands in the Bay of Panama named Perico, Naos, Culebra, and Flamenco.

Domestic mail is divided into *first-class*, *second-class*, *third-class*, and *fourth-class matter*.

FIRST-CLASS MATTER

3. First-class matter includes all written matter, all matter closed against inspection, and all matter, though printed, that has the nature of personal correspondence, except that certain writing or printing may be placed upon matter of the second, third, and fourth classes without increasing the rate. The rate is 2 cents for each ounce or fraction, and the limit of weight, 4 pounds.

Typewriting, carbon, and letter-press copies are subject to the first-class rate. A printed communication having the character of personal correspondence is classified as a letter.

4. Following is a list of articles commonly dispatched in the mails and that require first-class postage:

ARTICLES REQUIRING FIRST-CLASS POSTAGE

Albums, autograph, with writing.
 Architectural designs, containing writing (drawings).
 Assessment notices, partly in writing.
 Bills, wholly or partly in writing.
 Blank books, with written entries.
 Blank printed forms, with written signature.
 Carbon copies of typewritten matter.
 Cards, visiting, bearing written name.
 Certificates, filled out in writing.
 Checks, in writing, canceled or uncanceled.
 Diplomas, filled out in writing.
 Drawings or plans containing written words, letters, or figures indicating size, dimensions, etc.
 Labels, written.
 Letter-press copies of handwritten or typewritten matter.
 Manuscript or typewritten copy, without proof sheets.
 Postal cards, wholly or partly in writing, remailed.
 Price lists, printed, containing written figures changing individual items.
 Receipts, printed, with written signatures.
 Receipts, partly printed, with writing.
 Shorthand or stenographic notes.
 Typewritten matter, original letter-press and manifold copies thereof.

SECOND-CLASS MATTER

5. **Second-class matter** includes all newspapers and periodicals that bear the authorized statement: "Entered at the post office as second-class matter." The rate, when sent unsealed, is 1 cent for each 4 ounces or fraction; full payment is required. There is no limit of weight. This is the rate that applies when the matter is mailed by the general public.

6. **Publishers' Rate.**—The postal regulations regarding second-class matter, when mailed by publishers, being lengthy, are not treated here. In brief, it may be stated that publishers who have had their publications recognized and admitted as second-class matter are entitled to a rate of

1 cent a pound under the conditions that the publication is a bona fide one with a list of bona-fide subscribers that pay a reasonable price for the publication. The second-class rate is not allowed on a house publication nor on one given away free or as a premium; and a publisher cannot mail at the rate of 1 cent a pound more than twice as many copies as he has bona-fide subscribers.

7. **On the wrapper**, in addition to the regular address, may be the name and address of the sender and the words "sample copy" or "marked copy," or both.

8. **On the matter** itself, the sender may place all that is permitted on the wrapper; correct typographical errors in the text; designate by marks (not by words) a word or passage in the text to which it is desired to call attention. Any other writing will subject the package to the first-class rate. To be entitled to the special second-class rate, copies of newspapers or periodical publications must be complete. Partial or incomplete copies are third-class matter.

THIRD-CLASS MATTER

9. **Third-class matter** includes books, newspapers, and periodicals not admitted to the second class, circulars, miscellaneous printed matter on paper—not having the nature of personal correspondence; proof sheets, corrected proof sheets, and accompanying manuscript copy. The rate, when sent unsealed, is 1 cent for each 2 ounces or fraction; full payment is required. The limit of weight is 4 pounds, unless it is a single book.

10. **Printed Matter.**—**Printed matter** is the reproduction on paper by any process except handwriting and type-writing of words, letters, characters, or figures, not having the character of personal correspondence. Matter produced by the photographic process (including blueprints) is treated as printed matter.

11. Circulars.—A circular is defined by law to be a printed letter which, according to internal evidence, is being sent in identical terms to several persons. A circular may bear a written, a typewritten, or a hand-stamped date; name and address of the person addressed and of the sender; and corrections of typographical errors.

Where a name (except that of the addressee or sender), date (other than that of the circular), figure, or anything else is written, typewritten, or hand stamped in the body of the circular for any other reason than to correct a genuine typographical error, the circular will be subject to postage at the first-class (letter) rate, whether sent sealed or unsealed. However, if such name, date, or other matter is hand stamped and is not of a personal nature, the character of the circular is not changed thereby.

12. Reproductions or imitations of handwriting and type-writing obtained by means of the printing press, neostyle, hectograph, electric pen, or similar process will be treated as third-class matter, provided that they are mailed at the post-office window or other place designated by the postmaster in a minimum number of twenty perfectly identical copies separately addressed. If mailed in a smaller quantity, they will be subject to first-class rate.

13. Following is a list of articles that require third-class postage:

ARTICLES REQUIRING THIRD-CLASS POSTAGE

Advertising cards combined with post cards.
Almanacs.
Architectural designs, printed.
Assessment notices, wholly in print.
(Blind.) Indented or perforated sheets of paper containing characters that can be read by the blind unsealed.
Blueprints.
Books, printed.
Calendars, printed on paper.
Cards, Christmas, Easter, etc., printed on paper.
Catalogs.
Certificates, blank.
Check books, blank.
Checks, blank.
Chromos, printed on paper.
Circulars, printed.

Copy books, school, with printed lines and instructions for use.
Designs, wholly in print, on paper.
Diplomas, blank.
Engravings and wood cuts, impressions from, printed on paper.
Invitations, printed or engraved, containing no other writing than the date and name and address of the person addressed and the sender.
Lithographs.
Manuscript copy, accompanied with proof sheets.
Maps, printed on paper, with the necessary mountings.
Music books.
Newspaper clippings, with name and date of paper stamped or written in.
Photographs, mounted or unmounted.
Plans and architectural designs, printed.
Postage stamps, canceled or uncanceled.
Post cards, printed.
Posters, printed on paper.
Price lists, wholly in print.
Printing, samples of.
Proof sheets, printed, corrected, with or without manuscript.
Sheet music.
Telegram blanks.
Valentines, printed on paper.

FOURTH-CLASS MATTER

14. **Fourth-class matter** includes all merchandise and all other matter not comprehended in the first, second, and third classes. The *rate*, when sent unsealed, is 1 cent for each ounce or fraction, except seed, bulbs, scions, and plants intended for propagation—the rate for which is 1 cent for each 2 ounces or fraction. Full prepayment is required, and the limit of weight is 4 pounds.

On the wrapper, envelope, tag, or label, in addition to the name and address of the addressee, there may be written or printed the name, occupation, and residence or business address of the sender, preceded by the word "From."

Written designation of contents, such as "samples," "candy," "cigars," are permissible on the wrapper.

15. **Enclosures.**—With a package of fourth-class matter prepaid at the proper rate for that class, the sender may enclose any mailable matter of the third class. A single card bearing the written name of the sender and such inscriptions as "Merry Christmas," "Happy New Year," "With best wishes," etc. may also be enclosed without affecting classification.

Mail matter of different classes enclosed in the same letter or parcel subjects the letter or parcel to the mail rate of that class requiring the most postage.

16. Following is a list of articles that require fourth-class postage:

ARTICLES REQUIRING FOURTH-CLASS POSTAGE

Advertising signs printed on other material than paper.
Albums, autograph, without writing.
Albums, photograph.
Animals, stuffed.
Artificial flowers.
Baggage checks, metal.
Bees, queen.
Blank account books.
Blank cards.
Botanical specimens, not susceptible of being used in propagation.
Bulbs (special rate of postage see page 27).
Calendars, printed on other material than paper.
Candies.
Card games.
Cards, blank.
Cards, Christmas, Easter, etc., printed on other material than paper.
Chestnuts (for special rate of postage see page 27).
Cigars.
Cloth, samples of.
Coin.
Coin holders, card blanks.
Crayon pictures or drawings, framed or unframed.
Cuts, wood and metal.
Cuttings of plants or trees (for special rate of postage see page 27).
Daguerreotypes.
Drawings (pen or pencil), without writing, framed or unframed.
Electrotype plates.
Engravings, when framed.
Engravings and wood cuts on wood or metal base.
Envelopes, mailed in bulk.
Flour, samples of.
Flowers, cut or artificial.
Fruit, dried.
Geological specimens.
Grain, samples of (for special rate of postage see page 27).
Herbs, dried.
Honey, in comb.
Insects, dried.
Liquids.
Maps, printed on cloth.
Medals or coins.
Merchandise, samples of.
Metals.
Minerals.
Nuts, in natural state (for special rate of postage see page 27)

Paintings, framed or unframed.
Paper, blank.
Patterns, printed or unprinted.
Plants for propagating purposes (for special rate of postage see page 27).
Posters, printed on cloth.
Printed matter on other material than paper.
Roots (for special rate of postage see page 27).
Rulers, wooden or metal.
Seeds.
Soap.
Tags.
Tintypes.
Valentines, printed on other material than paper.
Wallpaper.

SPECIAL DELIVERY

17. A 10-cent special-delivery stamp, in addition to the lawful postage, secures the immediate delivery of any piece of mail matter at any United States post office within the letter-carrier limits of free-delivery offices and within 1 mile of any other post office. **Special delivery** can be effected only by the use of the special-delivery stamp.

18. **Hours of Delivery.**—The hours of delivery are from 7 A. M. to 11 P. M. at all free-delivery offices, and from 7 A. M. to 7 P. M. at all other offices, or until after the arrival of the last mail at night, provided that be not later than 9 P. M. Special-delivery mail must be delivered on Sundays, as well as on other days, if the post office is open.

If special-delivery matter fails of delivery because there is no person to receive it at the place of address, the matter is returned to the post office and delivered in the ordinary mail.

Special-delivery matter may be forwarded, but it is not entitled to special delivery at the second office of address unless forwarded on a general forwarding request before attempt at delivery has been made at the post office of the original address.

POSTAL MONEY ORDERS

19. **Postal money orders** may be obtained at or paid at 35,000 money-order offices in the United States, and may be drawn on post offices in forty-eight foreign countries. This system provides an absolutely safe and convenient means of transmitting money.

On payment of the sum to be sent, and a small fee, to the postmaster of a money-order office, a money order can be drawn for any desired amount not exceeding \$100, payable at any money-order office in the United States designated by the applicant. When a larger sum than \$100 is to be sent, additional orders may be obtained. For example, to send a sum of \$275.60 it would be necessary to get three money orders for the following amounts: \$100, \$100, and \$75.60. International money orders may be obtained at all of the larger post offices and at many of the smaller ones.

20. **Identification.**—The person who presents an order for payment must be prepared to prove his identity. In case of payment to the wrong person, the Department will see that the amount is made good to the owner, provided that the wrong payment was not brought about through fault on the part of the remitter, payee, or indorsee. A money order may be paid on a written order or power of attorney from the payee, as well as on his own indorsement. More than one indorsement on a money order is prohibited by law. The stamp impressions placed on the back of orders by banks are not regarded as indorsements.

21. **Invalid Orders.**—An order that has not been paid or repaid within 1 year from the last day of the month of its issue is invalid and not payable. The owner, however, may obtain payment of the amount thereof by making application through the postmaster at any money-order office, or to the Post-Office Department at Washington, District of Columbia, for a warrant for the amount of the order.

0000

DOLLARS	CENTS
10	(g) 17

(AMOUNT FOR WHICH ISSUED)

COUPON

TO BE RETAINED BY THE ISSUING POSTMASTER AND SO DETACHED FROM ORDER WITH METAL FIGURE OR METAL STRIP. METAL FIGURE OR METAL STRIP MUST BE LEFT ON ORDER SHALL BE THE SAME AMOUNT OR THE AMOUNT OF ORDER. METAL FIGURE OR METAL STRIP MUST BE LEFT ON THE BODY OF ORDER. IF FOR \$1 OR LESS, CUT JUST BELOW \$1; IF FOR \$3, CUT JUST BELOW \$3; IF FOR \$5, CUT JUST BELOW \$5; ETC.

DATED STAMP

(h)

OF ISSUING OFFICE

NOT GOOD FOR MORE THAN LARGEST AMOUNT INDICATED ON MARGIN.

UNITED STATES
POSTAL MONEY ORDER

Braintree, Mass.

TO BE STAMPED HERE

(a) May 1, 1909

The Postmaster at

(b) Scranton, Pa.

Will Pay the

(c)

Ten

WRITE WORDS FOR DOLLARS

Sum of

(c)

DOLLARS

FIGURES FOR CENTS

17 CENTS

To the
Order of

International Textbook Company

WHOSE ADDRESS IS

(e)

Signature of
POSTMASTERName of
Remitter,

(f)

James F. Smith

Received
Payment,

0000

THIS ORDER MUST CORRESPOND IN AMOUNT AND OTHER PARTICULARS TO ITS ADVISE OF SAME NUMBER AND DATE IN THE HANDS OF THE PAYING POSTMASTER AND MUST NOT BE DRAWN FOR A GREATER AMOUNT THAN ONE HUNDRED DOLLARS.

DOLLARS	CENTS
10	(g) 17

(AMOUNT FOR WHICH ISSUED)

ANY ERASURE OR ALTERATION
RENDERS THIS ORDER VOID.

DATED STAMP

(h)

OF ISSUING OFFICE

FIG. 1

(m)

(j)

<p style="text-align: center;">Braintree, Mass.</p> <p>U. S. POSTAL MONEY ORDER</p> <div style="border: 1px solid black; padding: 2px; text-align: center; width: fit-content; margin: 5px auto;">ADVICE</div> <p>WILL PAY ON CORRESPONDING ORDER</p> <p>To the Order of <u>International Textbook Company</u> WHOSE ADDRESS IS _____</p> <p>Name of Remitter, <u>James F. Smith</u></p> <p style="text-align: right; font-size: small;">THE MONEY ORDER ISSUED AT ABOVE NAMED OFFICE AND BEARING CORRESPONDING NUMBER AND DATE, MUST AGREE IN ALL ESSENTIAL PARTICULARS, SUCH AS AMOUNT, NAME OF PAYEE, ETC., WITH THIS ADVICE</p>	<p style="text-align: center;">0000</p> <p style="text-align: center;">May 1, 190<u>6</u></p> <p style="text-align: center;">The Postmaster at <u>Scranton, Pa.</u></p> <p style="text-align: center;">Ten DOLLARS 17 CENTS</p> <p style="text-align: center;">Signature of _____ POSTMASTER</p>				
<p style="text-align: center;">10 17</p> <p style="text-align: center;">DETACH ADVICE HERE </p>	<p style="text-align: center;">0000</p> <p style="text-align: center;">RECEIPT FOR</p> <p style="text-align: center; font-size: small;">U. S. POSTAL MONEY ORDER TO BE GIVEN BY ISSUING POST- MASTER TO THE PURCHASER, WHO WILL RETAIN SAME AND PRESENT IT AT OFFICE</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%; text-align: center;">DOLLARS</td> <td style="width: 50%; text-align: center;">CENTS</td> </tr> <tr> <td style="text-align: center;">10</td> <td style="text-align: center;">17</td> </tr> </table> <p style="text-align: center; font-size: small;">OF ISSUE IF NECESSARY TO MAKE INQUIRY REGARDING THE ORDER</p> <div style="text-align: center; margin-top: 20px;"> </div>	DOLLARS	CENTS	10	17
DOLLARS	CENTS				
10	17				

(k)

FIG. 2

(n)

22. Lost Orders.—In all cases of lost orders, the remitter, payee, or indorsee may make application for a duplicate through either the office at which the original order was issued or the office on which it was drawn. No charge is made for issuing a duplicate.

MONEY-ORDER RATES

DOMESTIC ORDERS	CENTS
Sums not exceeding \$2.50.....	3
Sums not exceeding \$5.....	5
Sums over \$ 5 and not exceeding \$10.....	8
Sums over \$10 and not exceeding \$20.....	10
Sums over \$20 and not exceeding \$30.....	12
Sums over \$30 and not exceeding \$40.....	15
Sums over \$40 and not exceeding \$50.....	18
Sums over \$50 and not exceeding \$60.....	20
Sums over \$60 and not exceeding \$75.....	25
Sums over \$75 and not exceeding \$100.....	30
FOREIGN ORDERS	CENTS
Sums not exceeding \$10.....	10
Sums over \$10 and not exceeding \$20.....	20
Sums over \$20 and not exceeding \$30.....	30
Sums over \$30 and not exceeding \$40.....	40
Sums over \$40 and not exceeding \$50.....	50
Sums over \$50 and not exceeding \$60.....	60
Sums over \$60 and not exceeding \$70.....	70
Sums over \$70 and not exceeding \$80.....	80
Sums over \$80 and not exceeding \$90.....	90
Sums over \$90 and not exceeding \$100.....	\$1

23. Money-Order Books.—Money-order books are furnished to all post offices issuing postal money orders. These books contain a blank postal money order and stub, on one page and an advice card and purchaser's receipt on the next page. In Fig. 1 is shown a specimen of the postal money order and the stub, and in Fig. 2 is shown a specimen of the advice card and purchaser's receipt. The postal money order and stub are printed on a blue tinted paper and the advice card and purchaser's receipt are printed on white paper. The money order, stub, advice card, and purchaser's receipt are numbered alike, the figures being printed in red ink.

24. How to Make Out a Money Order.—First, place a piece of carbon paper, the size of the page in the money-order

book, between the blue and white pages with the carbon side next to the white page. Then write, with ink, in the space marked *a*, the date; in the space marked *b*, the name of the post office at which the money is to be paid; in the space marked *c*, the amount of the order, writing words for dollars and figures for cents; in the space marked *d*, the name of the person to whom the money is to be paid; in the space marked *e*, the signature of the postmaster at the issuing office; in the space marked *f*, the name of the person paying for the order; in the space marked *g*, the amount of the order in figures; and in the spaces marked *h*, stamp the date of issue with the date stamp of the issuing office. Remove the carbon paper and place it between the next blue and white pages in the book. Then detach the money order from the stub with the metal cutter, so that the marginal figure or figures remaining on the order will be the same amount or the amount next higher than the amount written in the body of the order. For example, for \$1 or less, you should cut just below 1; for \$3, cut just below 5; if for \$11, cut just below 15. On the white sheet below the order will appear the same written words, as on the money order and stub, as illustrated in Fig. 2. Detach the purchaser's receipt from the advice card at the dotted lines *j k* and give it to the purchaser. Then detach the advice card from the stub at the dotted line *m n* and forward it to the postmaster of the post office on which the order is drawn.

REGISTERED MAIL

25. Registered mails reach every post office in the world. The system insures safe transit and correct delivery. Registered matter is handled under special conditions and by bonded employes, and such matter is the object of extraordinary care from the moment it is registered. A complete chain of records and receipts from the point of mailing to the point of delivery enables the accurate tracing of every piece of registered mail.

The registry fee is 8 cents for each separate letter or package, in addition to the postage, both of which must be fully prepaid with postage stamps attached to the letter or parcel.

26. How to Register.—In order to have a letter or parcel registered it is not only necessary to have it properly addressed and stamped, but it must have the name and address of the sender written or printed on it. It should be handed to the postmaster, clerk, or carrier (not dropped in a mailing box), who will write out a registry receipt for the sender for each piece registered. A second receipt from the addressee or his authorized agent, acknowledging delivery, is returned to the sender in every case without extra charge. This receipt is, under the law, *prima facie* evidence of delivery.

27. In case of loss, the sender or owner of a registered article prepaid at the letter rate of postage, mailed at and addressed to a United States post office, is indemnified for its value up to \$50. When a valuable registered letter (or package prepaid at the letter rate) is lost, the sender should make application for indemnity to the postmaster at the office where the piece was mailed. There is no indemnity unless the registered matter is prepaid at the letter rate.

28. Delivery of Registered Mail.—Registered mail is delivered only to the addressee or to his written order. The sender may, however, restrict delivery to the addressee in person by indorsing on the envelope or wrapper the words "Deliver to addressee only." The words "Personal" or "Private" do not so restrict delivery. Persons applying for registered mail, if unknown to the postmaster, are required to prove their identity.

Registered mail will be forwarded on the written or telegraphic order of the addressee—first-class matter immediately and without extra charge; other matter on prepayment of the postage chargeable by law for forwarding. No additional registry fee is charged for forwarding or returning registered matter.

Undelivered registered mail is returned to the sender's address after 30 days or such other time as may be specified in a return request on the envelope or wrapper. First-class matter is returned without extra charge; other matter on prepayment of the return postage.

29. Registry Receipt Books.—Receipt books are furnished to each mail carrier so that he may register any parcel or letter at the residence of the sender. These books contain a *registry receipt* and a *carrier's permanent record* on one page and a *post-office* or *station record* on the next page. In Figs. 3 and 4 are shown specimens of these two pages. The registry receipt and the carrier's permanent record are printed with red ink on a cream-tinted paper, and the post-office record is printed with black ink on white paper.

30. How to Make Out a Registry Receipt.—First, place a piece of carbon paper the size of the page in the receipt book between the receipt and the record with the carbon side next to the white page. Then in the space marked *a*, Fig. 3, the number of the receipt is written with an indelible lead pencil. The first receipt in each book is numbered 1, and the following receipts are numbered in their numerical order as issued. In the space marked *b*, is written the name of the post office to which the carrier is attached. In the space marked *c*, the date of issue is written; in the space marked *d*, the name of the sender; in the space marked *e*, the address of the sender; in the space marked *f*, the name of the person to whom the letter is addressed; in the space marked *g*, the address of this person, mentioning only city and state; in the space marked *h*, the carrier's signature; in the space marked *j*, the number of the route; and in the space marked *k*, the amount received for postage and registry, if the letter does not have postage on it equal in value to the regular postage rate plus 10 cents for registration. Then remove the carbon paper and place it between the next cream and white pages. Next, detach the registry receipt from the carrier's record at the dotted line *m n*, and a facsimile copy of the written matter on the receipt will then appear on the office

(m)

CARRIER'S PERMANENT RECORD

Received.....190

Of Carrier.....

Route No.....

Reg. { Letter } No.....
 { Parcel }

Sent by.....

To.....

POSTMASTER

Main Office No.....

(n)

REGISTRY RECEIPT GIVEN TO THE SENDER

Letter { No. }
 { Percent }
 (a)

P. O.
 (b) Gouldsboro, Pa.,

First class postage prepaid.

(c)

Received for registration....., 1909, from
 (d)

Frank H. James
(NAME OF SENDER)

Residing at R. F. D. No. 4 Gouldsboro, Pa.
(LOCATE PLACE OF RESIDENCE)

(f)

Addressed to James J. Smith

(g)

Philadelphia, Pa.
(CITY AND STATE ONLY)

J. G. Moore

Rural Carrier,
FOR POSTMASTER

Route No.
 4

(j)

This article will be returned if not fully prepaid and otherwise acceptable when received at the Post Office.

FIG. 3

POST OFFICE OR STATION RECORD

Received....., 190.....
Letter } No. 1
Parcel }

Of Carrier.....
First class postage prepaid

Route No.....
Received for registration....., 1909, from
Mark (DATE)

Reg. { Letter } No.....
Parcel }

Sent by.....
James J. Smith

To.....
Philadelphia, Pa.
(CITY AND STATE ONLY)

.....
J. G. Moore Rural Carrier,
FOR POSTMASTER

.....
Route No. 4

Main Office No.....
Pkg. Rec't Ret'd.....
Reg. Bill Ret'd.....

R. P. E. No.....

MONEY RECEIVED FOR
POSTAGE AND
REGISTRY FEE
IN LIEU OF STAMPS

12 Cents

FIG. 4




FIG. 5




FIG. 6

record. The carrier's record is made out at the post office to which the carrier is attached.

31. A registered letter or parcel should have the name and address of the sender either printed or written on it. If written, it is usually placed on the back. For example, a letter addressed as in Fig. 5 should be indorsed on the back with the name and address of sender, as shown in Fig. 6, and the registry receipt and office record for a letter addressed and indorsed as in Figs. 5 and 6 would be made out as shown.

32. The student should pay particular attention to the form of the registry receipt and try to remember it, so that he can write a duplicate of same, without referring to this Instruction Paper. The student can acquire this knowledge by continually copying the entire receipt shown in Fig. 3, substituting other names for those shown.

FOREIGN MAIL

33. Classification.—Articles for or from foreign countries (except Canada, Cuba, and Mexico) are classified as *letters*, *post cards*, *prints*, *commercial or business papers*, and *samples of merchandise*. This is known as the *Postal Union classification* of mail matter. There is no provision in the Postal Union mails for other merchandise than samples (see *Parcels Post*, page 23). A package of merchandise sealed and pre-paid in full at the letter rate is, however, transmitted in the Postal Union mails as a letter. The right of its entry into a foreign country is determined by the administration of the country of its destination. Prohibited articles, if mailed sealed against inspection, will *not* be delivered, although they reach the country of their destination.

34. Exceptions.—Articles of every kind or nature admitted to the domestic mails of the United States will be admitted under the same conditions to the mails for Great Britain, Ireland, Newfoundland, Germany, Canada, Cuba, Panama, Mexico, United States Naval Vessels, Shanghai, China, except

that commercial papers and bona-fide trade samples (including samples of liquids and fatty substances) are transmissible at the postage rate and subject to the conditions applicable to those articles in Postal Union mails; and also that packages—other than single volumes of printed books—the weight of which exceeds 4 pounds 6 ounces, are excluded from the mails for Cuba.

Letters for Germany paid at the 2-cent rate are despatched only by steamers able to land the mails at a German port. Letters paid at the 5-cent rate are despatched by the quickest route.

35. Prohibited Articles.—The transmission of the following articles is absolutely prohibited in the foreign mails: Publications that violate copyright laws; packets, except single books, that weigh more than 4 pounds 6 ounces; poisons, explosives or inflammable substances; live or dead (not dried) animals; insects (except bees) and reptiles; anything likely to decay; lottery tickets; obscene or immoral articles; articles likely to damage the mails or to injure persons handling them.

36. Rates of Postage.—The rates of postage applicable to all foreign countries other than those already named are as follows:

	CENTS
Letters, for each half ounce or fraction of half ounce. . .	5
Single postal cards (including souvenir cards), each . . .	2
Double postal cards (including souvenir cards), each . .	4
Printed matter of all kinds, for each 2 ounces or fraction of 2 ounces.	1
Commercial papers, for the first 10 ounces or less. . . .	5
And for each additional 2 ounces or fraction of 2 ounces.	1
Samples of merchandise, for the first 4 ounces or less. .	2
And for each additional 2 ounces or fraction of 2 ounces.	1
Registration fee, in addition to postage.	10

37. Letters.—The postal conventions do not define the term letter, but it is held that a package on which postage at the letter rate has been prepaid in full was intended, by the sender, to be sent as a letter, and, when it does not contain prohibited articles, is required to be considered

and treated as such. Consequently, packages addressed to foreign countries, except Canada, Cuba, and Mexico, fully prepaid at the rate of postage applicable to letters for the countries to which they are addressed, are allowed to be forwarded by mail to their destinations, even though they contain articles of miscellaneous merchandise that are not sent as bona-fide trade samples.

38. Inspection of Packages.—Articles, other than letters in their usual form, will be inspected by customs officers on their arrival at the exchange post office of the country of destination, and customs and duties will be levied on any articles found to be dutiable under the laws of that country and not prohibited transmission in the mails.

39. Commercial Papers.—As commercial papers are included all instruments or documents written or drawn wholly or partly by hand that have not the character of an actual and personal correspondence, such as papers of legal procedure, deeds of all kinds drawn up by public functionaries, way bills, or bills of lading, invoices, the various documents of insurance companies, copies of or extracts from deeds under private signature, written, stamped or unstamped papers, scores or sheets of manuscript music, manuscript of books or of articles for publication in periodicals, forwarded separately, corrected tasks of pupils, excluding all comment on work, etc. The limit of weight is 4 pounds 6 ounces.

40. Samples of Merchandise.—Packages of miscellaneous merchandise for foreign countries (except Canada, Mexico, Cuba, and United States postal agency at Shanghai, China) are restricted to bona-fide samples or specimens having no salable or commercial value in excess of that actually necessary for their use as samples or specimens. The limit of weight is 12 ounces.

Goods sent for sale, in execution of an order, or as gifts, however small the quantity, are not admissible at the sample rate and conditions. Pairs of articles, such as gloves and shoes, are not transmissible to foreign countries as samples of merchandise.

Samples of merchandise must be placed in bags, boxes, or removable envelopes in such a manner as to admit of easy inspection; they must not have any salable value or bear any manuscript other than the name or profession of the sender, the address of the addressee, a manufacturer's trade-mark, numbers, prices, indications relating to weight or size, and words necessary to indicate the origin and nature of the merchandise.

Packages containing articles of merchandise may be sent to Cuba at the postage rate and subject to the conditions applicable to fourth-class matter in United States mails.

All matter to be sent at less than the letter rates of postage must be securely wrapped, so that it can be easily examined at the office of delivery, as well as at the mailing office, without damaging the wrapper.

41. Foreign Registered Mail.—The letters and parcels addressed to foreign countries, if admissible to the Postal Union mails, may be registered under the same conditions as those addressed to domestic destinations. The registry fee in every case is 10 cents in addition to lawful postage, and both must be fully prepaid.

Registered articles addressed to or received from foreign countries are delivered according to the rules of the country of address. No indemnity is paid by the United States for the loss in the mails of registered letters or parcels addressed to any foreign country. No receipt from the addressee will be forwarded to the sender unless the words "Return Receipt Demanded" are written or stamped across the face of the letter or parcel.

PARCELS POST

42. Where in Use.—Unsealed packages may be sent by **Parcels Post** to the following-named countries:

Bahamas	Newfoundland
Barbados	Honduras (Republic of)
Colombia	Trinidad, including Tobago
Costa Rica	Chile
The Danish West Indies	Germany
Honduras (British)	Guatemala
Jamaica	Nicaragua
Leeward Islands	New Zealand
Mexico	Venezuela
Salvador	Bolivia
British Guiana	Hongkong
Windward Islands	

43. Size of Packages.—The maximum length of packages must not exceed 3 feet 6 inches, and in Mexico, Colombia, and Costa Rica, 2 feet. The weight of a single package is limited to 11 pounds; but parcels for Germany and Hongkong, China, must not weigh more than 4 pounds 6 ounces. The postage must be prepaid in full, by stamps affixed at the rate of 12 cents a pound or fraction of a pound; on packages to Chile and Bolivia, the rate is 20 cents a pound or fraction thereof. Letters or other communications in writing must not be enclosed with such packages.

44. Matter intended for Parcels Post must not be posted in a letter box, but must be taken to the post office for inspection.

45. In addition to the name and full address of the person to whom sent, the package must bear the words "Parcels Post" in the upper left-hand corner, with the name and address of the sender. A custom declaration, furnished by the postmaster, must be filled out properly and must be firmly attached to the cover of the package.

Customs duties cannot be prepaid by the sender of dutiable articles; they will be collected from addressees.

MISCELLANEOUS INFORMATION

46. Addressing.—When addressing mail matter, the name, post office, and state must be given; the street address, when there is one; or the post-office box, if the number is known. If the addressee resides on a rural free-delivery route, the number of the route should be given. If the matter is intended for delivery through the general delivery at the post office, the words "General Delivery" should be added. To secure return, the sender's name and address should always be written or printed in the upper left-hand corner of all mail matter.

Postage stamps should be placed in the upper right-hand corner of the address side, care being taken to see that they are securely fixed. Do not place the stamps all over a package in irregular order or have them upside down; if the package is small but heavy, purchase stamps of a large denomination.

47. Complaints.—All complaints should be addressed to the local postmaster, accompanied, whenever possible, with the envelope or wrapper about which the complaint is made. When manifestly improper to direct complaints to the local postmaster, address the Postmaster-General, at Washington, District of Columbia.

48. Concealed Matter.—For knowingly concealing or enclosing any matter of a higher class in that of a lower class and depositing it in the mails, the offender will be liable to a fine of \$10.

49. Lists of Names.—Postmasters are forbidden to furnish lists of names of persons receiving mail at their post offices.

50. Mail in Care of Another.—When a letter arrives at a post office addressed to one person in care of another, in the absence of further instructions, the postmaster will deliver it to the first of the two persons named who may call for it.

51. Parent or guardian may control the delivery of mail addressed to minors, except when they do not depend on parent or guardian for support.

52. Revenue and Cut Stamps.—Postage-due stamps, internal-revenue stamps, or embossed stamps cut from stamped envelopes, or stamps cut from postal cards will not be accepted in payment for postage. Revenue stamps are neither good for postage nor redeemable by the Post-Office Department.

53. Permissible Additions.—The words "Personal," "To be called for," and other directions as to delivery and requests for forwarding or return on prepayment of new postage, are permissible as a part of the address on second-, third-, and fourth-class matter.

54. Redemption of Unused Envelopes, Etc.—Unused stamped envelopes and newspaper wrappers, when presented in a substantially whole condition, will be redeemed by postmasters at their face value, either in postage stamps, stamped envelopes, or postal cards, but stamped envelopes with printed return card will be redeemed only from original purchasers. Postmasters will redeem unused, uncanceled, and unserviceable postal cards at 75 per cent. of their face value. Redemption will be made only to original purchasers and value given only in stamps, stamped envelopes, or other stamped paper.

55. Government Printed Envelopes.—When Government stamped envelopes are purchased in lots of five hundred, or its multiple, of a single size, quality, and denomination, the Department will, on request, print the purchaser's return card on them without extra charge. Return cards will not be printed on newspaper wrappers.

56. Forwarding Mail.—The only kind of domestic mail matter that is returnable to the sender without additional postage for such service when undeliverable is letters and other first-class matter prepaid one full rate (2 cents), official matter mailed under penalty envelope or frank, and double postal cards; but not single postal cards nor post cards.

First-class matter indorsed "After——days, return to——" if not delivered will be returned at the expiration of the time indicated on the envelope or wrapper. If no time be set, the matter will be returned at the end of 30 days. The sender has the right to lengthen or shorten the time set, by subsequent direction to the postmaster, but mail matter in any event must remain in the post office for delivery at least 3 days.

57. Postage Due.—Matter of the first class prepaid one full rate—2 cents—will be dispatched with the amount of deficient postage rated thereon to be collected on delivery; other matter will not be forwarded unless fully prepaid. The weight of matter at the mailing post office determines the amount of postage chargeable thereon.

58. Postal Cards.—United States Government postal cards are entitled to all the privileges of letters except that of return to the sender when undeliverable. They must not bear any printing or writing on the address side other than the name and address and such ordinary index marks as the sender may employ to identify the correspondent.

A postal card with a statement of account written thereon, or a legal notice that taxes are due or about to become due, may be transmitted in the mails when such statement or notice does not contain anything reflecting injuriously on the conduct or character of a person. Threats and like matters are prohibited by law from being written or printed on postal cards sent through the mails.

59. Unmailable Matter.—All matter concerning any lottery, or other enterprise of chance or relating to schemes for the purpose of obtaining money or property under false pretenses is unmailable.

60. Wrapping Mail.—All matter should be so wrapped that it will bear transmission without breaking or injuring mail bags, their contents, or the person handling them. Persons mailing liquids or other merchandise of a particular nature should secure a copy of the specified directions for wrapping prepared by the Post-Office Department.

Drawings, photographs, etc. should be backed by pieces of stout pasteboard; otherwise they are certain to be damaged. The pasteboard should be slightly larger than the drawing or photograph. In wrapping cuts, card plates, etc., place a piece of blotting paper or soft pasteboard over the faces before wrapping. Always use substantial paper and tie the packages with strong cord.

Second-, third-, and fourth-class matter must be so wrapped or enveloped that the contents may be examined easily by postal officials. When not so wrapped, or when bearing or containing writing not authorized by law, the matter will be treated as first-class.

61. Postage on drop letters is 1 cent for each ounce or fraction, but there is no drop-letter rate where the mail must be delivered by carrier.

62. Seeds, Bulbs, Roots, Etc.—By special legislation, seeds, bulbs, roots, scions, and plants are mailable at the rate of 1 cent for each 2 ounces or fraction, but are otherwise entitled to the privileges of fourth-class matter. Under this head are included samples of wheat and other grains in their natural condition.

Samples of flour, rolled oats, pearled barley, dried peas, and beans in which the germ is destroyed, cut flowers, dried plants, and botanical specimens, not susceptible of propagation, and nuts and seeds (such as the coffee bean) used exclusively as food, are subject to the regular fourth-class rate of 1 cent an ounce or fraction.

COPYING

PLAIN COPYING

1. Plain copying is the easiest of all grade subjects, as it requires only that a competitor should make an exact copy of an original. It appears, however, that either from carelessness or overconfidence it is the one subject in which many competitors fail to get a satisfactory mark.

The Civil Service Commissioners mark this subject very severely, as a deduction of 5 points is made for nearly every error, owing to the extreme simplicity of the work. Since any variation, however small, is marked as an error, great care must be taken to make an exact copy of the exercise.

2. The following rules should be carefully studied and thoroughly understood before the exercises are copied:

RULES FOR PLAIN COPYING

1. Punctuate, capitalize, spell, and paragraph exactly as in the exercise. Should there be an error in spelling in the exercise, make the same error in order that your copy shall be exact.

2. Figures should be copied exactly as they appear in the exercise. If Roman numerals are used they should appear as Roman numerals in your copy. If Arabic numerals are used they should appear as Arabic numerals in your copy.

3. A margin of about $\frac{1}{2}$ inch should be maintained on each side of the sheet. The margin on the left side should be kept as straight as if ruled off by a line. You may find

it a help to rule light pencil lines, but be sure to erase them before sending us your work for correction.

4. The first word of the exercise and of each new paragraph (unless spaced otherwise in the exercise) should be indented; that is, the first word of the exercise and of each new paragraph should be written about $\frac{1}{2}$ inch to the right of the point of beginning of the other lines.

5. If asterisks (*) occur in the exercise, make them in your copy as nearly as possible like those in the exercise and approximately in the same position. If more than one is used, be sure to use the exact number shown.

6. Quotation marks (" "), brackets [], parenthesis (), should be placed in exactly the same position as they appear in the exercise. Practice making punctuation marks, as you will be marked in penmanship on the manner in which they are formed.

7. The pen should not be raised between the letters of a word.

On page 2 is shown an exercise, and on page 3 an illustration of copying it that would receive a very low mark.

On page 4 is given a list of the corrections that such a copy of the exercise would receive, and on page 5 is given a copy of the exercise that would receive a perfect mark.

GOLD TUNNEL MINING CO.

A SUCCESSFUL COAST ENTERPRISE

I. The fact is that every eastern city of consequence has been, and is now, a financial base for the west, a point from which a steady stream of capital has poured westward into oil, mining, oil refining and ore smelting enterprises.

* * * * *

The Southwest, (published at Los Angeles, Cal.), contains the following:

"The surplus capital of the east is the power that is making knowable to the world the wonderful resources of the west."

(REPORT FROM MINING JOURNAL)

Gold Tunnel Mining Co.
A Successful Coast Enterprise

① The fact is that every eastern city of
consequence has been^② and is now, a financial^④
base for the west, a point from which^⑤
a stream^⑥ of capital has poured west-^⑦
ward into the oil, mining, oil refining,^⑧
and ore smelting enterprises.^⑩

x ⑫ x x x
⑪ The^⑬ Southwest, [published at Los Angeles, Cal.,^⑮
contained the following:^⑭ The surplus^⑯
Cap. of the east is the power^⑰ that is^⑱
making knowable to the world the
wonderful resources of the west." ⑲
(Report From Mining Journal)

EXPLANATION OF RULES

3. In order that the student may become familiar with the practical application of the foregoing rules, we give above a copy of the printed exercise. This copy shows a large number of errors that are commonly made by competitors. On page 5 is shown how the exercise should be copied in order to receive a perfect mark in accordance with the rules for copying. Following this paragraph is given an explanation of the errors made in it, the rule that applies to each error, and the deduction made in each case. The errors in the copy are numbered from 1 to 21 and correspond to those in the explanation.

ERROR		DEDUCT	SEE RULE
1	Use of Arabic instead of Roman numeral . . .	5	2
2	Pen rest	1	7
3	Punctuation mark omitted	5	1
4	Word misspelled	5	1
5	Word omitted	5	1
6	Word misspelled	5	1
7	Error in exercise corrected	5	1
8	Pen rest	1	7
9	Word inserted	5	1
10	Punctuation mark inserted	5	1
11	Irregular margin	5	3
12	Asterisks poorly made, not in same position, and not same in number	5	5
13	Failure to indent	5	4
14	Bracket used instead of parenthesis	5	6
15	Parenthesis in wrong place	5	6
16	Wrong word	5	1
17	Quotation mark omitted	5	1
18	Failure to paragraph as in exercise	5	4
19	Word abbreviated, which is written in full in exercise	5	
20	Blot	1	
21	Quotation mark made wrong	1	1

From these corrections it will readily be seen that the charge for errors is 89 and therefore this exercise would receive a mark of 11.

The following is a copy of the exercise that would receive a mark of 100:

Gold Tunnel Mining Co.
A Successful Coast Enterprise

I. The fact is that every eastern city of consequence has been, and is now, a financial base for the west, a point from which a steady stream of capital has poured westward into oil, mining, oil refining and ore smelting enterprises.

* * * * *

The Southwest, (published at Los Angeles, Cal.), contains the following:

"The surplus capital of the east is the power that is making knowable to the world the wonderful resources of the west."

(Report From Mining Journal)

The exercises on pages 6, 7, and 8 of this Instruction Paper are carefully selected to test your ability and give you a valuable training in this subject. Practice these exercises repeatedly until you are certain that you can copy them without an error, and then mail to us your last copy of each exercise and we will mark it and return it to you with such corrections as are required.

EXERCISE 1

DEPARTMENT OF GREENWICH

Asphalt Surfaces in London and in the United States.—In reference to the very interesting report on "Accidents to Horses on Carriageway Pavements," in London, By Mr. Heywood, engineer and surveyor to the commissioners of sewers of that city, (pp. 297-317), it should be understood that the asphalt surface referred to in this report is the natural rock asphalt, and facts derived from observations in connection therewith do not apply to the Trinidad asphalt surfaces, made of sand instead of the natural soft limestone, in use in the United States.—[NOTE BY THE DEPARTMENT.]

EXERCISE 2

Sec. 38. That no export duties shall be levied or collected on exports from Porto Rico; but taxes and assessments on property, and license fees for franchises, privileges and concessions may be imposed for the purposes of the insular and municipal government: Provided, however, that no public indebtedness shall be allowed in excess of 7 per-centum of the aggregate tax valuation of its property.

EXERCISE 3

AN ORDINANCE

To authorize the Department of Public Works to pay John Nolan for paving School lane.

I. *The Select and Common Councils of the City of* do ordain, That the DEPARTMENT OF PUBLIC WORKS be authorized to draw, and the City Controller is requested to countersign a warrant in the sum of thirteen hundred and Fifty-one (1351) dollars and ninety-six (96) cents, in favor of John Nolan, for paving School lane, from Morris street to Pulaski avenue, and charge the same to Item 2, in the annual appropriation to the Department of Public Works, Bureau of Highways, for the year 1895.

Approved the tenth day of January, A. D. 1895.

EXERCISE 4

The act of 1879 provides that promotions from the lower to the higher grades of letter carriers shall be made on the basis of "efficiency and faithfulness during the preceding year." Beyond this Congress has made no provision (except in the civil service act passed Jan. 16, 1883) for promoting the civil servants of the people by reason of their merits.

EXERCISE 5**PHILIPPINE SERVICE**

Promotion.—It is the intent of the Civil Service Act to establish in these Islands a permanent civil service so administered that a person who enters one of the lower grades may by loyal and efficient service secure promotion to the highest offices in the civil service.

The Act expressly provides that vacancies occurring in the offices (enumerated in section 21) shall be filled by promotion without examination of persons in the service. It will be seen, therefore, that vacancies in most of the higher offices in the service are required to be filled by promotion.

EXERCISE 6**NEW YORK**

The people of the State of New York, represented in senate and assembly, do enact as follows:

SECTION 1. The comptroller of the city of New York is authorized, upon the application of the board of education of said city and the approval of a majority of the board of estimate and apportionment of said city, to issue bonds in the name and on behalf of the mayor, aldermen, and commonalty of the city of New York for an amount not exceeding two hundred and fifty thousand dollars, par value, to be known as sanitary improvement schoolhouse bonds.

SEC. 2. This act shall take effect immediately.

(For balance of this exercise see following page.)

CONSTRUCTION OF BUILDING

Every building hereafter erected * * * or altered to be used * * * in whole or in any part as a school or place of instruction, the height of which exceeds thirty-five feet, except buildings for which specifications and plans have been heretofore submitted to and approved by the superintendent of buildings * * * shall be built fireproof. (Laws relating to the construction of buildings in the city of New York, 1892, ch. 275, sec. 484, p. 29.)

NOTE.—Students enrolled for second and third grade positions should not study or send in work on Clean Copying from Rough Draft.

CLEAN COPYING FROM ROUGH DRAFT

4. All applicants for positions requiring a first-grade examination are required to be able to make clean pen-written copies of interlined and corrected printed and written manuscripts, except applicants enrolled for the position of stenographer and typewriter, who will make the clean copies on typewriter.

Instead of following the copy exactly, as in the plain copying work, you are to correct all errors in grammar, spelling, punctuation, and capitalization, write in full all abbreviated words, and make such additions or transpositions as are included between enclosures and at the points indicated by the arrowheads leading from such enclosures. The purpose is to make the clean copy as nearly perfect as possible with the least number of changes. The use of capitals and all omissions and mistakes will be taken into consideration in marking this subject. Be especially careful not to substitute or omit any words that would make an entire change in meaning. The following corrected and interlined manuscript is an example similar, in style, to the rough draft given in the United States Civil Service Examinations. It is hardly possible to give any fixed rules for the making of a clean copy from a rough draft other than those given above.

On page 10 is a clean copy of the following example that would receive a mark of 100 in a United States Civil Service Examination:

The rural delivery system is ^{yet} in its infancy, and I desire to say ^{that} no law passed in many years by congress has been more in the interest of ^{the masses of} the toilers of this country than this ~~has been~~.

It is the best educator for the people (that has ever been attempted by the government, and I must say that I am opposed to ~~commencing~~ ^{beginning} thus early to meddle with a system ^{that} ~~which~~ is doing good as much

in the rural districts

I only have a few routes in my district, yet wherever they are established the affect is soon apparent.

The first route established in ^{my} ~~the~~ district was a little less than two years ago, from my home town of Gadsden. The carrier is a intelligent farmer, who is as proud of his route as an engineer, and has great pride in building it up.

At the anniversary of its establish^{ment}, he had a little entertainment at his sons house and invited several friends to be present, in the meantime I had secured two other routes from the same place. and the carriers were both there at the old mans reception, both of them men of reputation and intelligence, and the old man entertained us by detailing some facts concerning his route. and I was one of his honored guests

Mr Sutton

because of his engine

The rural delivery system is yet in its infancy, and I desire to say that no law passed by Congress in many years has been more in the interest of the masses of the toilers of this country than this.

It is the best educator for the people in the rural districts that has ever been attempted by the Government, and I must say that I am opposed to beginning thus early to meddle with a system that is doing so much good.

I have only a few routes in my district, yet wherever they are established the effect is soon apparent.

The first route established in my district was from my home town of Gadsen, a little less than two years ago. The carrier, Mr. Sutton, is an intelligent farmer, who is as proud of his route as an engineer becomes of his engine, and has great pride in building it up.

At the anniversary of its establishment he had a little entertainment at his son's house and invited friends, and I was one of his honored guests. In the meantime I had secured two other routes from the same place, and the carriers were both there at the old man's reception, both of them men of reputation and intelligence. The old man entertained us by detailing some facts concerning his route.

You should study all the corrections and changes made so that you thoroughly understand them. After studying the example make a clean copy of each of the following exercises, following the directions given at the beginning of this subject, and mail them to us for correction.

EXERCISE 1

to maintain a popular

The Philippine commissions ~~unifomly say~~ ^{it is evident that} the fitness of any ^{must be closely} people for self govt. ~~is~~ ^{is} dependent upon

the enlightenment and knowledge of the masses; it is therefore ^{of great importance} ~~necessary~~ especially as there are much people

misapprehension on the subject that a clear understanding of the ^{state of the educational} work in the Philippines should be ^{reached} ~~had~~.

The only ~~first~~ ^{that of a papist} ever-tought was ~~of a papist~~ and that under conventional ^{Spanish} sensenship; the history of other countries was a closed vol to to the Philippines.

The only educational advantages was that afforded by the primary schools which was a ^{wretched} ~~wretched~~ ^{edly} inadequate provision.

attainable by the common people of the archipelago

contains the following

EXERCISE 2

The multiplication of books and its
 distribution through all conditions of
 Society is one of the very interesting
 features of our times. At a small expense
 a man can now possess himself of Eng.
 Literature Books, by their costliness
 once confined to a few is now accessi-
 ble, ^{to the multitude} to high and low and in this
 way, change of habits are going on
 in society. For most all of their knowl-
 edge and objects of thought instead of
 depending on casual remark and
 careless conversation instead of
 depending forming their judgments
 in crowds and receiving their chief
 excitement men are now learning to
 reflect alone and to study to follow
 out subjects continuously to determine
 for himself what shall engage his mind
 and to call to his aid the knowledge
 original views and reasonings of men of ^{all} ~~every~~
 Country and age. An independence of judgment
 and a thoroughness and extent of information
 in former times.

highly favorable to
 the culture of the people

from the corner
 of neighbor

must be (results)

EXERCISE 3

the first
with Monroe
to resemble
which had been gradually acquiring force
 At the time of his accession ^{to the presidency} the first ^{inaugural} example of the illustrious had become an overpowering influence. He had grown nevertheless ~~be~~ him in predominant traits of character (monroe) in imitation of Washington. soon after his inauguration made an extended tour northward, it was in Bos. during this tour that the ^{felicitations & praise} era of good feeling ^{the} originated; ^{the name left} the democrat was dropped for a time that of federalist quiet disappeared and jeffersonian republicanism loses its earlier significance which has ^{now} become the appropriate epithet (by general acclimation) since of Monroes & yrs. tenure.

without Washingtons commanding presence nor his transcending fame or robust endowments.

EXERCISE 4

Although laws may be enacted to prevent such distinctions

Distinctions will always exist in society under every form of Gov't, that is great

Equality of talents of education or of wealth cannot be produced, under

human laws. Every man is equally entitled to protection in the full enjoyment

of the gifts of heaven, but when the laws undertake to add to these artificial

distinctions to grant titles ^{of nobility} gratuities and exclusive privileges, to make

the rich richer and the potent more powerful, the humble members of so-

ciety ^{farmers, mechanics, and laborers} has a right to complain of the injustice of their gov't. ^{there are} it contains

no necessary evils, and if it will give ^{confine itself to} equal protection to the rich and the

poor, it would be an unqualified blessing.

in Gov't, its evils exist only in their abuses

as heaven does its rains and shows its favors, alike on the high and the low

and the fruits of superior industry economy and virtue

who neither has the time or the means of securing like favors to himself

EXERCISE 5

Each senator, Congressional District and territory -- also the D. C. and Porto Rico -- is entitled to ^{have} one cadet at the U. S. Military Academy at West Point. There are also forty appointments conferred by the president of the U. S., at large. The number of ~~candidates~~ ^{Students thus} ~~is this~~ limited to 522.

Appointments are made usually one year in advance of date of admission by the Secretary of war, upon the nomination of the Senator or Representative. These nominations may be either ^{given} ~~bestowed~~ after competitive examination or given direct at the option of the Representative. ^{These two} The alternates will receive from the War Department letters of appointment, and will be examined ~~together~~ ^{at the same time and place} with the regular Appointee, ~~and~~ the best qualified will be admitted to the Academy in the event of the failure of the Principal to pass the prescribed preliminary examination. Appointees to the military academy must ~~not be~~ ~~must~~ be between seventeen and twenty two years of age, and able to pass a careful examination in reading, writing, spelling, English grammar, English composition, English literature, arithmetic, algebra, ^{up to and including} ~~through~~ quadratic equations, plane geometry, descriptive geography, and the Elements of physical geography, especially the geography of the U. S., ~~history of the~~ ^{history} United States, the outlines ^{of} General History, and the general principals of physiology and hygiene.

The Representative may nominate two legally qualified candidates to be designated as alternates

EXERCISE 6

^{correct} Although ^{like good penmanship} spelling ^{business} is no longer fashionable, and success in life may be obtained without it, as many of our millionaires have shown, ^{for the press} writers cannot afford to neglect what it is to them a most important matter.

Errors in spelling in a MS. inevitably prejudice readers and editors against it, since they give to ^{the manuscript} ~~it~~ an appearance of illiteracy which must be much to ^{its} ~~the~~ disadvantage ~~of the author~~. The ability to spell correct is not a gift, as many poor spellers are ~~only~~ ~~too~~ willing to have us believe. ~~Bad spelling is the result of~~ Poor spelling is ^{really caused by} ~~the results of~~ careless, ~~and~~ inaccurate observation, and editors and Publishers has learned that no one can be a successful writer who is a n inaccurate observer. Sloven~~y~~ manuscript generally speaking is almost always inferior manuscript, and it is the common experience of Editors that the manuscript ^{of} good writers is generally well prepared, ^{even in small details} and that they may usually pass by carelessly written ^{matter} ~~manuscript~~ without fear ^{of losing much} ~~that they will have lost anything of merit~~.

Modern elementary education is unsatisfactory in many ways, but in no respect more so than in ~~the matter of~~ Orthography. It is widely known that a ^{painfully small} ~~painfully~~ percentage of grammar and ^{high school} graduates can ~~not~~ spell even common words, and the teachers of English in the Colleges ^{are constantly complaining} ~~complain constantly~~ because the students they have to learn show such ignorance.

^{not a careful and}

A SERIES OF QUESTIONS

RELATING TO THE SUBJECTS
TREATED OF IN THIS VOLUME.

It will be noticed that the questions contained in the following pages are divided into sections corresponding to the sections of the text of the preceding pages, so that each section has a headline that is the same as the headline of the section to which the questions refer. No attempt should be made to answer any of the questions until the corresponding part of the text has been carefully studied.

ARITHMETIC.

(PART 1.)

EXAMINATION QUESTIONS.

- (1) What is arithmetic?
- (2) In what two ways may numbers be represented?
- (3) What is a number? a unit?
- (4) What is the difference between a concrete number and an abstract number?
- (5) What is the reading of a number called?
- (6) Express, in both Arabic notation and Roman notation, seven thousand five hundred three.
- (7) For what purpose are ciphers used?
- (8) Write each of the following numbers in words:
(a) 980; (b) 605; (c) 28,284; (d) 9,006,042; (e) 850,317,002;
(f) 700,004.
- (9) Express in Roman notation the following numbers:
(a) 76; (b) 353; (c) 1,732; (d) 1,496; (e) 1,888.
- (10) Represent in figures the following expressions:
(a) Seven thousand six hundred; (b) eighty-one thousand four hundred two; (c) five million four thousand seven; (d) one hundred eight million ten thousand one; (e) ten million six; (f) thirty thousand ten.
- (11) Find the sum of $83,027 + 46,928 + 4,769 + 81,987 + 46,729 + 479,897 + 627 + 14,896 + 987,649$.
Ans. 1,746,509.
- (12) Multiply 29,800 by 390. Ans. 11,622,000.
- (13) A man owes \$1,000; he pays \$329 the first year and \$438 the second year. How much does he still owe? Ans. \$233.

For notice of copyright, see page immediately following the title page.

(14) Find the difference between $23,896 + 4,982 + 96,875 + 59,674$ and $31,627 + 54,892 + 6,925 + 8,976$. Ans. 83,007.

(15) Multiply 8,765 by 987, and from the product subtract $4,695 \times 823$. Ans. 4,787,070.

(16) The greater of two numbers is 1,004, and their difference is 49. What is their sum? Ans. 1,959.

(17) A drover bought 36 oxen at \$24 each and 23 cows at \$96 each; how much did they all cost? Ans. \$3,072.

(18) Divide $2,937 \times 864$ by 923. Ans. $2,749\frac{244}{923}$.

(19) Multiply 8,976 by 4,298, and subtract 98,765 from the product. Ans. 38,480,083.

(20) An engine and boiler in a manufactory are worth \$3,246; the building is worth three times as much, plus \$1,200; and the tools are worth twice as much as the building, plus \$1,875. (a) What is the value of the building and tools? (b) What is the value of the whole plant?

Ans. $\begin{cases} (a) \$34,689. \\ (b) \$37,935. \end{cases}$

(21) The divisor is 1,389, the quotient is 748, and the remainder is 1,263. What is the dividend? Ans. 1,040,235.

(22) The multiplicand is 4,896, and the product 3,862,944. Find the multiplier. Ans. 789.

(23) A man left \$25,375 to his widow and \$12,450 to each of his seven children. How much did they all receive?

Ans. \$112,525.

(24) If I sell my farm for \$375 an acre, I would get \$31,734 more for it than if it sold for \$246 an acre. How many acres in the farm? Ans. 246 acres.

(25) Solve the following by cancelation:

$$(a) \frac{231 \times 96 \times 192 \times 45}{11 \times 24 \times 48 \times 15 \times 7} = ?$$

$$(b) \frac{42 \times 64 \times 125 \times 98 \times 144}{14 \times 16 \times 25 \times 49 \times 36 \times 20} = ?$$

Ans. $\begin{cases} (a) 144. \\ (b) 24. \end{cases}$

ARITHMETIC

(PART 2.)

EXAMINATION QUESTIONS.

- (1) Find the sum of $\frac{2}{3}$, $\frac{3}{4}$, $\frac{5}{6}$, $\frac{7}{8}$, and $\frac{1}{12}$. Ans. $4\frac{1}{4}$.
- (2) What is the value of $3\frac{3}{4} + 6\frac{7}{8} - 4\frac{5}{6}$? Ans. $5\frac{1}{2}\frac{9}{4}$.
- (3) A man bought $12\frac{3}{4}$ tons of coal. How much was left after he had burned $5\frac{4}{5}$ tons? Ans. $6\frac{1}{2}\frac{9}{5}$ T.
- (4) How many dresses can be made of $53\frac{1}{3}$ yards of gingham, if each dress contains $6\frac{2}{3}$ yards? Ans. 8 dresses.
- (5) Find the product of $83\frac{2}{3} \times 67\frac{4}{5}$. Ans. $5,672\frac{2}{5}$.
- (6) Divide $4\frac{1}{2} \times 6\frac{3}{4}$ by $1\frac{4}{5}$. Ans. $16\frac{7}{8}$.
- (7) At $\$3\frac{7}{8}$ a yard, what must be paid for 24 yards of velvet? Ans. $\$93$.
- (8) Simplify $\frac{4\frac{7}{8} \times 3\frac{2}{3} \times 3\frac{1}{5}}{1\frac{5}{8} \times 4\frac{2}{5}}$. Ans. 8.
- (9) Multiply $8\frac{1}{20}$ by $\frac{1}{40}$. Ans. $\frac{1}{800}$.
- (10) Subtract from 100 the sum of $8\frac{3}{4}$, $7\frac{5}{6}$, and $10\frac{1}{2}$. Ans. $72\frac{1}{2}$.
- (11) A cask containing 40 gallons leaks at the rate of $3\frac{3}{4}$ gallons an hour. In how many hours will it be empty? Ans. $10\frac{2}{3}$ hr.
- (12) Find the value of $\frac{65}{100} \times 4\frac{2}{3} \times 6\frac{1}{2}$. Ans. $19\frac{4}{60}$.
- (13) The circumference of a wheel is $\frac{355}{113}$ times its diameter. What is the circumference of a wheel whose diameter is $8\frac{2}{3}$ feet? Ans. $27\frac{7}{39}$ ft.

For notice of copyright, see page immediately following the title page.

(14) A company of soldiers consumes $165\frac{3}{4}$ pounds of meat, which is an allowance of $1\frac{5}{8}$ pounds each. How many soldiers are in the company? Ans. 102 soldiers.

(15) In a field of $4\frac{4}{5}$ acres there were raised 96 bushels of wheat. What was the average number of bushels per acre? Ans. 20 bu.

(16) Simplify $\left(\frac{2\frac{1}{2} - 1\frac{2}{3}}{\frac{2}{5} \times (\frac{3}{4} - \frac{1}{2})} - \frac{2}{3}\right) \times \frac{5}{23}$. Ans. $1\frac{3}{5}$.

(17) Find the cost of $24\frac{3}{4}$ tons of hay at $\$23\frac{3}{4}$ a ton. Ans. $\$587\frac{1}{6}$.

(18) Three men in partnership gain \$3,696. In dividing the profits, one gets $\frac{1}{3}$ of the amount, the second gets $\frac{2}{5}$ of the remainder, and the third gets what still remains. Find the share of each. Ans. \$1,232; \$985 $\frac{3}{5}$; \$1,478 $\frac{2}{5}$.

(19) Simplify $\frac{1\frac{2}{3} \times (2\frac{1}{2} + \frac{2}{5} - 1\frac{2}{3} \div \frac{5}{6})}{(5 + 8\frac{1}{2} \times 1\frac{1}{3}) \div \frac{7}{9}}$. Ans. $1\frac{1}{4}$.

(20) The sum of two numbers multiplied by $18\frac{2}{3}$ is $296\frac{2}{3}$. One of the numbers is $12\frac{3}{4}$. Find the other number. Ans. $3\frac{1}{7}$.

(21) If $12\frac{7}{8}$ times the difference between two numbers is $41\frac{1}{5}$, and one of the numbers is 21, what is the other number? Ans. $24\frac{1}{5}$ or $17\frac{4}{5}$.

(22) What is the circumference of a wheel that goes 108 feet in turning $5\frac{3}{4}$ times? Ans. $18\frac{1}{2}\frac{8}{3}$ ft.

(23) Simplify $\frac{2\frac{5}{8} \times \frac{1\frac{1}{5}}{2\frac{1}{2}\frac{6}{7}} \div \frac{4\frac{3}{8} \div \frac{7}{4}}{5\frac{3}{4} - \frac{11}{3}}$. Ans. $\frac{5}{6}$.

(24) If a man travels $85\frac{5}{12}$ miles in one day, $78\frac{9}{15}$ miles the next day, and $125\frac{17}{5}$ miles the third day, how far did he travel in the three days? Ans. $289\frac{2}{3}\frac{11}{10}$ mi.

(25) Bought $211\frac{1}{4}$ pounds of old lead for $1\frac{7}{8}$ cents per pound. Sold a part of it for $2\frac{1}{2}$ cents per pound, receiving for it the same amount as I paid for the whole. How many pounds did I have left? Ans. $52\frac{1}{3}\frac{3}{6}$ lb.

ARITHMETIC.

(PART 3.)

EXAMINATION QUESTIONS.

- (1) Change $2\frac{1}{2} \times 3\frac{1}{3} \div 8$ to a decimal. Ans. 1.0417—
- (2) By the method of aliquot parts, multiply 448 by $62\frac{1}{2}$.
Ans. 28,000.
- (3) How many tons of coal at $\$2.87\frac{1}{2}$ a ton should be received in exchange for 128 cords of wood at $\$1.62\frac{1}{2}$ a cord and \$436 in money? Ans. 224 T.
- (4) A dealer bought peaches at $\$1.87\frac{1}{2}$ a basket, and sold them so as to lose \$12.50 on 100 baskets. How much did he receive per basket? Ans. \$1.75.
- (5) Reduce to decimals and add the following fractions:
 $\frac{3}{4}, \frac{7}{8}, \frac{11}{16}, \frac{17}{32}$. Ans. 2.84375.
- (6) If the diameter of the earth is 7,912 miles and its circumference is 3.1416 times as much, how many miles are in its circumference? Ans. 24,856.3392 mi.
- (7) Find the value of $\frac{3}{5}$ of $\frac{2}{3}$ of .0168. Ans. .00672.
- (8) The sum of .37 of a number and .23 of the same number is 33.6. Find the number. Ans. 56.
- (9) If $\frac{2}{3}$ of a number be subtracted from .8 of the number, the remainder is 87.8. What is the number? Ans. 658.5.
- (10) If \$8.20 more is paid for $14\frac{5}{8}$ yards of cloth than for $9\frac{1}{2}$ yards, what is the price per yard? Ans. \$1.60.

For notice of copyright, see page immediately following the title page.

(11) Change 4,620 feet to the decimal of a mile. One mile contains 5,280 feet. Ans. .875 mi.

(12) Find the cost of 6 barrels of flour at \$6.375 a barrel, 28 bushels of potatoes at \$.875 per bushel, and 120 pounds of sugar at \$.03 $\frac{1}{8}$ a pound. Ans. \$66.50

(13) A lot cost \$3,300, and this was .165 of the cost of the house erected upon it. Find what was paid for the house. Ans. \$20,000.

(14) A man whose daily pay was \$1.87 $\frac{1}{2}$ had his wages advanced to \$2.25. Counting 300 working days in a year, find the annual increase in his salary. Ans. \$112.50.

(15) A man paid .143 of his annual salary to his butcher, .347 of it to his grocer, .256 of it for clothing, and .154 for other expenses. How much did he save, if his butcher received \$327.47? Ans. \$229.

(16) A farm was bought at \$87.50 per acre and sold at \$112.50, by which there was a gain of \$3,670. How many acres were there? Ans. 146.8 A.

(17) If a cubic inch of water weighs .03617 pound, what will be the weight of 231 cubic inches? Ans. 8.355 + lb.

(18) Using the method of aliquot parts, divide (a) 475 by 12 $\frac{1}{2}$; (b) 25 by 16 $\frac{2}{3}$. Ans. $\begin{cases} (a) & 38. \\ (b) & 1\frac{1}{2}. \end{cases}$

(19) Express (approximately).7292 as a common fraction whose denominator is 40. Ans. $\frac{29}{40}$.

(20) Find the value of the following expression when the result is carried to three decimal places:

$$\frac{74.26 \times 3.1416 \times 19.5 \times 19.5 \times 350}{33,000 \times 12 \times 4}$$

Ans. 19.601 +.

(21) From 1 + .001 take .01 + .000001. Ans. .990999.

(22) Simplify $[(\frac{9}{12} + 2\frac{1}{8} - 3\frac{1}{18}) \div (\frac{2}{8} - 1\frac{2}{9} + 5\frac{7}{12})] \times (.625 \times \frac{1}{2}\frac{6}{5})$. Ans. .2,

(23) Solve the following: (a) $(\frac{7}{16} - .13) \times \overline{.625 + \frac{5}{8}}$; (b) $\frac{1}{3}\frac{9}{2} \times .21 - .02 \times \frac{3}{16}$; (c) $(\frac{1}{4}\frac{3}{4} + .013 - 2.17) \times \overline{13\frac{1}{4} - 7\frac{5}{16}}$.

$$\text{Ans. } \begin{cases} (a) .384375. \\ (b) .1209375. \\ (c) 6.4896875. \end{cases}$$

(24) Simplify and express the following, as a mixed number:

$$\frac{1.25 \times 20 \times 3}{\frac{87 + 11 \times 8}{459 + 32}} \quad \text{Ans. } 210\frac{3}{4}.$$

(25) Simplify and express the following, as a decimal:

$$\frac{.875}{\frac{1}{2}} \times \frac{\frac{7}{8}}{.4} \div \frac{\frac{5}{16} \times .125}{.375 \times \frac{1}{4}} \quad \text{Ans. } 9.1875.$$

ARITHMETIC.

(PART 4.)

EXAMINATION QUESTIONS.

(1) Change .67 of a mile to integers of lower denomination.
Ans. 214 rd. 2 yd. 7.2 in.

(2) How many miles apart are two points on the earth's equator, one being at $23^{\circ} 28'$ west longitude, and the other at $5^{\circ} 22'$ east longitude. (Take a degree of longitude at the equator as 69.16 statute miles.) Ans. 1,994.11+ mi.

(3) How many yards of lining $\frac{7}{8}$ of a yard wide will be required to line a piece of goods 28 yards long and $\frac{3}{4}$ of a yard wide? (The area equals the product of the length and the width.) Ans. 24 yd.

(4) What must be paid for a rectangular block of granite, its dimensions being 3 ft. \times $4\frac{1}{2}$ ft. \times 6 ft., at $\$1.37\frac{1}{2}$ per cubic foot? (The contents of the block equals the product of the length, breadth, and thickness.) Ans. $\$111.375$.

(5) Find to four decimal places the number of times that 2 ft. 8 in. must be repeated to be equal to the circumference of a flywheel 12 feet in diameter. (The circumference equals 3.1416 times the diameter.) Ans. 14.1372.

(6) Change $\frac{2}{3}$ of 365 da. 5 hr. 48 min. 49.7 sec. to integers of lower denomination.
Ans. 228 da. 6 hr. 38 min. 1.0625 sec.

(7) If 5 T. 875 lb. of coal cost $\$9.13\frac{1}{2}$, how much is it a ton? Use the long ton. Ans. $\$1.69+$.

For notice of copyright, see page immediately following the title page.

(8) How many 8-inch furrows, each 40 rods long, are equivalent to an acre? (See Example 3.) Ans. 99.

(9) Assuming that a degree of latitude is 69.16 miles, how far from the equator is a place whose latitude is $42^{\circ} 20' 30''$? Ans. 2,928.3497— mi.

(10) A cubical cistern is 8 ft. 6 in. in each of its three dimensions. How many gallons will it hold? (See Example 4.) Ans. 4,594— gal.

(11) Find the exact time in years and days between Jan. 14, 1898, and July 23, 1900. Ans. 2 yr. 190 da.

(12) What decimal fraction of an entire circle is $60^{\circ} 40' 30''$? Ans. .1685+.

(13) How many bushels will a bin contain whose dimensions are 6 ft. \times $6\frac{1}{2}$ ft. \times 8 ft.? (See Example 4.) Ans. 250.7+ bu.

(14) A family used a quantity of sugar at the rate of $8\frac{3}{4}$ ounces per day and it lasted 80 days. How many pounds were there in all? Ans. $43\frac{3}{4}$ lb.

(15) Find the difference between 25 ft. square and 75 sq. ft. Ans. 550 sq. ft.

(16) A rectangular stick of lumber 36 ft. long and 10 in. thick contains 40 cu. ft. How wide is it? (See Example 4.) Ans. 16 in.

(17) A vessel having a capacity of 100 bushels will hold how many gallons? Ans. 930.92— gal.

(18) (a) How many square feet in a board 18.75 ft. long and 2 ft. 10 in. wide? (See Example 3.) (b) What will it cost at 8 cents a square foot? Ans. $\left\{ \begin{array}{l} (a) \quad 53.125 \text{ sq. ft.} \\ (b) \quad \$4.25. \end{array} \right.$

(19) (a) What fractional part of 63 gallons is 18 gal. 3 qt. 1 pt.? (b) What decimal part? Ans. $\left\{ \begin{array}{l} (a) \quad \frac{151}{63} \\ (b) \quad .2996+. \end{array} \right.$

(20) A grocer bought 6 bushels of cranberries and sold them at 25 cents for 3 quarts. His gain was \$4. What did they cost him per bushel? Ans. \$2.

(21) A student spent 8 hours and 40 minutes daily in study for 4 years. How much time did he study in all, if school was in session 5 days each week for 40 weeks each year? Ans. 6,933 $\frac{1}{3}$ hr.

(22) From £21 5 s. 3 d. take £13 9 s. 6 d. Ans. £7 15 s. 9 d.

(23) If 16 square miles be equally divided into 62 farms, how much land will each farm contain?

Ans. 165 A. 25 sq. rd. 24 sq. yd. 3 sq. ft. 80+ sq. in.

(24) How many bushels of apples are contained in 9 barrels, if each barrel contains 2 bu. 3 pk. 6 qt.?

Ans. 26.4375 bu.

(25) Reduce 4,763,254 links to miles.

Ans. 595 mi. 32 ch. 2 rd. 4 li.

ARITHMETIC.

(PART 5.)

EXAMINATION QUESTIONS.

NOTE.—The answers obtained by the student to those examples which require a change of units from the metric system to English or vice versa may differ slightly from those here printed on account of the method used. If the student's work is correct, however, it will be accepted and full credit will be given.

(1) How many kilos of water will a tank contain that is $3\text{ m.} \times 2\text{ m.} \times 3\text{ m.}$? Ans. 18,000 K.

(2) Find the cost of 1.5 tonnes of sugar at $2\frac{1}{2}$ cents a pound. Ans. \$82.67+.

(3) How much will 25.875 kilograms of opium cost at 10 cents a grain? Ans. \$39,930.30.

(4) At 25 cents a square yard, find how much must be paid to plaster a ceiling 12 meters long and 10 meters wide. Ans. \$35.88.

(5) What would be the value of the 5-cent nickel coins that, placed side by side, would make a row 50 meters long, the diameter of the 5-cent nickel coin being 2 centimeters? Ans. \$125.

(6) Find the cost, at 12 cents a quart, of 1,000 liters of cranberries. Ans. \$108.94—.

(7) Change 56.8 meters to yards. Ans. 62.1+ yd.

(8) When $x = 10$, $y = 4$, $z = 6$, $a = 3$, $b = 5$, $c = 8$, what is the value of $\frac{5(xyz - abc)}{bc - ax}$? Ans. 60.

(9) How many cubic meters are equivalent to 93 cu. yd.? Ans. 71.1+ cu. m.

For notice of copyright, see page immediately following the title page.

- (10) How many hektares of land in a field 40 rods square?
Ans. 4.0469+ Ha.

- (11) Bought a farm of 200 hektares at \$250 a hektare and sold it at \$150 an acre; find the gain or loss.
Ans. \$24,130 gain.

- (12) A wall containing 30 m³. was built at \$4.05 per cu. yd.; how much did it cost?
Ans. \$158.92.

- (13) Find the sum of 2.75 K., 429.17 Dg., and 38,295 g., and express the result in hektograms. Ans. 453.367 Hg.

- (14) What is the value of $(43\frac{1}{2})^2 + (4\frac{2}{3})^2$?
Ans. 1,993.879+.

- (15) Find the number of liters in 100 gallons of water.
Ans. 378.546— l.

- (16) A gold eagle of the United States weighs 258 grains Troy; what would be the value of a kilo of these coins?
Ans. \$598.14—.

- (17) If a cubic foot of marble weighs 168.75 lb., what will be the weight of a marble block containing 26.25 m³.?
Ans. 156,432 lb., nearly.

- (18) What is the nearest whole number of city lots, each containing 2,500 sq. ft., that is equivalent to a hektare of land?
Ans. 43 lots.

- (19) A rectangular field 100 m. long contains 1 acre. How wide is it?
Ans. 8.0488— rd.

SUGGESTION.—Divide the number of square rods in one acre by the number of rods in 100 meters.

- (20) A fish weighing 50 Kg. was bought at 30 cents a Kg. and sold at 18 cents a pound; find the gain or loss.
Ans. \$4.84+ gain.

- (21) How many gallons will a cistern contain that holds 18 m³.?
Ans. 4,755.06 gal.

(22) Mercury is 13.5 times as heavy as water; how many pounds of mercury will a vessel hold whose capacity is 35 cu. cm. Ans. 1.04+ lb.

(23) A cistern contains 13.5 m³.; what is the weight of water in pounds that it will hold? Ans. 29,762.1 lb.

(24) A liter is .26417 of a gallon; how many grams will a gill of water weigh? Ans. 118.295+ g.

(25) A rectangular piece of ground is 65.4 m. long and 39.8 m. wide. Find the cost of constructing a walk 1 m. and 5 dm. wide at \$.55 per yard of length: (a) when the walk is just outside the boundary; (b) when the walk is just inside the boundary. Ans. $\begin{cases} (a) \$130.13. \\ (b) \$122.91+. \end{cases}$

ARITHMETIC.

(PART 6.)

EXAMINATION QUESTIONS.

(1) A rectangle has a base of 35 rods and an area of $3\frac{1}{2}$ acres; find the altitude. Ans. 16 rd.

(2) The perimeter of a room is 140 feet, and its width is three-fourths of its length; what are its dimensions? Ans. 30 ft. \times 40 ft.

(3) The base of a right triangle is 60 inches, and its area is 18.75 square feet; what is its altitude? Ans. 90 in.

(4) The pressure on a circular piston is 60 pounds to the square inch; if its diameter is 20 inches, what is the entire pressure? Ans. 18,849.6 lb.

(5) How many bushels will a granary hold that is 12 feet long, 5 feet wide, and 4 feet deep? Ans. 192.9 bu.

(6) How many bricks in a wall 4 feet thick, 90 feet long, and 36 feet high, counting 574 bricks in a cubic yard of wall? Ans. 275,520 bricks.

(7) Find the area of a circle whose circumference is 1,000 feet. Ans. 79,577.285+ sq. ft.

(8) Find the convex surface of a cylinder 24 inches long and 18 inches in diameter. Ans. 1,357.1712 sq. in.

(9) Find the cost of the following bill of lumber:

10 pieces hemlock 10' \times 3" \times 4" at \$16 a M.

25 pieces hemlock 12' \times 8" \times 1" at \$16 a M.

20 pieces pine 16' \times 8" \times 2" at \$30 a M.

Ans. \$17.60.

(10) How many feet of 1-inch boards could be cut from a stick 40 feet long and 16 inches square, allowing $\frac{1}{4}$ inch for each saw-cut? Ans. $693\frac{1}{3}$ ft.

(11) Find the cost of 1 mile of iron water pipe 36 inches inside diameter, and 38 inches outside diameter, the price of the iron being \$40 per ton of 2,000 pounds. (Weight of 1 cubic foot of cast iron is 450 pounds.) Ans. \$38,358.94—.

(12) How much will it cost to enclose a rectangular lot 160 feet wide and 480 feet long with a post and board fence 6 feet high? Lumber costing \$30 per thousand feet and labor \$11.65 per thousand feet. Posts measuring 4 in. \times 4 in. \times 8 ft. are to be placed 8 feet apart, boards 1 inch thick.

Ans. \$390.95+.

(13) An iron safe is everywhere $1\frac{1}{2}$ inches thick, and its external dimensions are 6 ft. \times 4 ft. 6 in. \times 3 ft. 6 in.; how much does it weigh? (Weight of 1 cubic foot of wrought iron is 480 pounds.) Ans. $7,237\frac{1}{2}$ lb.

(14) How many bricks, each $8\frac{3}{4}$ inches long, $4\frac{1}{4}$ inches wide, and $2\frac{3}{4}$ inches thick, will be required to build a wall 175 yards long, 12 feet high, and 1 foot $10\frac{1}{2}$ inches thick? (Allow for mortar; see Art. 85.) Ans. 177,882 bricks.

(15) The perimeter of a field is 600 yards, and its length is 80 yards more than its width; how many acres in the field?

Ans. 4.32—A.

(16) How many revolutions will a locomotive wheel 6 feet in diameter make in going from New York to Philadelphia, a distance of 90 miles? Ans. 25,210.08+ revolutions.

(17) A cylindrical tank 12 feet high and 40 inches in diameter is full of oil worth 8 cents a gallon; what is the value of the oil? Ans. \$62.67—.

(18) (a) How many perches of stone are required to build the walls of a church, 80 ft. \times 40 ft. outside, the walls being 36 feet high and 3 feet thick, there being twelve windows, each 6 ft. \times 12 ft., and three doors, each 7 ft. \times 10 ft.?
(b) What is the cost of laying the walls, at \$3.75 per perch?

Ans. $\left\{ \begin{array}{l} (a) \quad 864.7 \text{ pch.} \\ (b) \quad \$3,927.27. \end{array} \right.$

(19) A cubical cask 8 feet 6 inches each way is full of oil; a faucet capable of discharging an average of 5 gallons per minute is opened. In what time will the cask be emptied?
 Ans. 15 hr. 18.795— min.

(20) How many tons of Schuylkill coal will fill a car 40 feet long and $6\frac{1}{2}$ feet wide to a depth of $4\frac{1}{2}$ feet?
 Ans. 33.4+ T.

(21) What must be paid, at $4\frac{3}{4}$ cents per square yard, for kalsomining the walls and ceilings of 4 rooms, each having a height of 9 feet 4 inches, the dimensions of the rooms being as follows: 12 ft. \times 14 ft., 15 ft. \times 15 ft., 16 ft. \times 18 ft., and 15 ft. \times 19 ft.?
 Ans. \$17.31+.

(22) How many single rolls and how many double rolls of paper will be required to paper the walls of a room 16 ft. \times 20 ft. 6 in., allowing for a baseboard 7 inches high, 5 doors 3 ft. \times 7 ft., and 3 windows 3 ft. \times 6 ft., the walls of the room being 11 feet high? Also, how many double rolls of border 18 inches wide are required?

Ans. $\left\{ \begin{array}{l} 7 \text{ double rolls.} \\ 17 \text{ single rolls.} \\ 2 \text{ double rolls border.} \end{array} \right.$

(23) At \$1.25 a yard, what will be the cost of carpeting a room 15 ft. \times 17 ft., with Brussels carpet, allowing 1 foot on each strip for waste and matching?
 Ans. \$52.50.

(24) What would be the cost of erecting the walls of a building 145 ft. \times 75 ft., and 30 feet high; the walls being 3 bricks (= 1 foot) thick, allowance to be made for 110 windows, each 7 ft. \times 3 ft. 6 in.; for 4 doors, each 8 ft. \times 10 ft.; and 2 doors, each 6 ft. \times 8 ft.; the bricks to cost \$5.60 per thousand, and the laying to cost \$1.45 per thousand?

Ans. $\left\{ \begin{array}{l} \$1,299.23+ \text{ for bricks.} \\ \$340.46- \text{ for laying.} \end{array} \right.$

(25) What would it cost to shingle a roof, each side measuring 30 ft. \times 15 ft., shingles costing \$5 per thousand?
 Ans. \$40.50.

ARITHMETIC.

(PART 7.)

EXAMINATION QUESTIONS.

(1) Express decimally: $\frac{1}{2}\%$, $\frac{3}{4}\%$, $1\frac{3}{8}\%$, $\frac{5}{8}$ of 1%, $\frac{2}{3}$ of $\frac{3}{4}\%$.

(2) A farmer planted $6\frac{1}{4}\%$ as many potatoes as his crop amounted to; this was 1,575 bushels more than he planted; how many bushels in his crop? Ans. 1,680 bu.

(3) I pay $37\frac{1}{2}\%$ of my month's salary to my grocer, $12\frac{1}{2}\%$ of it to my butcher, and $16\frac{2}{3}\%$ of it for other expenses, and then have \$90 of it left; how much do I get per year?

Ans. \$3,240.

(4) A merchant bought some goods at 20% below list price, and sold them so as to gain 30%; at what per cent. above list price did he sell them? Ans. 4%.

(5) Two horses were sold at \$120 each; if by the transaction 25% was gained on one and 25% lost on the other, how much was gained or lost? Ans. \$16 lost.

(6) A bought a horse and sold it to B at an advance of 20%; B sold it to C and gained 25%; what did each man pay for it if it cost C \$60 more than it cost A?

Ans. $\left\{ \begin{array}{l} \text{A, \$120.} \\ \text{B, \$144.} \\ \text{C, \$180.} \end{array} \right.$

(7) What number increased by $12\frac{1}{2}\%$ of itself is equal to \$3,690? Ans. \$3,280.

For notice of copyright, see page immediately following the title page.

(18) After deducting $2\frac{1}{2}\%$ commission and $\frac{1}{4}\%$ for insurance, a commission merchant remitted \$6,613 as the proceeds from a sale of peaches; for how much were the peaches sold? Ans. \$6,800.

(19) A commission merchant received \$520.45 to buy peaches after deducting expenses; drayage cost \$18.75, storage, \$8.50, and his commission was $2\frac{3}{4}\%$. At \$.75 a crate, how many crates did he buy? Ans. 640.

(20) A merchant bought 200 barrels of flour at \$5.40 per barrel; he sold 65% of it at \$5.90 and the remainder at \$6.50. Find the gain per cent. Ans. $13\frac{4}{7}\%$.

(21) A merchant purchased a bill of goods, on which he received a serial discount of 20%, 15%, and 5%; if, instead, he had been given a discount of 20%, 10%, and 10%, his bill would have been \$25.48 more. Find the amount of the bill without discount. Ans. \$12,740.

(22) A life-insurance company took a risk at $\frac{7}{8}\%$ annual premium for \$25,000; the company reinsured 28% of their risk at $\frac{1}{2}\%$ in a second company, and 48% of it at $\frac{3}{4}\%$ in a third company. What was the annual gain of the first company by reinsuring? Ans. \$41.25.

(23) A discount of 20% on three-fourths of the amount of a bill, and 15% on the remainder is \$324.50 better than a discount of 16% on the whole bill; find the amount of the bill. Ans. \$11,800.

(24) A dealer receives \$33.90 more for a piano by allowing a serial discount of 20%, 10%, and 10% instead of one of 25%, 15%, and 5% from the list price; what is the list price? Ans. \$800.

(25) A merchant sold 20% of his stock at a gain of 20%, 30% of the remainder at 1.25 of its cost, and what still remained he sold at seven-eighths of its cost; did he gain or lose, and what per cent.? Ans. 3% gain.

ARITHMETIC.

(PART 8.)

EXAMINATION QUESTIONS

(1) By the method of Art. 12, find the interest of \$5,628.40 at $3\frac{1}{5}\%$ for 5 yr. 7 mo. 29 da. Ans. \$1,211.39.

(2) By the six-per-cent. method, find the interest of \$5,670.80 for 1 yr. 11 mo. 27 da. at $4\frac{1}{2}\%$. Ans. \$508.25.

(3) By the 60-day method, find the interest of \$4,689.50 at 6% for 87 days. Ans. \$68.00.

(4) Find, in the shortest way, how much more the interest of \$6,600 will be for 3 yr. 8 mo. 15 da. at $5\frac{1}{2}\%$ than at $4\frac{2}{3}\%$. Ans. \$203.96.

(5) If, in finding the interest at 6% of any sum of money, the multiplier is .2365, what is the time?
Ans. 3 yr. 11 mo. 9 da.

(6) How much more at 6% is the exact interest of a debt of \$100,000 for February, 1896, than for the same month in 1897? Ans. \$15.14.

(7) In 3 yr. 5 mo. 18 da. at $4\frac{1}{2}\%$, what part of the principal equals the interest? Ans. .156.

(8) Find the exact interest at 7% of \$928.60 from April 8, 1899, to October 17, 1899. Ans. \$34.19.

(9) What is the compound interest of \$3,690 for 3 yr. 7 mo. 20 da. at 6%, interest being compounded semiannually?
Ans. \$886.05.

For notice of copyright, see page immediately following the title page.

(10) What is the difference between the exact and the ordinary interest of \$3,600 at 6% for 270 days of a common year? Ans. \$2.22.

(11) The amount of a certain principal at 5% for 2 yr. 3 mo. 18 da. is \$535.20; what is the principal? Ans. \$480.

(12) What is the present worth of \$1,260 due in 6 mo. 24 da., money being worth 5% a year? Ans. \$1,225.28.

(13) What is the face of a 90-day note that will yield \$1,200 proceeds when discounted at 6%? Ans. \$1,218.89.

(14) Find the bank discount of a note for \$2,400, due in 60 days, the rate of discount being 6%. Ans. \$25.20.

(15) Write, in proper form, a 90-day note which, when discounted at a bank at 5%, will yield \$6,000 proceeds. Give the work for finding the face. Ans. Face, \$6,078.51.

(16) A 90-day note for \$1,200, dated July 1, 1900, and bearing interest at 8%, was discounted at 6% at a bank, September 1, 1900; find the proceeds. Ans. \$1,218.47.

(17) A note for \$2,920, bearing interest at 5%, is dated April 1, 1900; at what date will the exact interest amount to \$58.40? Ans. Aug. 25, 1900.

(18) A demand note for \$12,000 with interest at 6% is dated May 10, 1894, and bears the following indorsements: September 1, 1894, \$200; January 9, 1895, \$960; March 1, 1895, \$150; May 1, 1895, \$500; settled, September 1, 1895. Which is better for the lender, and by which will he receive the more interest—the merchants' rule or the United States rule, exact interest being computed?

Ans. U. S. rule, \$28.02.

(19) At what rate per cent. will \$1,280, in 2 yr. 5 mo. 24 da., give \$148.31 interest? Ans. $4\frac{2}{3}\%$, nearly.

(20) The bank discount on a 30-day note, bearing interest at 8%, is \$66, the rate of discount being 6% per annum; find the face of the note, if the note was discounted on the day it was made. Ans. \$11,912.64.

(21) I lend equal sums to each of two men, for which one pays me $5\frac{1}{2}\%$ and the other $4\frac{1}{3}\%$ per annum; at the end of 1 yr. 9 mo. 18 da., the interest due me from the first exceeds the interest due from the second by \$42. What did I lend to each? Ans. \$2,000.

(22) If the interest of three-fourths of A's money added to that of two-thirds of B's in 4 years at $5\frac{1}{2}\%$ is \$1,320, how much has each, if three-fourths of A's equals two-thirds of B's? Ans. $\begin{cases} \text{A, } \$4,000. \\ \text{B, } \$4,500. \end{cases}$

(23) What is the ad valorem duty at 22% on 18,600 yards of silk invoiced at 8 francs per yard? Ans. \$6,317.96.

(24) Find the value, in English money, of the following United States invoice:

Goods.	United States Money.		English Money.		
	Dollars.	Cents.	£	s.	d.
12,000,000 pounds steel rails at \$27.62 per ton					
4,304 steel plows at \$7.18 each					
Total, in English money					

Ans. £36,754 15 s. 1 d.

(25) If the rate of duty is 28% ad valorem, what will be the duty on a lot of silk invoiced at £378 15 s.? Ans. \$516.04.

ARITHMETIC.

(PART 9.)

EXAMINATION QUESTIONS.

(1) How much must be invested in stocks paying $3\frac{1}{2}\%$ semiannual dividends to yield a yearly income of \$5,600, if they are bought at $108\frac{1}{2}$, brokerage being $\frac{1}{8}\%$?

Ans. \$86,900.

(2) A broker at a commission of $\frac{1}{4}\%$ receives \$50 for buying stock at $110\frac{1}{2}$. (a) How many shares does he buy? (b) What do they all cost without brokerage?

Ans. $\begin{cases} (a) & 200. \\ (b) & \$22,100. \end{cases}$

(3) What will be the cost of 125 shares of bank stock bought at $114\frac{1}{8}$, brokerage being $\frac{1}{8}\%$? Ans. \$14,281.25.

(4) How much must be invested in stock paying a quarterly dividend of 2% to yield an annual income of \$4,800, their market price being $112\frac{3}{8}$ and brokerage $\frac{1}{8}\%$?

Ans. \$67,500.

(5) Which is better, and by how much per cent., to invest in stock at 110 that pays an annual dividend of 10% , or in stock at 90 that pays 8% a year?

Ans. The former, by $\frac{20}{9}\%$.

(6) What must be paid for a sight draft for \$5,600 on New Orleans when exchange is at $1\frac{1}{8}\%$ premium?

Ans. \$5,663.

For notice of copyright, see page immediately following the title page.

(7) What will be the cost of a draft for \$8,000 payable in 60 days after sight, exchange being at $1\frac{1}{2}\%$ premium, and money being worth 6% interest? Ans. \$8,036.

(8) Find the cost of a 90-day draft for \$6,800 when money is worth 5% interest and exchange is at $1\frac{1}{4}\%$ discount. Ans. \$6,627.17.

(9) Exchange being at $\frac{3}{4}\%$ premium, find the cost of a sight draft for \$2,800. Ans. \$2,821.

(10) Find the face of a 60-day draft costing \$12,000 when exchange is at $1\frac{1}{2}\%$ discount and money is worth 6% interest. Ans. \$12,314.01.

(11) What is the cost, in New York, of a draft on London for £400 15 s. when exchange is \$4.855? Ans. \$1,945.64.

(12) What must be paid in New York for a draft on Paris for 20,000 francs when \$1 is equal in exchange to 5.22 francs? Ans. \$3,831.42.

(13) In what time will the interest of \$1,000 be the same as the interest of \$800 for 30 days, \$500 for 20 days, and \$400 for 60 days, the rate in each case being the same? Ans. 58 da.

(14) A sold B a bill of goods as follows: silk for \$1,200 on 30 days' credit, cloth for \$3,600 on 60 days' credit, and cotton goods for \$1,200 on 90 days' credit; in what time can the three debts be equitably paid at once? Ans. 60 da.

(15) Find the equated time for paying in one payment the following debts: \$800 due September 1, \$900 due October 10, \$1,000 due October 30, and \$1,200 due December 1. Ans. Oct. 23.

(16) A bill was to be paid as follows: one-third in 20 days, one-fourth in 30 days, one-sixth in 60 days, and the remainder in 90 days; find the equated time for paying the whole bill in one payment. Ans. 47 da.

(17) When may the following account be settled by cash payment without loss of interest to either party?

HENRY STELL.

1899.

1899.

June	8	Mdse., 10 days,	1,200	July	1	Cash,	1,000
July	10	" 60 "	2,000		25	Draft, 30 days,	500
Aug.	20	" 30 "	3,000	Sept.	30	Cash,	800
Sept.	25	" 90 "	2,400	Oct.	10	Real Estate,	6,000
Dec.	1	" 30 "	5,000	Nov.	20	Cash,	900

Ans. Jan. 14, 1900.

(18) A lends B at one time \$320 for 5 months, and at another time \$450 for 8 months; how long should B lend A \$500 to repay the favor?

Ans. 10 mo. 12 da.

(19) Find the cost, in New York, of a draft for 10,000 reichmarks on Berlin through London and Amsterdam, exchange between New York and London being \$4.85, between London and Amsterdam 11.85 guilders to the £, and between Amsterdam and Berlin 1.7 reichmarks to the guilder, and brokerage at London and at Amsterdam being $\frac{1}{8}\%$.

\$2,413.57—.

(20) On January 1, 1901, M. A. Davenport owed E. J. Collier \$1,708.95. Collier bought of Davenport 60 sheep weighing 4,380 pounds at 11 cents per pound; January 6, Davenport sold Collier 7,680 pounds of beef at $8\frac{1}{4}$ cents per pound; January 8, Collier accepted Davenport's note for \$620, less $\frac{1}{2}\%$ discount; January 10, Collier sold Davenport 600 bushels potatoes at $49\frac{1}{2}$ cents per bushel; January 12, Collier allowed Davenport a 12% rebate on potatoes that were damaged in transit; January 20, Davenport bought of Collier 12,810 bushels of corn at $35\frac{1}{4}$ cents per bushel; January 26, Davenport paid draft \$365.20 drawn on him by Collier; January 29, Davenport gave Collier note for \$195.62. Make an itemized statement of the above account as it should appear taken from the books of Collier; make a proper heading, close the account, and bring down the balance as it should appear February 1, 1901

Ans. \$4,194.27

(21) A man sells 160 shares of 4% stock at $87\frac{5}{8}$ and invests the proceeds of the sale in 6% stock at $124\frac{7}{8}$, brokerage in each case being $\frac{1}{8}\%$; find how much his annual income is increased. Ans. \$32.

(22) Find the face of a 60-day draft on New York, purchased in Boston for \$659.85, exchange being $1\frac{3}{8}\%$ premium and money being worth 7%. Ans. \$658.86.

(23) A man pays 120 for stock that yields a quarterly dividend of 3%; what per cent. per annum does he receive on his investment? Ans. 10%.

(24) A speculator bought lots: 24 at \$1,080 each, 36 at \$2,160 each, and 48 at \$3,240 each. He sold them all so as to average a gain of \$100 a lot. Find the average price at which he sold them. Ans. \$2,500.

(25) Wm. F. Smith, on May 1, 1902, opened an account with Frank J. Megargee, a stock broker, by depositing \$10,000 for investment. May 3, Megargee bought for Smith 90 shares P. & R. stock at $138\frac{1}{4}$; May 5, Smith sold Megargee real estate valued at \$4,270; May 7, Megargee bought for Smith 3,000 shares U. S. Steel Stock at $38\frac{7}{8}$; May 11, Megargee sold for Smith 79 shares P. & R. stock at $140\frac{1}{4}$; May 15, Megargee sold for Smith 2,864 shares U. S. Steel Stock at $37\frac{5}{8}$; May 26, Megargee paid draft drawn by Smith \$2,910. Make an itemized statement of the above account as it should appear taken from the books of Wm. F. Smith; make a proper heading, close the account, and bring down the balance as it should appear June 1, 1902. Allow brokerage of $\frac{1}{8}\%$ for buying and selling stock. Ans. \$376.12.

SPELLING

(PART 1, DIVISION 1)

INSTRUCTIONS FOR STUDYING

Before studying this lesson, read carefully Art. 9, page 4, in the pamphlet, "How to Proceed With Your Studies."

The Instruction Paper in Spelling, Part 1, is apportioned into two divisions. The First Division contains fifty exercises, and extends from page 1 to Exercise 51, page 12.

In studying the exercises in the Instruction Paper, look closely and carefully at each word, and form a correct mental picture of the word before attempting to write it. Cultivate the habit of training the eye to *see* the word forms correctly before *writing* them.

Write all the words in each exercise as many times as it is necessary until you can spell them correctly. If you can spell a word, it will not be necessary to write it; in case you cannot spell it, write it five, ten, or fifteen times, or until you *can* spell it. This may be done on paper or on a slate.

In order that the words in each exercise may be fully understood, we suggest that you consult a dictionary for the meaning of all words that are new.

INSTRUCTIONS FOR SENDING IN WORK

After you have written the words in the exercises in the First Division of the Instruction Paper, write correctly, without referring to the Instruction Paper, and send to us, the words in the following list. Begin each word with a capital letter.

- | | | |
|---------------|--------------|---------------|
| 1. pensel | 35. nauty | 68. rench |
| 2. claus | 36. brom | 69. ebony |
| 3. tonge | 37. teecup | 70. hachet |
| 4. forhed | 38. kasters | 71. molases |
| 5. ant | 39. truley | 72. blossom |
| 6. sumer | 40. whissle | 73. stomach |
| 7. glas | 41. pigen | 74. injur |
| 8. dauter | 42. bronze | 75. coupel |
| 9. cosin | 43. yong | 76. dungon |
| 10. dredful | 44. strength | 77. quante |
| 11. sadel | 45. interrop | 78. notise |
| 12. lach | 46. sauspan | 79. neccesary |
| 13. pudden | 47. quarel | 80. avenues |
| 14. venizen | 48. merrie | 81. gaters |
| 15. scantie | 49. speach | 82. parisol |
| 16. hansom | 50. relation | 83. overalls |
| 17. nursry | 51. bedsted | 84. chessnut |
| 18. library | 52. armchare | 85. centence |
| 19. herth | 53. portrate | 86. carrige |
| 20. nob | 54. cushuns | 87. lettice |
| 21. scholars | 55. mattres | 88. rubarb |
| 22. helth | 56. napkin | 89. pumkin |
| 23. wether | 57. amond | 90. banana |
| 24. remidy | 58. samon | 91. skane |
| 25. program | 59. plumer | 92. pilow |
| 26. parrit | 60. sevral | 93. britle |
| 27. bobilink | 61. tenniss | 94. weights |
| 28. glimse | 62. recieve | 95. lerned |
| 29. atension | 63. raindeer | 96. prompt |
| 30. starecase | 64. icburgs | 97. generos |
| 31. publick | 65. sedar | 98. impolite |
| 32. vowel | 66. hickory | 99. lasy |
| 33. untill | 67. leaver | 100. decetful |
| 34. fireing | | |

SPELLING

(PART 1, DIVISION 2)

INSTRUCTIONS FOR SENDING IN WORK

The Second Division of this Instruction Paper, Part 1, contains fifty exercises, and extends from Exercise 51, page 13, to the end of the Instruction Paper.

After you have written the words in the exercises in the Second Division of the Instruction Paper, write correctly, without referring to the Instruction Paper, and send to us, the following words and sentences. Begin each word with a capital letter.

- | | | |
|----------------|---------------|---------------|
| 1. Febuary | 19. cheerfull | 37. quikly |
| 2. vessle | 20. fredom | 38. yuthfull |
| 3. ciclone | 21. yearling | 39. dumppling |
| 4. huricane | 22. collum | 40. custerd |
| 5. bufalo | 23. tropick | 41. poridge |
| 6. timothy | 24. circle | 42. missle |
| 7. mullbery | 25. quosient | 43. servis |
| 8. squirrel | 26. alspice | 44. coward |
| 9. feirce | 27. chocolate | 45. peirce |
| 10. gruge | 28. vanilla | 46. scourge |
| 11. pinapple | 29. cinamon | 47. florrist |
| 12. rassberry | 30. consert | 48. miliner |
| 13. tullips | 31. jurney | 49. skateing |
| 14. larckspirs | 32. timmid | 50. minister |
| 15. marigold | 33. mirthful | 51. leeping |
| 16. holyhocks | 34. gabble | 52. nuting |
| 17. troubel | 35. gizard | 53. sleighing |
| 18. losened | 36. guinea | 54. cilinder |

55. celabrate	71. entomed	86. attractive
56. celestial	72. mosy	87. benidiction
57. soler	73. breazy	88. bachelor
58. nectar	74. nimph	89. cordiroy
59. cymble	75. citizen	90. seperate
60. thredbare	76. insurrance	91. brodcloth
61. cronic	77. percentige	92. pardner
62. interger	78. digit	93. dence
63. numarator	79. squeek	94. dictionery
64. prairie	80. compas	95. calender
65. torid	81. decemal	96. dolfin
66. commet	82. omilet	97. sturgeon
67. drama	83. parralel	98. securly
68. fossle	84. temparate	99. coriner
69. verdent	85. endeavor	100. countrys
70. ruller		

1. The (peel, peal) of thunder could be (heard, herd) (four, for, fore) a long time.

2. (Two, to, too) many (waist, waste) their time in (idol, idyl, idle) day dreaming.

3. The (heir, ere, e'er, air) (brake, break) did (not, knot) work, and the car went over the embankment.

4. After the box had been (scent, sent, cent) (two, to, too) him he (through, threw) it down (stairs, stares).

5. (Ewe, you, yew) could not tell that he was in (knead, need).

6. The (gate, gait) to the (mane, main, Maine) entrance was thrown open to (all, awl).

7. The (site, sight, cite) of the (great, grate) man brought (tiers, tears) to the eyes of the (fare, fair).

8. The (quire, choir) sang at (knight, night).

9. He (red, read) the (hole, whole) book, (leaf, lief) by (lief, leaf).

10. (Know, no) (won, one) (knew, new) the (bare, bear) facts (butt, but) himself.

SPELLING

(PART 2, DIVISION 1)

INSTRUCTIONS FOR STUDYING

Before studying this lesson, read carefully Art. 9, page 4, in the pamphlet, "How to Proceed With Your Studies."

The Instruction Paper in Spelling, Part 2, is apportioned into two divisions. The First Division contains fifty exercises, and extends from page 1 to Exercise 51, page 12.

In studying the exercises in the Instruction Paper, look closely and carefully at each word, and form a correct mental picture of the word before attempting to write it. Cultivate the habit of training the eye to *see* the word forms correctly before *writing* them.

Write all the words in each exercise as many times as it is necessary until you can spell them correctly. If you can spell a word, it will not be necessary to write it; in case you cannot spell it, write it five, ten, or fifteen times, or until you *can* spell it. This may be done on paper or on a slate.

In order that the words in each exercise may be fully understood, we suggest that you consult a dictionary for the meaning of all words that are new.

INSTRUCTIONS FOR SENDING IN WORK

After you have written the words in the exercises in the First Division of the Instruction Paper, write correctly, without referring to the Instruction Paper, and send to us, the words in the following list. Begin each word with a capital letter.

- | | | |
|--------------------------|---------------------------|--|
| 1. acquaint | 35. hieght | 69. globbule |
| 2. captave | 36. busly | 70. celary |
| 3. yeilding | 37. cemetary | 71. retreive |
| 4. sucess | 38. seperate | 72. reprieve |
| 5. imigrate | 39. cornise | 73. gravey |
| 6. decreace | 40. zephir | 74. exorcize |
| 7. icecle | 41. turquoise | 75. marchendise |
| 8. delitfull | 42. mussle (a small fish) | 76. anxious |
| 9. vipper | 43. pedler | 77. valueble |
| 10. instruction | 44. panteloon | 78. agree |
| 11. gipsum | 45. spanial | 79. dissimilar |
| 12. scithe | 46. navigater | 80. dissatisfy |
| 13. ludecrus | 47. fullfillment | 81. legasy |
| 14. mountians | 48. cuticil | 82. jealousy |
| 15. niether | 49. specticle | 83. acuracy |
| 16. impire | 50. tragical | 84. assistant |
| 17. dallia | 51. champain | 85. eloquence |
| 18. nuckle | 52. victals | 86. fraudulance |
| 19. ocurred | 53. devisable | 87. misdemeaner |
| 20. profesion | 54. inumberable | 88. taxable |
| 21. inducement | 55. comperison | 89. exclusivly |
| 22. acceptable | 56. companys | 90. canidate |
| 23. happyness | 57. verified | 91. parigon |
| 24. labirinth | 58. intrest | 92. harbinger |
| 25. charmming | 59. absense | 93. clamering |
| 26. picturesc | 60. hazzard | 94. croshey (to knit with a single needle) |
| 27. sensible | 61. kerasene | 95. Ecquador |
| 28. compells | 62. notiseable | 96. De Moin |
| 29. surveyer | 63. courrage | 97. newter |
| 30. laboror | 64. marrageable | 98. berevement |
| 31. endustreous | 65. outrageous | 99. tragidy |
| 32. capitel (chief town) | 66. leasure | 100. greivence |
| 33. luccious | 67. herecy | |
| 34. perfunmed | 68. jurnal | |

SPELLING

(PART 2, DIVISION 2)

INSTRUCTIONS FOR SENDING IN WORK

The Second Division of the Instruction Paper, Part 2, contains fifty-six exercises, and extends from Exercise 51, page 12, to the end of the Instruction Paper.

After you have written the words in the exercises in the Second Division of the Instruction Paper, write correctly, without referring to the Instruction Paper, and send to us, the following words and sentences. Begin each word in the following list with a capital letter.

- | | | |
|-----------------|----------------------------|------------------|
| 1. monosyllable | 19. transfered | 36. devastate |
| 2. compeditor | 20. busness | 37. legicy |
| 3. conqueror | 21. paralyzed | 38. emagine |
| 4. preparitory | 22. becomming | 39. demonstrated |
| 5. arrangement | 23. nucleus | 40. crystalize |
| 6. tyfoïd | 24. corespondance | 41. shakey |
| 7. neumonia | 25. clericle | 42. enouf |
| 8. independant | 26. skillfull | 43. conceed |
| 9. cartrige | 27. antecedant | 44. boyency |
| 10. powder | 28. tortouse | 45. pretensious |
| 11. patreot | 29. Masachusets | 46. caricature |
| 12. tyrrany | 30. Achison | 47. pamflet |
| 13. napsack | 31. battory | 48. reference |
| 14. goverment | 32. kernal (an
officer) | 49. emmitate |
| 15. amunition | 33. strategem | 50. vengeance |
| 16. Italain | 34. assalent | 51. brunette |
| 17. Naraganset | 35. supremecy | 52. capilary |
| 18. tariff | | 53. surgon |

54. catarr	68. surpluce (the	83. milenry
55. discipate	remainder)	84. scoundel
56. seperate	69. iminent (dis-	85. majority
57. chalise	tinguished)	86. legable
58. garantee	70. linament (liquid	87. tracable
59. convalessant	ointment)	88. unresonable
60. succede	71. emmunity	89. pavillion
61. bycicle	72. imbarras	90. consencus
62. sheriff	73. milage	91. apperant
63. stationery	74. simultaneous	92. eminate
(paper, pens,	75. restarant	93. guerrilla
etc.)	76. umbrella	94. mechanics
64. eddition (pub-	77. telaphone	95. prosperous
lication)	78. hesitency	96. incasant
65. sentury (a sen-	79. valice	97. expectency
tinel)	80. imparshal	98. releiving
66. presidant	81. dissarange	99. patroling
67. pertition	82. compeling	100. statistecs

1. The (capital, capitol) of the syndicate was taken to (mete, meet, meat) (there, their) expenses

2. You could (hear, here) the (pare, pair, pear) talking under the (pare, pear, pair) tree.

3. The (pane, pain) in his arm made him (faint, feint).

4. The (martial, marshal) ordered the (core, corps) to march down the main (aisle, isle).

5. The (idle, idol, idyl) was read before the (principle, principal).

6. The (lightening, lightning) flashed through the room occupied by the (patience, patients).

7. The (sculpture, sculptor) looked down at his work in delight.

8. Can you (pear, pare, pair) a (pare, pair, pear) with a (pear, pare, pair) of scissors?

9. He lost his eighteen (caret, carrot, carat) gold watch.

10. He took the (bred, bread) to his starving children.

11. His (muscles, mussels) were poor because he was always (idyl, idol, idle).

UNITED STATES GEOGRAPHY

EXAMINATION QUESTIONS

- (1) In what part of North America is the United States?
- (2) (a) What ocean lies east of the United States?
(b) What ocean lies west of the United States?
- (3) (a) What country lies north of the United States?
(b) What country and gulf lie south?
- (4) What river forms part of the southern boundary of the United States?
- (5) (a) What group of lakes is in the northeastern part of the United States? (b) Which of these lakes is wholly within the United States?
- (6) What river, with its tributaries, drains the greater part of the United States?
- (7) What river is the outlet of the Great Lakes?
- (8) (a) Which is the largest state? (b) Which is the smallest?
- (9) Which state is divided into two peninsulas?
- (10) Which one of the Gulf States is a peninsula?
- (11) How many states are there in the United States?
- (12) (a) What is the capital of the United States?
(b) Where is it situated?
- (13) Locate and describe: (a) the Appalachian Mountain system; (b) the Rocky Mountain system?
- (14) (a) Where is Long Island Sound? (b) Where is Chesapeake Bay?

(15) What sound is in the northwestern part of the United States?

(16) Mention: (*a*) two ranges of the Rocky Mountain system; (*b*) two ranges of the Appalachian system.

(17) Where is Yellowstone, or the National, Park?

(18) Locate Lake Champlain.

(19) (*a*) Locate the Adirondack Mountains. (*b*) Name a peak of these mountains.

(20) Locate Moosehead Lake.

(21) Where are the Black Hills?

(22) Name three large rivers that have their source in Colorado.

(23) On what waters would you sail in going from Chicago, Ill., to Annapolis, Md.?

(24) What lake is between Lake Huron and Lake Erie?

(25) Name one large river that flows into the Pacific Ocean.

(26) What river flows into the head of Chesapeake Bay?

(27) Which are the five principal bays on the Atlantic coast of the United States?

(28) Mention three tributaries of the Mississippi River from the west.

(29) Locate: (*a*) Cape Hatteras; (*b*) Cape Sable; (*c*) Penobscot Bay.

(30) Locate: (*a*) Great Salt Lake; (*b*) Lake Pontchartrain; (*c*) Humboldt Lake.

(31) (*a*) Where does the Susquehanna River rise? (*b*) Into what does it flow?

(32) (*a*) Where does the Missouri River rise? (*b*) Into what does it flow?

(33) (*a*) Where does the Mississippi River rise? (*b*) Into what does it flow?

(34) What is the principal tributary of the Mississippi River from the east?

(35) Where is the: (a) Grand Cañon? (b) Yosemite Valley? (c) Dead Valley?

(36) Locate Lake Okeechobee.

(37) What state is nearly in the center of the United States?

(38) Locate the following mountain peaks: (a) Pike's, (b) Marcy; (c) Washington.

(39) Name and describe the river that flows into the head of the Gulf of California.

(40) Locate: (a) Georgian Bay; (b) Straits of Mackinac.

(41) What is the most southerly city in the United States?

(42) Name the river or other body of water into which each of the following rivers flows: (a) Niagara; (b) Arkansas; (c) Snake.

(43) Mention, in order, the states that would be seen in sailing along the coast from the Bay of Fundy to the mouth of the Mississippi River.

(44) Name: (a) two states that border on both the Pacific Ocean and the Columbia River; (b) two that border on the Gulf of Mexico and the Mississippi River?

(45) (a) In what mountains does the Hudson River rise? (b) Into what does it flow?

(46) What river connects Lake Erie and Lake Ontario?

(47) Name ten states in which the largest city is the capital of the state.

(48) Name four rivers that flow into the Atlantic Ocean?

(49) Name four large rivers flowing into the Gulf of Mexico?

(50) Describe the Ohio River.

(51) Which states border on the Mississippi River?

(52) Between what states do the Bitter Root Mountains extend?

(53) Name: (a) two states that border on both the Ohio and the Mississippi Rivers; (b) two that border on both the Atlantic Ocean and the Potomac River.

(54) Locate each of the following cities, and name the river or other body of water on which each is situated: (a) Memphis; (b) Evansville; (c) Council Bluffs; (d) Toledo.

(55) What two states border Massachusetts on the south?

(56) Name three states that border Pennsylvania on the south.

(57) (a) What mountains form the boundary between Kentucky and Virginia? (b) To what system do these mountains belong?

(58) Between what states does the Delaware River flow?

(59) Name three rivers in Texas.

(60) What three rivers and gulf form part of the boundary of Texas?

(61) Name the lakes that border on Michigan.

(62) What large river rises in the northern part of Minnesota?

(63) Name the capital and largest city in each of the following states: (a) Vermont; (b) Indiana; (c) Illinois; (d) Oregon.

(64) In what state is each of the following cities situated: (a) Rockford; (b) Butte; (c) Utica; (d) Macon; (e) Ogden?

(65) (a) Name five states bordering on the Great Lakes. (b) Name one important lake port in each state.

(66) (a) Name five states that border on the Missouri River. (b) Name the capital of each state.

(67) Name and locate the largest city in each of the following states: (a) Connecticut; (b) West Virginia; (c) North Dakota; (d) Arkansas.

- (68) Which of the New England States has no sea coast?
- (69) What mountains are: (a) in New Hampshire? (b) in Vermont?
- (70) What lakes and rivers form part of the boundary of New York state?
- (71) Name and locate the capital of California.
- (72) (a) What is the capital of New York state? (b) On what river is it situated?
- (73) Name two bays on the coast of Texas.
- (74) Name the states that border on Kentucky.
- (75) What two sounds are east of North Carolina?
- (76) Name the New England States.
- (77) What two cities are situated near the junction of the Alleghany and Monongahela Rivers?
- (78) Locate the following cities and name the river on which each city is situated: (a) Bismarck; (b) Des Moines; (c) Austin.
- (79) Name and locate two important cities on Lake Michigan.
- (80) Name the largest city in Vermont, and state on what lake it is situated.
- (81) Name three important rivers of the United States that have the following cities situated near their mouths: (a) New Orleans; (b) St. Louis; (c) New York.
- (82) Locate: (a) Boston; (b) Albany; (c) Richmond. State on what body of water each city is situated.
- (83) On what waters could a cargo be shipped from New Orleans, La., to Pittsburg, Pa.?
- (84) What river separates: (a) Louisiana from Texas? (b) Oregon from Washington?
- (85) Bound Nebraska.
- (86) Name two rivers that flow through both North Dakota and South Dakota.

- (87) Name two rivers entirely within California.
- (88) Describe an all-water route from New York to St. Louis.
- (89) Locate the Big Horn Mountains.
- (90) Name four states through which the Arkansas River flows.
- (91) Bound Illinois.
- (92) Name a river and a large body of water (not a river) that border on each of the following states: (a) New Hampshire; (b) South Carolina; (c) Vermont.
- (93) Locate each of the following cities: (a) Sheboygan; (b) Fond du Lac; (c) Sandusky.
- (94) What strait connects Lake Huron with Lake Michigan?
- (95) (a) Name five states that border on Canada. (b) Name the capital of each.
- (96) What five states are nearly enclosed by the Mississippi River, Ohio River, and the Great Lakes?
- (97) What water boundaries has Oregon?
- (98) What large river crosses New Mexico?
- (99) (a) What river crosses Nebraska? (b) Name two cities situated on this river.
- (100) (a) What city is opposite Council Bluffs? (b) What river separates these cities?

GAUGING AND ELEMENTARY PHYSICS

EXAMINATION QUESTIONS

(1) A lot of ten casks of the first variety measure 22 inches at the head, 2 feet 4 inches at the bung, and are 4 feet 2 inches long. A second lot of eighteen casks measure 19 inches at the head, 24 inches at the bung, and are 3 feet 9 inches long. How many gallons do the entire lot contain?

(2) Define the terms: (*a*) specific gravity; (*b*) capillary attraction; (*c*) distillation.

(3) What is the height of a cylindrical tub 9 feet in diameter that has the same capacity as a tub that is 12 feet in diameter at the bottom, 9 feet in diameter at the top, and 12 feet high?

(4) Make a sketch of and describe the following instruments: (*a*) hydrometer; (*b*) siphon; (*c*) pipette.

(5) Change into Fahrenheit temperatures: (*a*) 90° C.; (*b*) 10° C.; (*c*) -30° C.

(6) The contents of a tub 10 feet in diameter at the bottom, 8 feet in diameter at the top, and 12 feet high is 80-per-cent. proof. It is mixed with spirits 110-per-cent. proof contained in twenty casks of the third variety that measure 23 inches at the head, 29 inches at the bung, and are 4 feet 4 inches long. (*a*) What is the percentage of proof of the mixture? (*b*) How many proof gallons are there?

(7) Define the term: (a) wine gallon; (b) beer gallon; (c) proof gallon; (d) cylindrical inch.

(8) A cask of spirits weighs 950 pounds; its tare (weight empty) is 84 pounds, the specific gravity of the spirit is .97549, which indicates 20.5-per-cent. alcohol. (a) How many gallons does the cask hold? (b) What is the proof? (c) How many proof gallons does it contain?

(9) Change into their corresponding centigrade temperatures: (a) 40° F.; (b) 18° F.; (c) - 30° F.

(10) (a) When is water at its greatest density? (b) At what temperature does water freeze? (c) At what temperature does water boil? (d) At what temperature does alcohol freeze? (e) At what temperature does alcohol boil? (f) At what temperature does mercury freeze? (g) At what temperature does mercury boil?

(11) What is the total tax on three casks of spirits, one of which contains 80 gallons of 70-per-cent. proof mixture; one, 40 gallons of 140-per-cent. proof mixture; and one, 75 gallons of 100-per-cent. proof mixture, the rate of tax being \$1.10 per gallon?

(12) (a) What relation does the density of an alcoholic liquid bear to its weight and to its percentage of proof? (b) What is the relative action of the hydrometer in a high- and low-proof mixture? (c) What are the conditions favorable to evaporation? (d) What influence has temperature on liquids in general and on alcoholic liquid in particular?

(13) How would the boiling point of a liquid be affected: (a) by pressure? (b) by saline substances in solution? (c) by altitude?

(14) (a) If a tub of alcoholic mixture is set in the hot sun and allowed to evaporate, will the proof of mixture be increased or diminished? (b) Why?

(15) How can unsweetened spirits be recovered from spirits containing saccharine matter?

(16) (a) What is rectification? (b) In what way may it be conducted?

(17) Define the terms: mash; high wine; must; head; wine lees; malt; wort.

(18) (a) What is the difference between proof spirit and absolute alcohol? (b) Can spirits be drawn from an air-tight cask by a force pump?

(19) (a) Does immersing a body in a fluid affect the weight of the body? (b) If so, to what extent?

(20) (a) Explain the use of the hydrometer of constant weight. (b) How is the hydrometer, used in the internal-revenue service, graduated? (c) What effect has the introduction of ether into alcoholic spirits on the hydrometer?

POSTAL INFORMATION

EXAMINATION QUESTIONS

(1) (a) When was the rural free delivery established?
(b) What do you understand by the term United States as applied to domestic mail?

(2) (a) What is the rate for registering a letter or parcel?
(b) Explain in detail how a letter should be prepared for registration.

(3) (a) How much would it cost to buy a postal money order for \$747.32? (b) How many orders would be required?
(c) For what amounts would they be issued?

(4) How would the following articles be classified by the United States postal authorities: (a) diplomas? (b) telegraph blanks? (c) electrotypes? (d) almanacs? (e) maps? (f) newspaper clippings? (g) magazines? (h) photographs? (i) architectural plans? (j) leather valentines?

(5) (a) Are there any limits to size or weight of parcels mailed Parcels Post? (b) If so, what are they? (c) What is the rate for sending a parcel to Bolivia by Parcels Post?

(6) What disposition is made of an undelivered registered letter or parcel?

(7) Can a pair of gloves or stockings be mailed to foreign countries as samples?

(8) Make out a registry receipt on the loose form enclosed for a letter addressed to Mortimer L. Johnson & Co., 116 E.

29th St., New York City, and indorsed on the back by the sender as follows:

Henry L. Cummings
Jenkintown
Montgomery Co.

R. F. D. No. 5

Pa.

(9) (a) Can a letter or postal addressed to a foreign country be registered? (b) If so, what is the rate of registration?

(10) What are the foreign postal rates on: (a) a letter? (b) double postal cards? (c) commercial papers? (d) samples?

(11) Are foreign letters or parcels inspected by customs officers?

(12) What do you understand by commercial papers?

(13) (a) What is the special-delivery rate? (b) During what hours are special-delivery letters delivered?

(14) What is the limit and distance for the delivery of a special-delivery letter from a post office not having free delivery?

(15) (a) Is a person indemnified in the evidence of a registered letter or postal being lost? (b) If so, what is the maximum amount that can be recovered?

(16) (a) Can a registered letter be delivered to any one other than the person to whom it is addressed? (b) If so, mention the conditions under which such registered letters can be delivered.

(17) Is it necessary that a person be identified who desires to have a money order cashed?

(18) Can a registered letter be forwarded in case of a written or telegraphic order? If so, under what conditions?

(19) How are articles classified under the Postal Union classification?

(20) Mention five articles that are prohibited from being carried in the mails.

INDEX

NOTE.—All items in this index refer first to the section and then to the page of the section. Thus, "Account purchase, §7, p16," means that account purchase will be found on page 16 of section 7.

A

- Absolute alcohol, §13, p54.
Abstract number, §1, p1.
Account purchase, §7, p16.
 sales, §7, p15.
Accounts, Average of, §9, p19.
 Equation of, §9, p19.
 Statement of simple, §9, p24.
Acidimeters, §13, p31.
Actual lift of a pump, §13, p36.
Acute angle, §6, p2.
Ad valorem duty, §8, p32.
Addition, §1, p5.
 of compound numbers, §4, p26.
 of decimals, §3, p4.
 of fractions, §2, p8.
 of fractions, Rule for, §2, p9.
 Proof of, §1, p9.
 Rapid, §1, p10.
 Rule for, §1, p9.
 table, §1, p6.
Addressing mail matter, §16, p24.
Adhesion, §13, p32.
Aeriform body, §13, p16.
Aggregation, Symbols of, §2, p19.
Air pump, §13, p36.
Alabama River, §12, p38.
Alcohol, §13, p53.
 Absolute, §13, p54.
 Rectification of, §13, p53.
Alcoholmeters, §13, p31.
Aldehydes, §13, p54.
Alexander's wantage rod, §13, p5.
Aliquot part, §3, p15.
Alleghany River, §12, p38.
Altamaha River, §12, p38.
Altitude, §6, p3.
 of a prism or cylinder, §6, p17.
 of a triangle, §6, p13.
American postal service, History of, §16, p1.
Amount, §7, pp3, 5; §8, p1.
Androscoggin River, §12, p38.
Angle, §6, p2.
 Acute, §6, p2.
 Obtuse, §6, p2.
 Right, §6, p2.
Angles and lines, §6, p1.
 or arcs, Measures of, §4, p13.
Angular measure, §4, p13.
Annual interest, §8, p10.
Apalachicola River, §12, p38.
Apothecaries' fluid measure, §4, p9.
 weight, §4, p8.
Appalachian Mountain system, §12, p6.
Apple whisky, §13, p54.
Arabic notation, §1, p2.
Arbitration of exchange, §9, p13.
Archimedes, Principle of, §13, p26.
Archipelago, Definition of, §12, p3.
Arcs or angles, Measures of, §4, p13.
Ardent spirits, §13, p53.
Area of plane figure, §6, p3.
Arithmetic, §1, p1.
 Fundamental processes of, §1, p5.
Arkansas River, §12, p38.
 River system, §12, p5.
Arrack, §13, p53.
Articles prohibited, §16, p20.
Articles requiring first-class postage, §16, p3.
 requiring fourth-class postage, §16, p7.
 requiring third-class postage, §16, p5.
Assessments, §9, p2.
Atmosphere, Pressure of the, §13, p33.
Atom, Definition of, §13, p16.
Attraction, Capillary, §13, p31.
Average of accounts, §9, p19.
 of payments, §9, p16.
Avoirdupois weight, §4, p6.

B

- Balance, §9, p24.
- Bank discount, §8, p29.
- Base of a quadrilateral, §6, p3.
(Percentage), §7, pp2, 3.
- Baumé's hydrometer, §13, p30.
- Bay, Definition of, §12, p3.
- Beam, Weighing, §13, p5.
weighing, Complete, §13, p5.
- Beer gallon, §13, p23.
Lager, §3, p56.
lager Manufacture of, §13, p56.
- Big Cheyenne River, §12, p38.
Horn River, §12, p38.
Sandy River, §12, p38.
- Bill of exchange, §9, p5.
- Bins, §6, p22.
- Board foot, §6, p10.
measure, §6, p10.
- Bodies, Aeriform, §13, p16.
Expansion of, by heat, §13, p49.
- Body, Solid, §13, p6.
Gaseous, §13, p16.
Liquid, §13, p16.
- Boiling, Evaporation by, §13, pp50, 51.
point, §13, p51.
- Bond, §9, p2.
- Bonds and stocks, §9, p1.
Registered, §9, p2.
- Books, Money-order, §16, p12.
- Brandy, §13, p53.
- Brazos River, §12, p39.
- Breakage, §8, p33.
- Brickwork, §6, p20.
- Broker, §7, p15.
Stock, §9, p2.
- Brokerage, §7, p15; §9, p2.
- Bucket of a suction pump, §13, p39.
- Bung diameter, §13, p2.
- Buoyant effects of water, §13, p26.
- Bushel, Heaped, §4, p11.

C

- Canadian River, §12, p39.
- Canals of United States, List of principal,
§12, p46.
- Cancellation, §1, p36.
Rule for, §1, p38.
- Canada, Postage to, §16, p19.
- Capacity, Measures of, §4, p8; §5, p6.
of a cask, §13, p3.
of cisterns or tubs, Finding the, §13, p13.
- Cape, Definition of, §12, p3.
Fear River, §12, p39.
- Capillary attraction, §13, p31.
- Capitation, or poll tax, §7, p21.
- Cards, Postal, §16, p26.

- Carpeting, §6, p9.
- Cask, §13, p2.
Capacity of a, §13, pp3, 13.
First-variety, §13, p3.
Second-variety, §13, p3.
Third-variety, §13, p3.
- Casks, Mean diameter of first-variety, §13, p3.
Mean diameter of second-variety, §13, p3.
Mean diameter of third-variety, §13, p3.
Varieties of, §13, p2.
- Cental, §4, p11.
- Center of a circle, §6, p14.
- Centigrade thermometer, §13, p47.
- Centrifugal pumps, §13, p39.
- Central States, §12, p24.
- Changing values from one thermometer scale
to another, §13, p48.
- Channel, Definition of, §12, p3.
- Chattahoochee River, §12, p39.
- Chippewa River, §12, p39.
- Cipher, §1, p2, 3.
- Circle, §6, p14.
Center of a, §6, p14.
Circumference of a, §6, p14.
Diameter of a, §6, p14.
Periphery of a, §6, p14.
Radius of a, §6, p14.
- Circular measure, §4, p13.
- Circulars, §16, p5.
- Circumference of a circle, §6, p14.
- Cisterns, §6, p22.
- Cities in the United States, One hundred
largest, §12, p61.
- Classes of mail and rates of postage, §16, p2.
- Classification of pumps, §13, p38.
- Coal, §6, p24.
- Cohesion, §13, pp32, 44.
- Coins, United States, §4, p17.
- Colorado River, §12, p39.
River system, §12, p5.
- Columbia River, §12, p39.
River system, §12, p6.
- Commercial papers, §16, p21.
- Commission, §7, p15.
merchant, §7, p15.
- Common denominator, §2, p5.
gin, §13, p53.
multiple, §2, p6.
- Complaints regarding mail matter, §16, p24.
- Complete weighing beam, §13, p5.
- Complex fractions, §2, p20.
- Composite number, §1, p36.
- Compound interest, §8, p18.
-interest table, §8, p20.
number, §4, p1.
numbers, §4, p1.
numbers, Addition of, §4, p26.

Compound—(Continued)

- numbers, Division of, §4, p35.
- numbers, Multiplication of, §4, p33.
- numbers, Reduction of, §4, p19.
- numbers, Subtraction of, §4, p29.
- Concealed matter, §16, p24.
- Concrete number, §1, p1.
- Connecticut River, §12, p39.
- Consignee, §7, p15.
- Consignment, §7, p15.
- Consignor, §7, p15.
- Continent, Definition of, §12, p3.
- Conversion of currency, §8, p35.
- Convex surface, §6, p17.
- Cord, §4, p6.
 - foot, §4, p5.
- Corn, Raw, spirit, §13, p55.
- Cost, Gross, §7, pp8, 16.
 - Prime, §7, p16.
- Countries with fixed currencies, §8, p36.
- Coupons, §9, p2.
- Cuba, Postage to, §16, p19.
- Cube, §5, p12; §6, p16.
 - root, §5, p12.
- Cubic measure, §4, p5; §5, p5.
- Cumberland River, §12, p39.
- Currencies, Countries with fixed, §8, p36.
- Currency, Conversion of, §8, p35.
- Curved line, §6, p1.
- Customs or duties, §8, p32.
- Cylinder, §6, p17.
 - Altitude of a, §6, p17.
 - Right, §6, p17
- Cylindrical inch, §13, p14.

D

- Dakota, or James, River, §12, p39.
- Day, Solar, §4, p11.
- Debt, §8, p16.
- Decimal fraction, §3, p1.
 - point, §3, p1.
 - To raise a, to any power, §5, p14.
 - To reduce a fraction to a, §3, p11.
 - To reduce a, to a fraction, §3, p13.
- Decimals, §3, p1.
 - Addition of, §3, p4.
 - Division of, §3, p8.
 - Multiplication of, §3, p6.
 - Principles of, §3, p3.
 - Rule for addition of, §3, p5.
 - Rule for division of, §3, p10.
 - Rule for multiplication of, §3, p7.
 - Rule for subtraction of, §3, p5.
 - Subtraction of, §3, p5.
- Definition of atom, §13, p6.
 - of evaporation, §13, p50.
 - of gas, §13, p16.

Definition—(Continued)

- of gravitation, §13, p26.
- of heat, §13, p44.
- of hydrostatics, §13, p17.
- of mass, §13, p15.
- of matter, §13, p15.
- of molecule, §13, p15.
- of pipette, §13, p37.
- of pneumatics, §13, p32.
- of pumps, §13, p35.
- of science, §13, p15.
- of temperature, §13, p45.
- of vapor, §13, p16.
- Degrees, Thermometer, §13, p47.
- Delaware River, §12, p40.
- Delivery, Hours of, registered mail, §16, p14.
 - Hours of special, §16, p8.
- Denominate numbers, §4, p1.
- Denominator, §2, p1.
 - Common, §2, p5.
 - Least common, §2, p5.
 - To find the least common, §2, p5.
- Des Moines River, §12, p40.
- Description of the United States, §12, p4.
 - of a gauging rod, §13, p6.
 - of stills, §1, p52.
 - of wantage rod, §13, p11.
- Desert, Definition of, §12, p3.
- Detroit River, §12, p40.
- Diagonal of a parallelogram, §6, p14.
- Diameter, Bung, §13, p2.
 - Head, §13, p2.
 - Mean, §13, p2.
 - of a circle, §6, p14.
- Difference, §1, p14; §7, pp3, 5.
- Digits, §1, p2.
- Discharge pipe of lifting pump, §13, p40.
- Discount, §9, p7.
 - Bank, §8, p29.
 - Rate of, §8, p16.
 - series, §7, p11.
 - Term of, §8, p29.
 - True, §8, p16.
- Discounts, Trade, §7, p11.
- Distillation, §13, p51.
- District of Columbia, §12, p17.
- Dividend, §1, p30.
- Dividends, §9, p1.
- Division, §1, p30.
 - of compound numbers, §4, p35.
 - of decimals, §3, p8.
 - of fractions, §2, p16.
 - Proof of, §1, p33.
 - Rule for, §1, p33.
 - Short, §1, p32.
 - Short method of, §1, p34.
 - Sign of, §1, p31.

Divisions of the United States, §12, p8.
 Divisor, §1, p31.
 Domestic exchange, §9, pp6, 8.
 mail, §16, p2.
 Downward pressure, §13, p19.
 pressure, Law for, §13, p21.
 Double-acting force pump, §13, p43.
 Draft, §9, p5.
 Drawee of a, §9, p7.
 Drawer of a, §9, p7.
 Form of, §9, p7.
 Payee of a, §9, p7.
 Sight, §9, p6.
 Time, §9, p6.
 Drawee of a draft, §9, p7.
 Drawer of a draft, §9, p7.
 or maker of note, §8, p25.
 Drop letters, Postage on, §16, p27.
 Dry measure, §4, p10.
 wines, §13, p56.
 Duplex pumps, §13, p39.
 Duties or customs, §8, p32.
 Duty, Ad valorem, §8, p32.
 Specific, §8, p33.

E

East longitudes, §4, p14.
 Edges of a solid, §6, p16.
 Effects, Buoyant, of water, §13, p26.
 Elementary physics, §13, p15.
 Enclosures, §16, p6.
 English money, Table of, §4, p18.
 Entire surface, §6, p17.
 Envelopes, Government printed, §16, p25.
 Equality sign, §1, p6.
 Equation of accounts, §9, p19.
 of payments, §9, p16.
 Equator, §4, p13.
 Equilateral triangle, §6, p13.
 Evaporation, §13, p50.
 by boiling, §13, p51.
 Surface, §13, p50.
 Exact interest, §8, p8.
 Exchange, §9, p5.
 Arbitration of, §9, p13.
 Bill of, §9, p5.
 Domestic, §9, pp6, 8.
 Foreign, §9, pp6, 11.
 Set of, §9, p11.
 Expansion of bodies by heat, §13, p49.
 Exponent, §5, p12.
 Extension, Measures of, §4, p2; §5, p2.

F

Face of note, §8, p25.
 Faces of a solid, §6, p16.
 Factor, Prime, §1, p36.
 Factors, §1, p36.

Fahrenheit thermometer, §13, p47.
 Fairbanks weighing beam, §13, p5.
 Figure, Plane, §6, p2.
 Value of a, §1, p3.
 Figures, §1, p2.
 Finding the capacity of a cask, §13, p13.
 the capacity of cisterns or tubs, §13, p13.
 First-class mail matter, §16, p2.
 -class postage, Articles requiring, §16, p3.
 -variety cask, §13, p3.
 -variety casks, To find mean diameter of, §13, p3.
 Flow of water into a pump, §13, p35.
 Fluid measure, Apothecaries', §4, p9.
 Fluids, Mechanics of, §13, p17.
 Focal date, §9, p20.
 Foot, Board, §6, p10.
 Cord, §4, p6.
 Force pumps, §13, p41.
 pumps, Double-acting, §13, p43.
 pumps, Single-acting, §13, p42.
 Foreign countries, Rates of postage to, §16, p20.
 exchange, §9, pp6, 11.
 mail, §16, p19.
 mails, Prohibited articles in, §16, p20.
 registered mail, §16, p22.
 Formula, §5, p9.
 Forwarding mail, §16, p25.
 Fourth-class mail matter, §16, p6.
 -class postage, Articles requiring, §16, p7.
 Fourth power, §5, p12.
 root, §5, p12.
 Fraction, Decimal, §3, p1.
 Improper, §2, p2.
 Proper, §2, p2.
 Terms of a, §2, p2.
 To invert a, §2, p16.
 To raise a, to any power, §5, p14.
 To reduce a decimal to a, §3, p13.
 To reduce a, to a decimal, §3, p11.
 To reduce a, to an equivalent fraction having a given denominator, §2, p3.
 To reduce a whole or mixed number to an improper, §2, p4.
 To reduce an improper, to a whole or mixed number, §2, p5.
 Value of a, §2, p2.
 Fractions, §2, p1.
 Addition of, §2, p8.
 Complex, §2, p20.
 Division of, §2, p16.
 Multiplication of, §2, p11.
 Reduction of, §2, p2.
 Subtraction of, §2, p9.
 To reduce two or more, to equivalent fractions having the least common denominator, §2, p7.

G

- Gallon, Beer, §13, p3.
- Imperial, §13, p3.
- Proof, §13, p58.
- Wine, §13, p3.
- Gas, Permanent, §13, p16.
- Gaseous body, §13, p16.
- Gases, Pressure of, §13, p32.
- Gauger, Internal-revenue, §13, p1.
- Gauging, §13, pp1, 2.
 - casks, cisterns, or tubs, Rules for, §13, p13.
 - instruments, §13, p3.
 - rod, Description and use of, §13, p6.
 - rod, Prime and McKean's, §13, p3.
 - rod, Standard, §13, p3.
- Geography, Definition of, §12, p2.
- Germany, Postage to, §16, p19.
- Gila River, §12, p40.
- Gin, Common, §13, p53.
- Government printed envelopes, §16, p25.
- Gram, §5, p1.
- Grand River, §12, p40.
- Gravitation, §13, p28.
- Gravity, Specific, §13, p28.
- Great Britain, Postage to, §16, p19.
- Great Kanawha River, §12, p40.
 - Lakes, §12, p7.
- Green River, §12, p40.
- Gross cost, §7, pp8, 16.
 - proceeds, §7, p15.
- Guam, Island of, §12, p47.
- Guaranty, §7, p15.
- Gulf, Definition of, §12, p3.

H

- Hawaiian Islands, §12, p48.
- Hay, §6, p24.
- Head diameter, §13, p2.
 - slide of gauging rod, §13, p6.
- Heaped bushel, §4, p11.
- Heat, Definition of, §13, p44.
 - Expansion of bodies by, §13, p49.
 - Nature of, §13, p44.
 - Sensible, §13, p45.
- High wine, §13, p55.
- History of American postal service, §16, p1.
- Holder of a note, §8, p25.
- Hoop, Quarter, §13, p2.
- Horizontal line, §6, p1.
- Hours of delivery, §16, p8.
- Housatonic River, §12, p40.
- Hudson River, §12, p40.
- Humboldt River, §12, p41.
- Hydrometer, Baumé's, §13, p30.
 - Nicholson's, §13, p30.
 - of constant volume, §13, p30.
 - of constant weight, §13, p30.

Hydrometer—(Continued)

- Use of, §13, p31.
- Hydrometers, §13, pp5, 30.
- Hydrostatic pressure, §13, p17.
- Hydrostatics, Definition of, §13, p17.
- Hypotenuse, §6, p13.

I

- Identification of person presenting money
 - order, §16, p9.
- Illinois River, §12, p41.
- Imperial gallon, §13, p3.
- Important cities in United States, §12, p48.
 - rivers in the United States, §12, p38.
- Improper fraction, §2, p2.
- Inch, Cylindrical, §13, p14.
- Income tax, §7, p21.
- Incompressibility of liquids, §13, p17.
- Indorsement, §8, p22.
- Inspection of packages, §16, p21.
- Instalments, §9, p2.
- Instruments, Gauging, §13, p3.
- Insular possessions of United States, §12, p47.
- Insurance, §7, p19.
 - Personal, §7, p19.
 - Property, §7, p19.
- Insurer, §7, p19.
- Integer, §1, p2.
- Interest, §8, p1.
 - Annual, §8, p10.
 - Compound, §8, p18.
 - Exact, §8, p8.
 - laws, §8, p26.

- Internal-revenue gauger, §13, p1.
- Invalid orders, §16, p9.
- Invoice, §8, p33.
- Involution, §5, p12.
- Ireland, Postage to, §16, p19.
- Island, Definition of, §12, p3.
- Isosceles triangle, §6, p13.
- Isthmus, Definition of, §12, p3.

J

- James, or Dakota, River, §12, p39.
 - River, §12, p41.
- Joint-and-several note, §8, p27.

K

- Kalsomining, §6, p6.
- Kansas River, §12, p41.
- Kaskaskia River, §12, p41.
- Kennebec River, §12, p41.

L

- Lactometers, §13, p31.
- Lager beer, §13, p56.

Lager—(Continued)

- beer, Manufacture of, §13, p56.
- Lake, Definition of, §12, p3.
 - Erie, §12, p8.
 - Huron, §12, p8.
 - Michigan, §12, p7.
 - Ontario, §12, p8.
 - Superior, §12, p7.
- Lateral pressure, §13, p22.
- Latitude, §4, p14.
 - Parallels of, §4, p13.
- Latitudes, North, §4, p14.
 - South, §4, p14.
- Law for downward pressure, §13, p21.
 - for upward pressure, §13, p22.
 - Pascal's, §13, p19.
- Leakage, §8, p33.
- Leap year, §4, p12.
- Least common denominator, §2, p5.
 - common denominator, To find the, §2, p5.
 - common multiple, §2, p7.
- Lees, Wine, §13, p55.
- Legal rate, §8, p1.
 - tender, §4, p16.
- Length, Measures of, §5, p2.
- Letter, How to register a, §16, p14.
- Letters, §16, p21.
 - Postage on drop, §16, p27.
- Lift, Actual, of a pump, §13, p36.
 - Theoretical, of a pump, §13, p35.
- Lifting pump, §13, p40.
 - pump, Discharge pipe of, §13, p40.
- Like numbers, §1, p1.
- Line, Curved, §6, p1.
 - Horizontal, §6, p1.
 - Straight, §6, p1.
 - Vertical, §6, p1.
- Linear measure, §4, p2.
 - measure, Surveyor's, §4, p3.
- Lines and angles, §6, p1.
 - Parallel, §6, p1.
- Liquid body, §13, p16.
 - measure, §4, p8.
- Liquids, Incompressibility of, §13, p17.
 - Spirituous, §13, p53.
 - To determine specific gravity of, §13, p29.
- Liter, §5, ppl. 6.
- Local value of a figure, §1, p3.
- Long-ton table, §4, p7.
- Longitude, §4, p14.
 - and time, §4, p13.
 - Meridian of, §4, p13.
- Longitudes, East, §4, p14.
 - West, §4, p14.
- Lost orders, §16, p12.
- Low wine, §13, p54.

M

- Mail, Domestic, §16, p2.
 - Foreign, §16, p19.
 - in care of another, §16, p24.
- matter, Classes of, §16, p2.
 - matter, First-class, §16, p2.
 - matter, Fourth-class, §16, p6.
 - matter, Second-class, §16, p3.
 - matter, Third-class, §16, p4.
 - Registered, §16, p13.
- Maker or drawer of note, §8, p25.
- Malt, §13, p56.
- Manufacture of lager beer, §13, p56.
 - of whisky, §13, p54.
 - of wines, §13, p55.
- Map, Definition of, §12, p2.
- Mash, §13, p54.
- Masonry, §6, p19.
- Mass, Definition of, §13, p16.
- Matter, Definition of, §13, p15.
- Maturity, §8, p29.
- Mean diameter, §13, p2.
 - diameter scale of gauging rod, §13, p6.
- Meaning of adhesion, §13, p32.
 - of cohesion, §13, p32.
 - of ullage, §13, p5.
 - of wantage, §13, p5.
 - of weight, §13, p28.
- Measure, §4, p2.
 - Angular, §4, p13.
 - Apothecaries' fluid, §4, p9.
 - Board, §6, p10.
 - Circular, §4, p13.
 - Cubic, §4, p5; §5, p5.
 - Dry, §4, p10.
 - Linear, §4, p2.
 - Liquid, §4, p8.
 - Square, §4, p4; §5, p4.
 - Stricken, §4, p11.
 - Surveyor's linear, §4, p3.
 - Surveyor's square, §4, p5.
- Measures, §4, p2.
 - of angles or arcs, §4, p13.
 - of capacity, §4, p8; §5, p6.
 - of extension, §4, p2; §5, p2.
 - of length, §5, p2.
 - of money, §4, p16.
 - of time, §4, p11.
 - of weight, §4, p6; §5, p7.
- Mechanics of fluids, §13, p17.
- Mensuration, §6, p1.
- Merchandise, Samples of, §16, p21.
- Merchants' rule, §8, p24.
- Meridian of longitude, §4, p13.
 - Prime, §4, p14.
- Merrimac River, §12, p41.
- Meter, §5, p1.

Metric system, §5, p1.
 units, Operation with, §5, p8.
 Mexico, Postage to, §16, p19.
 Middle Atlantic States, §12, p12.
 Mile, Statute, §4, p3.
 Minnesota River, §12, p41.
 Minuend, §1, p14.
 Minus sign, §1, p14.
 Miscellaneous tables, §4, p18.
 Mississippi River, §12, p41.
 River system, §12, p5.
 Missouri River, §12, p12.
 River system, §12, p5.
 Mixed number, §2, p2.
 number, Short methods of multiplying by
 a, §2, p13.
 Mohawk River, §12, p42.
 Molecule, Definition of, §13, p16.
 Money, Measures of, §4, p16.
 -order books, §16, p12.
 order, Form of, §16, pp10, 11.
 order, How to make out a, §16, p12.
 order, Identification of person presenting,
 §16, p9.
 -order rates, §16, p12.
 orders, Postal, §16, p9.
 Monongahela River, §12, p42.
 Mountain, Definition of, §12, p3.
 range, Definition of, §12, p3.
 system, Appalachian, §12, p6.
 system, Definition of, §12, p3.
 system, Rocky, §12, p6.
 system, Sierra Nevada, §12, p6.
 systems of the United States, §12, p6.
 Mouth of a river, §12, p3.
 Movable caliper arm of gauging rod, §13, p6.
 Multiple, §2, p6.
 Common, §2, p6.
 Least common, §2, p7.
 Multiplicand, §1, p22.
 Multiplication, §1, p22.
 of compound numbers, §4, p33.
 of decimals, §3, p6.
 of fractions, §2, p11.
 of fractions, Rule for, §2, p12.
 Proof of, §1, p26.
 Rule for, §1, p26.
 table, §1, p22.
 Multiplier, §1, p22.
 Muskingum River, §12, p42.
 Must, §13, p55.

N

Natural science, §13, p15.
 Nature of heat, §13, p44.
 Naugatuck River, §12, p42.
 Naught, §1, p2.

Negotiable note, §8, p27.
 Net proceeds, §7, p15.
 selling price, §7, p8.
 New England States, §12, p8.
 quantity, §8, p33.
 Newfoundland, Postage to, §16, p19.
 Niagara River, §12, p42.
 Nicholson's hydrometer, §13, p30.
 Noon, §4, p14.
 North latitude, §4, p14.
 pole, §4, p13.
 Platte River, §12, p42.
 Notation, §1, pp2, 4.
 and numeration, §1, p2; §3, p1.
 Arabic, §1, p2.
 Roman, §1, p4.
 Note, Drawer or maker of, §8, p25.
 Face of, §8, p25.
 Holder of a, §8, p25.
 Joint-and-several, §8, p27.
 Negotiable, §8, p27.
 Payee of a, §8, p25.
 Promissory, §8, p25.
 Protested, §8, p27.
 Nueces River, §12, p42.
 Number, §1, p1.
 Abstract, §1, p1.
 Composite, §1, p36.
 Compound, §4, p1.
 Concrete, §1, p1.
 Mixed, §2, p2.
 Prime, §1, p36.
 Simple, §4, p1.
 To find any power of a, §5, p13.
 Unit of a, §1, p1.
 Numbers, Addition of compound, §4, p26.
 Compound, §4, p1.
 Denominate, §4, p1.
 Division of compound, §4, p35.
 Like, §1, p1.
 Multiplication of compound, §4, p33.
 Reduction of compound, §4, p19.
 Subtraction of compound, §4, p29.
 Unlike, §1, p1.
 Numeration, §1, pp2, 4.
 Numerator, §2, p1.

O

Obligation, §8, p16.
 Obtuse angle, §6, p2.
 Ocean, Definition of, §12, p3.
 Ohio River, §12, p42.
 River system, §12, p5.
 One hundred largest cities in the United
 States, §12, p61.
 Operations with metric units, §5, p8.
 Order of signs, §2, p18.

Orders, Invalid, §16, p9.
 Otter Creek, §12, p42.
 Overslide of gauging rod, §13, p6.

P

Packages, Inspection of, §16, p21.
 Painting, §6, p6.
 Panama, Postage to, §16, p19.
 Papering, §6, p7.
 Papers, Commercial, §16, p21.
 Par value, §9, p1.
 Parallel lines, §6, p1.
 Parallelogram, §6, p2.
 Parallelopipedon, §6, p16.
 Parallels of latitude, §4, p13.
 Parcel, How to register a, §16, p14.
 Parcels post, §16, p23.
 post, Size of packages sent by, §16, p23.
 post, Where in use, §16, p23.
 Parent or guardian controlling mail addressed to minors, §16, p25.
 Part, Aliquot, §3, p15.
 Partial payments, §8, p22.
 vacuum, §13, p35.
 Partition, §1, p30.
 Pascal's law §13, p19.
 Payee of a draft, §9, p7.
 of a note, §8, p25.
 Payments, Average of, §9, p16.
 Equation of, §9, p16.
 Partial, §8, p22.
 Pearl River, §12, p42.
 Pecos River, §12, p42.
 Peninsula, Definition of, §12, p3.
 Penobscot River, §12, p42.
 Per cent., §7, p1.
 cent., Sign of, §7, p2.
 Percentage, §7, p1, 3.
 Perch, §4, p6.
 Perimeter of a quadrilateral, §6, p6.
 of a triangle, §6, p13.
 Periods, §1, p3.
 Periphery of a circle, §6, p14.
 Permanent gas, §13, p16.
 Permissible additions to address on mail matter, §16, p25.
 Perpendicular, §6, p1.
 Personal insurance, §7, p19.
 Philippine Islands, §12, p47.
 Physical science, §13, p15.
 Physics, §13, p15.
 Pipe, Discharge, of lifting pump, §13, p40.
 Pipette, §13, p37.
 Place value of a figure, §1, p3.
 Plane figure, §6, p2.
 Plastering, §6, p6.
 Platte River, §12, p43.
 Plunger pumps, §13, p42.
 Plus sign, §1, p5.
 Pneumatics, Definition of, §13, p32.
 Point, Boiling, §13, p51.
 Decimal, §3, p1.
 Pole, North, §4, p13.
 South, §4, p13.
 Policy, §7, p19.
 Porto Rico, Island of, §12, p47.
 Possessions of United States, Insular, §12, p47.
 Postage due, §16, p26.
 on drop letters, §16, p27.
 Rates of, §16, p2.
 Postal cards, §16, p26.
 money orders, §16, p9.
 service, History of American, §16, p1.
 Potomac River, §12, p43.
 Pound sterling, §4, p18.
 Power, Fourth, §5, p12.
 of a number, To find any, §5, p13.
 Second, §5, p12.
 Third, §5, p12.
 Premium, §7, p19.
 Present worth, §8, p16.
 Pressure, Downward, §13, p19.
 downward, Law for, §13, p21.
 Hydrostatic, §13, p17.
 Lateral, §13, p22.
 of gases, §13, p32.
 of the atmosphere, §13, p33.
 Upward, §13, p21.
 upward, Law for, §13, p22.
 Prime and McKean's gauging rod, §13, p3.
 cost, §7, p16.
 factor, §1, p36.
 meridian, §4, p14.
 number, §1, p36.
 Principal, in brokerage, §7, p15.
 in interest, §8, p1.
 Principle of Archimedes, §13, p26.
 Principles of decimals, §3, p3.
 Printed envelopes, Government, §16, p25.
 matter, §16, p4.
 Prism, §6, p16.
 Altitude of a, §6, p17.
 Right, §6, p17.
 Proceeds, §8, p29.
 Gross, §7, p15.
 Net, §7, p15.
 Product, §1, p22.
 Profit and loss, §7, p8.
 Prohibited articles in foreign mails, §16, p20.
 Promissory note, §8, p25.
 Proof gallon, §13, p58.
 of addition, §1, p9.
 of division, §1, p33.
 of multiplication, §1, p26.

Proof—(Continued)

- of subtraction, §1, p16.
- spirits, §13, p57.
- Proper fraction, §2, p2.
- Property insurance, §7, p19.
- tax, §7, p21.
- Protested note, §8, p27.
- Publishers' rate, §16, p3.
- Pump, Actual lift of a, §13, p36.
- Air, §13, p36.
- Flow of water in a, §13, p35.
- Lifting, §13, p40.
- lifting, Discharge pipe of, §13, p40.
- Suction, §13, p39.
- suction, Bucket of, §13, p39.
- Theoretical lift of a, §13, p35.
- Pumps, Centrifugal, §13, p39.
- Classification of, §13, p38.
- Definition of, §13, p35.
- Duplex, §13, p39.
- Force, §13, p41.
- force, Double-acting, §13, p42.
- force, Single-acting, §13, p42.
- Plunger, §13, p42.
- Reciprocating, §13, p39.
- Rotary, §13, p39.
- Simple, §13, p39.
- Triplex, §13, p39.

Q

- Quadrant, §4, p13.
- Quadrilateral, §6, p2.
- Quantity, Net, §8, p33.
- Quarter hoop, §13, p2.
- Quotient, §1, p31.

R

- Radius of a circle, §6, p14.
- Rapid addition, §1, p10.
- Rappahannock River, §12, p43.
- Raritan River, §12, p43.
- Rate, §7, pp2, 3.
- Legal, §8, p1.
- of discount, §8, p16.
- per cent., §7, p2; §8, p1.
- Publishers', §16, p3.
- Rates, Money-order, §16, p12.
- of postage, §16, p2.
- of postage to foreign countries, §16, p20.
- Raw corn spirit, §13, p55.
- Réaumur scale, §13, p48.
- Receipt books, Registry, §16, p15.
- Reciprocating pumps, §13, p39.
- Rectangle, §6, p3.
- Rectification of alcohol, §13, p53.
- Rectified spirits, §13, p57.
- Red River, §12, p43.

Red—(Continued)

- River of the North, §12, p43.
- River system, §12, p5.
- Redemption of unused envelopes, §16, p25.
- Reduction ascending, §4, p22.
- descending, §4, p19.
- of compound numbers, §4, p19.
- of fractions, §2, p2.
- Register a letter or parcel, How to, §16, p14.
- Registered bonds, §9, p2.
- mail, §16, p13.
- mail, Delivery of, §16, p14.
- mail, Foreign, §16, p22.
- Registry receipt books, §16, p15.
- receipt, How to make out a, §16, p15.
- Remainder, §1, p14.
- Reproductions, §16, p5.
- Revenue and cut stamps, §16, p25.
- Rhomboid, §6, p3.
- Rhombus, §6, p3.
- Right angle, §6, p2.
- cylinder, §6, p17.
- prism, §6, p17.
- triangle, §6, p13.
- Rio Grande River, §12, p40.
- River, Definition of, §12, p3.
- Mouth of a, §12, p3.
- Source of a, §12, p3.
- system, §12, p3.
- systems of the United States, §12, p5.
- Rivers in the United States, §12, p38.
- Roanoke River, §12, p43.
- Rocky Mountain and Pacific States and Territories, §12, p31.
- Mountain system, §12, p6.
- Rod, Alexander's wantage, §13, p5.
- gauging, Description and use of, §13, p6.
- Prime and McKean's gauging, §13, p3.
- Standard gauging, §13, p3.
- Wantage, §13, pp5, 11.
- Roman notation, §1, p4.
- Root, §5, p12.
- Cube, §5, p12.
- Fourth, §5, p12.
- Second, §5, p12.
- Square, §5, p12.
- Third, §5, p12.
- Rotary pumps, §13, p39.
- Rule for addition, §1, p9.
- for addition of decimals, §3, p5.
- for addition of fractions, §2, p9.
- for cancelation, §1, p38.
- for division, §1, p33.
- for division of decimals, §3, p10.
- for multiplication, §1, p26.
- for multiplication of decimals, §3, p7.
- for multiplication of fractions, §2, p12.

Rule—(Continued)

for subtraction, §1, p16.

for subtraction of decimals, §3, p5.

for subtraction of fractions, §2, p10.

Rules for changing values from one thermometer scale to another, §13, p48.

for gauging casks, cisterns, or tubs, §13, p13.

for spelling, §10, p1.

Rum, §13, p53.

S

Sabine River, §12, p43.

Saccharimeters, §13, p31.

Sacramento River, §12, p43.

Saint Clair River, §12, p44.

Croix River, §12, p44.

Francis River, §12, p44.

John River, §12, p44.

Lawrence River, §12, p44.

Mary's River, §12, p44.

Mary's Strait, §12, p44.

Sales, Account, §7, p15.

Salmon Falls River, §12, p43.

River, §12, p43.

Samples of merchandise, §16, p21.

San Joaquin River, §12, p44.

Santee River, §12, p43.

Savannah River, §12, p44.

Scale, §4, p1.

Réaumur, §13, p48.

Uniform, §4, p1.

Varying, §4, p1.

Scalene triangle, §6, p13.

Scales, Thermometer, §13, p47.

Science, §13, p15.

Natural, §13, p15.

Physical, §13, p15.

Sea, Definition of, §12, p3.

Second-class mail matter, §16, p3.

Second power, §5, p12.

root, §5, p12.

-variety cask, §13, p3.

-variety casks, Mean diameter of, §13, p3.

Secular year, §4, p12.

Seeds, bulbs, roots, etc., mailable as fourth-class matter, §16, p27.

Selling price, Net, §7, p8.

Semi-circumference, §6, p15.

Semicircle, §6, p15.

Sensible heat, §13, p45.

Set of exchange, §9, p11.

Sextant, §4, p13.

Shanghai, Postage to, §16, p19.

Shipper, §7, p15.

Short division, §1, p32.

method of division, §1, p34.

Short—(Continued)

methods of multiplying by a mixed number, §2, p13.

Sierra Nevada Mountain system, §12, p6.

Sight draft, §9, p6.

Sign of division, §1, p31.

of equality, §1, p6.

of per cent., §7, p2.

of subtraction, §1, p14.

Signs, Order of, §2, p18.

Simple accounts, Statement of, §9, p24.

number, §4, p1.

pumps, §13, p39.

value of a figure, §1, p3.

Single-acting force pumps, §13, p42.

Siphon, Description of a, §13, p38.

Theory of the, §13, p38.

Six-per-cent. method, §8, p4.

Sixty-day method, §8, p7.

Size of packages sent by parcels post, §16, p23.

Snake River, §12, p44.

Solar day, §4, p11.

year, §4, p11.

Solid, §6, p16.

body, §13, p16.

Edges of a, §6, p16.

Faces of a, §16, p6.

Volume of a, §6, p18.

Source of a river, §12, p3.

South Atlantic and Gulf States and Territories, §12, p17.

latitudes, §4, p14.

pole, §4, p13.

Special delivery, §16, p8.

Specific duty, §8, p33.

gravity, §13, p28.

gravity of liquids, To determine, §13, p29.

Spelling, Rules for, §10, p1.

Spirits, Ardent, §13, p53.

of wine, §13, p54.

Proof, §13, p57.

Rectified, §13, p57.

Spiritous liquors, §13, p53.

Square, §4, p5; §5, p12; §6, p3.

measure, §4, p4; §5, p4.

measure, Surveyor's, §4, p5.

root, §5, p12.

St. Clair River, §12, p44.

Croix River, §12, p44.

Francis River, §12, p44.

John River, §12, p44.

Lawrence River, §12, p44.

Mary's River, §12, p44.

Mary's Strait, §12, p44.

Standard gauging rod, §13, p3.

Statement of simple account, §9, p24.

Stationary caliper arm of gauging rod, §13, p6.

Statute mile, §4, p3.
 Still, Description of a, §13, p52.
 Stock broker, §9, p2.
 Stocks and bonds, §9, p1.
 Straight line, §6, p1.
 Strait, Definition of, §12, p3.
 Stricken measure, §4, p11.
 Subtraction, §1, p14.
 General remarks on, §1, p18.
 of compound numbers, §4, p29.
 of decimals, §3, p5.
 of fractions, §2, p9.
 of fractions, Rule for, §2, p10.
 Proof of, §1, p16.
 Rule for, §1, p16.
 Sign of, §1, p14.
 Subtrahend, §1, p14.
 Suction pump, §13, p39.
 pump, Bucket of, §13, p39.
 Surface, Convex, §6, p17.
 Entire, §6, p17.
 evaporation, §13, p50.
 Surveyor's linear measure, §4, p3.
 square measure, §4, p5.
 Susquehanna River, §12, p45.
 Suwannee River, §12, p45.
 Symbols of aggregation, §2, p19.

T

Tare, §8, p33.
 Tax, Income, §7, p21.
 Property, §7, p21.
 Taxes, §7, p21.
 Temperature, §13, p45.
 Tennessee River, §12, p45.
 Tension, Meaning of, §13, p33.
 Term of discount, §8, p29.
 Terms of a fraction, §2, p2.
 Thames River, §12, p45.
 Theoretical lift of a pump, §13, p35.
 Theory of the siphon, §13, p38.
 Thermometer, §13, p46.
 Centigrade, §13, p47.
 degrees, §13, p47.
 Fahrenheit, §13, p47.
 scale, Changing values from one, to another,
 §13, p48.
 scales, §13, p47.
 Third-class mail matter, §16, p4.
 -class postage, Articles requiring, §16, p5.
 Third power, §5, p12.
 root, §5, p12.
 -variety cask, §13, p3.
 -variety casks, Mean diameter of, §13, p3.
 Time and longitude, §4, p13.
 draft, §9, p6.
 Measure of, §4, p11.

Tombigbee River, §12, p45.
 Trade discounts, §7, p11.
 Triangle, §6, p13.
 Altitude of a, §6, p13.
 Equilateral, §6, p13.
 Isosceles, §6, p13.
 Perimeter of a, §6, p13.
 Right, §6, p13.
 Scalene, §6, p13.
 Triplex pumps, §13, p39.
 Troy weight, §4, p7.
 True discount, §8, p16.
 Tutuila, Island of, §12, p47.

U

Ullage, Meaning of, §13, p5.
 Underwriter, §7, p19.
 Uniform scale, §4, p1.
 Unit, §1, p1.
 of a number, §1, p1.
 United States coins, §4, p17.
 States, Description of, §12, p4.
 States, Divisions of the, §12, p8.
 States, Important cities of the, §12, p48.
 States, Insular possessions of the, §12, p47.
 States money, §3, p14.
 States money, Table of, §4, p16.
 States, Mountain systems of the, §12, p6.
 States naval vessels, Postage to, §16, p19.
 States, One hundred largest cities in the,
 §12, p61.
 States, River systems of the, §12, p5.
 States, Rivers in, §12, p38.
 States rule, §8, p22.
 Units, Operations with metric, §5, p8.
 Unlike numbers, §1, p1.
 Unmailable matter, §16, p26.
 Upward pressure, §13, p21.
 pressure, Law for, §13, p22.
 Use of hydrometer, §13, p31.
 Usury, §8, p1.

V

Vacuum, Meaning of, §13, p34.
 Partial, §13, p34.
 Value of a figure, §1, p3.
 of a fraction, §2, p2.
 Par, §9, p1.
 Vapor, §13, p16.
 Varieties of casks, §13, p2.
 Varying scale, §4, p1.
 Vertex, §6, p2.
 Vertical line, §6, p1.
 Volume of a solid, §6, p18.

W

Wabash River, §12, p45.
 Wantage, §13, p5.

Wantage—(Continued)
 rod, §13, pp5, 11.
 rod, Alexander's, §13, p5.
 Water, Buoyant effects of, §13, p26.
 Flow of, into a pump, §13, p35.
 Weighing beam, §13, p5.
 beam, Complete §13, p5.
 beam, Fairbanks, §13, p5.
 Weight, §13, p28.
 Apothecaries', §4, p8.
 Avoirdupois, §4, p6.
 Measures of, §4, p6; §5, p7.
 Troy, §4, p7.
 West longitudes, §4, p14.
 Wet wines, §13, p56.
 Whisky, §13, pp53, 54.
 Apple, §13, p54.
 Manufacture of, §13, p54.
 Willamette River, §12, p45.
 Willimantic River, §12, p45.
 Wine gallon, §13, p3.
 High, §13, p55.

Wine—(Continued)
 lees, §13, p55.
 Low, §13, p54.
 Spirits of, §13, p54.
 Wines, §13, p55.
 Dry, §13, p56.
 Manufacture of, §13, p55.
 Wet, §13, p56.
 Wisconsin River, §12, p45.
 Wort, §13, p56.
 Wrapping mail, §16, p26.

Y

Yazoo River, §12, p45.
 Year, Leap, §4, p12.
 Secular, §4, p12.
 Solar, §4, p11.
 Yellowstone River, §12, p45.

Z

Zero, §1, p2.

